
CHAINSAW CHAPS

ELVEX PROCHAPS™ - 90 SERIES

- Patented asymmetric design provides extended protection on the left side of each leg, where most injuries occur.
- The 90 series chaps conform to ASTM requirements as well as APA Class A requirements.
- Lightweight, flexible and strong 420 denier




43" Length......\$74.95 each

ELVEX PROCHAPS™ - 94 SERIES

- Designed for the professional chain saw user.
- Meets the requirements of the ASTM Standard.
- Lightweight Prolar protective pads add comfort and prevent heat buildup.
- Patented asymmetric design

JE-9043

- 1,000 denier Cordura Nylon cover fabric is




JE-9433	33" Length	\$85.95 each
JE-9436	36" Length	\$85.95 each
JE-9439	39" Length	\$91.95 each

LABONVILLE KEVLAR CHAPS

- 5-ply Kevlar polyester blend
- Meets all OSHA requirements and are UL Class A classified.
- Outer shell is a 1000 denier Cordura and is proven to be very resistant to snags and tears the brush.
- · Adjustable waist band
- Made in the USA.

GREEN		
850KPR-G	Regular - 32" Length	\$71.95 each
850KPL-G	Long - 36" Length	\$75.95 each
850KPX-G	X-Long - 40" Length	\$80.95 each
850KP2X-G	2X-Long- 44" Length	\$91.95 each
ORANGE		
850KPR-O	Regular - 32" Length	\$71.95 each
850KPL-O	Long - 36" Length	\$75.95 each
850KPX-O	X-Long - 40" Length	\$80.95 each
850KP2X-O	2X-Long- 44" Length	\$91.95 each



- Certain work conditions may require extra precaution, with regards to lower leg protection. Elvex ProChaps with wrap-around calf protection provides the solution for these situations.
- · This model maintains all basic features of Elvex 94 series chaps, while maximizing lower leg protection.
- The outer shell is made of 1,000 denier Cordura Nylon, designed for durability in severe environments.
- Each leg is secured by a total of three sets of buckles. The wrap-around section, below the knees, is secured by two sets of buckles.

JE-9133	33" Length	\$93.95 each
JE-9136	36" Length	\$93.95 each
	39" Length	•
	43" Length	•

ARBORCHAPS™ ONE SIZE FITS ALL

- Patented asymmetric design for better protection where most injuries occur.
- Elvex famous Prolar protective pads, no compromise on safety
- Universal size, three sets of belt loops allow length adjustment from 33 to 36
- Easy on, easy off apron style design, with two sets of leg straps and buckles
- Hunter green 420 denier Nylon cover fabric, with attractive black Nylon edging
- Available in one universal size only

JE-8000	Universal Length	\$66.95 each	
REPLACEMENT PARTS			
	Leg Buckles	•	
IF-RW	Waist Buckles	\$1.95 each	

LABONVILLE FULL-WRAP CHAINSAW CHAPS

- 5-ply Kevlar polyester blend
- Meets all OSHA requirements and are UL Class A classified.
- Outer shell is a 1000 denier Cordura and is proven to be very resistant to snags and tears in the brush.
- Adjustable waist band
- Made in the USA.

ORANGE		
W850KPR	Regular - 32" Length	\$78.95 each
W850KPL	Long - 36" Length	\$84.95 each
W850KPX	X-Long - 40" Length	\$91.95 each
W850KP2X	2X-Long- 44" Length	\$98.95 each
W850KP3X	3X-Long- 48" Length	\$105.95 each
*Green avail	able by special order	





CHAINSAW CHAPS

UL CLASSIFIED 5 PLY WILDLAND/FORESTRY CHAP

Constructed with 3 plys of woven para-aramid and 2 plys of para-aramid felt. Shell front and back is 1000 denier Cordura nylon, urethane coated to prevent penetration of liquids. 2" wide waist belt and 1" wide leg straps of heavy nylon webbing with adjustable quick release nylon buckles. Chap has a four compartment tool pocket with snap closure flap sewn to waist belt. Chaps fit waist sizes from 32" to 46" Measure length from waist down two inches below top of boot to determine proper length to order.



UL Classified to NFPA 1977, Standard on Protective Clothing and Equipment for Wildland Firefighting, ASTM F 1897-08 Standard Specification for Leg Protection for Chain Saw users. This Chainsaw Chap is built in accordance with U.S. Forestry Specification 6170-4F.

SAFETY O	GREEN	
WFG-32	32" Length	\$147.95 each
	4+	\$141.95 each
WFG-36	36" Length	\$158.50 each
	4+	\$152.50 each
WFG-40	40" Length	\$171.95 each
	4+	\$165.95 each
SAFETY C	DRANGE	
WFO-32	32" Length	\$147.95 each
	4+	\$141.95 each
WFO-36	36" Length	\$158.50 each
	4+	\$152.50 each
WFO-40	40" Length	\$171.95 each
	4+	\$165.95 each

ORIGINAL SAW BUCK CHAIN SAW CHAPS

Constructed with 2 plys of woven paraaramid and 2 plys of para-aramid felt. Shell is 1000 denier nylon both front and back, urethane coated to prevent penetration of liquids. 2" wide waist belt and 1" wide leg straps of heavy polypropylene webbing with adjustable quick release Delrin buckles. A 2 compartment tool pocket with snap flap closure is sewn to waist belt. Chaps fit waist sizes 32" to 46". Measure length from waist down to 2" below top of boot to determine proper length to order.



SAFETY GREEN			
SBG-28	28" Length	\$104.95 each	
	4+	\$99.95 each	
SBG-32	32" Length	\$111.95 each	
	4+	\$106.95 each	
SBG-36	36" Length	\$119.95 each	
	4+	\$114.95 each	
SBG-40	40" Length	\$127.95 each	
	4+	\$120.95 each	
SAFETY	ORANGE		
SB0-28	28" Length	\$104.95 each	
	4+	\$99.95 each	
SBO-32	32" Length	\$111.95 each	
	4+	\$106.95 each	
SBO-36	36" Length	\$119.95 each	
	4+	\$114.95 each	
SBO-40	40" Length	\$127.95 each	
		\$120.95 each	

UL CLASSIFIED SAW BUCK CHAIN SAW CHAPS

GREEN

Constructed with 2 plys of woven para-aramid and 2 plys of para-aramid felt. Shell is 1000 denier nylon both front and back, urethane coated to prevent penetration of liquids. 2" wide waist belt and 1" wide leg straps of heavy polypropylene webbing with adjustable quick release Delrin buckles. A 2 compartment tool pocket with snap flap closure is sewn to waist belt. Chaps fit waist sizes 32" to 46". Measure length from waist down to 2" below top of boot to determine proper length to order.

Dual UL Classified to ASTM F 1897-04 and ASTM F 1897-08 Standard Specification for Leg Protection for Chain Saw Users.



LA32-8015083 LA36-8015083 LA40-8015083	8	\$106.95 each
ORANGE		
LA32-8015182	32" Length	\$101.95 each
LA36-8015182	36" Length	\$106.95 each
LA40-8015182	40" Length	\$115.95 each

CHAINSAW CHAPS



TILTON TOTAL CHAIN SAW CHAPS

These safety orange chain saw chaps offer lightweight and comfortable leg protection from chainsaws. Easy to put on and remove, with Delrin guick-release buckles and smooth web straps that are easy to adjust. The PVC-coated polyester shell is water resistant and resists snagging in underbrush. The unique dual-height waistband allows adjustment for two different leg lengths. Protective material consists of a five layer pad including polyester, polypropylene and aramid nylon blended fabric. The protective material is designed to give the wearer added reaction time should a moving chain come in contact with the chaps. The pads are approximately 14-1/4" wide and cover the front and sides of the legs. Protective pad overall length is approximately 30". 100% polyester lining. UL-classified leg protective garment in accordance with ANSI ASTM F1897 standard specification for leg protection for chain saw users (2008) 9F92 OR 8F67.



TILTON TOTAL FULL WRAP CHAIN SAW CHAPS

For added protection, the lower portion is designed to completely encircle the calf and lower leg below the knee. The lower protective pad area is approx. 21" wide x 13.5" high and is secured by three straps for a sure fit. Protective pad overall length is approx. 30". Features a dual-height waistband for leg length adjustment and a tool pocket with an overlapping flap and snap closure to keep out debris. Durable Delrin® guick-release buckles allow guick on and off and the smooth web straps are easy to adjust. The PVC-coated shell is water resistant and also resists snagging in underbrush. Protective material consists of a five layer pad. UL-classified leg protective garment in accordance with ANSI ASTM F1897 standard specification for leg protection for chain saw users (2008) 9F92 OR 8F67.

TSCW One Size Fits Most\$65.00 each



How Chaps Protect the Sawyer

Chain saw chaps protect the saw operator by slowing and stopping the chain. Fibers of the protective pad are pulled into the saw's drive sprocket, jamming the saw. New chaps are designed to protect the operator's legs from saws with chain speeds of up to 3,200 feet per minute. Earlier designs did not provide protection at such high chain speeds.

Chain saw operators need to wear chaps long enough to reach at least 2 inches below the boot tops. The waist and leg straps should be adjusted for a snug fit that will keep the chaps positioned correctly on the legs. Always use these chaps in conjunction with all other required personal protective equipment (PPE). Most protective properties of the chaps cannot be tested by users in the field.

Inspection and Retirement

Inspect the chaps frequently and retire them from use when appropriate. Retire chain saw chaps when:

- The outer shell has numerous holes and cuts. Holes allow bar oil to contaminate the Kevlar pad. The oil acts as an adhesive, reducing the level of protection.
- Wood chips and sawdust are evident inside the layers at the bottom of the chaps.
- Improper repairs have been made, such as patch jobs that stitched through the Kevlar pad. Machine or hand stitching the pad prevents the fibers from moving, lowering the level of cut-through protection.
- Chaps have been improperly cleaned. Using detergents with bleach additives decreases the level of cut-through protection. High-pressure washing destroys the pad.
- The first layer of yellow Kevlar has a cut that is longer than 1 inch

~Courtesy of FS.FED.US Publications

CHAINSAW PROTECTIVE CLOTHING

GLOVES/HELMETS

SWEDEPRO CHAINSAW GLOVE

- Mitt style gloves for better gripping power while operating a chain saw
- The back of these Chain Saw Gloves are made of water-resistant nylon and the palms are made with goat skin for better wet weather gripping power
- Designed by European Woodworking professionals for the professional logger
- Breakaway Engtex® chain saw retardent material sewn into the back of the left glove
- High Visibility International Orange Color (great for outdoor safety)
- Extended cuff with elongated wrist band and hook and loop fastener keeps hands warm and free from sawdust

250008	Small (8)	\$35.00 per pair
250009	Medium (9)	\$35.00 per pair
2500010	Large (10)	\$35.00 per pair
2500011	X-Large (11)	\$35.00 per pair

MEMPHIS KEVLAR® GLOVES


- Launderable
- High comfort level
- Allows manual dexterity
- 100% Kevlar®
- Regular Weight
- Use as gloves or glove liners
- Will not melt, ignite or conduct electricity
- All 100% Kevlar® brand fiber non-coated styles are made with FDA-accepted materials for use in food processing applications
- DuPont™ Kevlar ® brand fiber for high tensile strength relative to its weight-up to five times stronger than steel.


9365-L	One-Sided Dots, Large	\$6.50 per pair
9370H-S	Two-Sided Dots, Small	\$6.95 per pair
9370H-L	Two-Sided Dots, Large	\$6.95 per pair



ELVEX CHAINSAW PRO-GLOVES

Elvex Pro-Gloves feature chain saw protective padding on the back of the left hand glove to help reduce or prevent a chain saw accident.





- · Cowhide leather provides better gripping
- Protection material is multi-layer high tenacity polyester clogging fibers (left hand only).
- Open cuff in cow suede
- Velcro closure customizes the fit

JEGLV-50-LG	Large	\$29.95 pair
JEGLV-50-XL	X-Large	\$29.95 pair

ELVEX PROGUARD LOGGER'S HEAD PROTECTION

- Provides protection of head, face and hearing in one integrated system. Meets ANSI, SEI and CSA standards.
- Dielectric ear muffs have Noise Reduction Rating of 24 dB, 25 dB or 27 dB.
- The nylon mesh screen can be flipped up or down on a spring loaded visor bracket.
 Standard visor is 6" x 11" nylon mesh.
 Steel screen is optional.





Part Number	Description	Price
CU-25	Orange, 6-pt pin lock adjustable suspension cap, black muff, (24 NRR), visor bracket, nylon mesh visor	\$36.95
CU-30R	Orange, 6-pt ratchet adjustable suspension cap, black muff, (25 NRR), visor bracket, nylon mesh visor	\$37.50
CU-60R	Orange, 6-pt ratchet adjustable suspension cap, black muff, (27 NRR), visor bracket, nylon mesh visor	\$41.95

PROGUARD REPLACEMENT PARTS

NV-70	Forestry Screen Nylon Mesh	\$8.25 each
SV-70	Forestry Screen Steel Mesh	\$8.25 each
VB-10	Visor Bracket	\$8.25 each
SA-93	Universal Adapter for Slotted Caps	\$3.95 each
BR93	Replacement Ear Muff Brackets	\$10.95 each

CHAINSAW PROTECTIVE CLOTHING

BOOTS/SHIRTS

SWEDEPRO™ CHAINSAW PROTECTIVE BOOTS

- Lined with soft cowhide gloved leather
- Full top grain leather over entire upper
- Proven with 7 years of field testing by Soren Eriksson
- Multi-layers of specially woven Kevlar[®]
- High 10" designed to give maximum ankle support
- Triple stitched for longer wear
- Specially designed lace to toe style for rugged outdoors use
- Meets ANSI standard Z41PT83 for steel toes
- Available with high abrasion "Vibram" Marathon and Calk soles (Spiked)
- 3" steel shank for extra support
- Goodyear® Welt construction
- Paron 4000° Cushion insole material

305070	Size 7	\$260.00 each
305080	Size 8	\$260.00 each
305085	Size 8.5	\$260.00 each
305090	Size 9	\$260.00 each
305095	Size 9.5	\$260.00 each
305000	Size 10	\$260.00 each
305005	Size 10.5	\$260.00 each
305010	Size 11	\$260.00 each
305015	Size 11.5	\$260.00 each
305012	Size 12	\$260.00 each
305013	Size 13	\$260.00 each

LABONVILLE KEVLAR CHAINSAW BOOTS

This 8" low heel, 2 layer, Kevlar/Poly Chainsaw safety Redwood boot has a padded collar, top grained oiled leather, rivet reinforced, and a safety freedom box toe with scuff resistant black smooth tip. It is Cambrelle lined, foam lined, with speed lace grommets (machined brass studs). Other features include: Matterhorn 1 pc. Lug sole; heel-to-heel steel shank, full cushion, Paron 4000 insole new security

stitched soles for extra durability, comfort insole, rear pull loop. EH rated (Electrical Hazard Protection). Made in the USA.

Available Sizes:

7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12, 13. (EE Width Only.) 24127-SZ\$237.95 pair


LABONVILLE KEVLAR CHAINSAW BOOTS -HIGH HEEL STYLE


Same as above – new "Pole Climber" right and left steel shanks.

24128-SZ\$242.95 pair

ELVEX PROVEST II™

Elvex ProVest II™ is the first genuine chain saw resistant upper body protection. It is intended to offer limited protection from chain saw kick back injuries. Great for arborists, landscapers and utility company employees.





JE-70SM	Small, 36" – 38"	.\$69.95 each
JE-70M	Medium, 38" – 42"	.\$69.95 each
JE-70L	Large, 42" – 46"	.\$69.95 each
JE-70XL	X Large, 46" – 52"	.\$69.95 each

SWEDEPRO CHAINSAW PROTECTIVE SHIRT

The top of the SwedePro Chainsaw Protective Shirt is made with breathable Polyester material for flexibility and the body is made with Polyester mesh for breathability and comfort. The protective pad is made with Engtex® material. It also has protective material sewn into the sleeve, collar and shoulder



areas. High visibility international orange color for safety.

170030	Small	\$86.00 each
170034	Medium	\$86.00 each
170038	Large	\$86.00 each
170042	X-Large	\$86.00 each
170044	2X-Large	\$86.00 each
	3X-Large	



CALL OUR FRIENDLY AND KNOWLEDGEABLE SALES CONSULTANTS FOR ANSWERS TO ANY QUESTIONS YOU MAY HAVE:

1-800-592-6940




SAW CHAIN

00 de cores de de cores do de core

CHAINSAW CHAIN - 3/8 PITCH

OREGON® SUPER 70 CHISEL SAW CHAIN - 3/8 PITCH, .050 GAUGE



OREGON® SUPER GUARD® CHAINS - 3/8 PITCH, .050 GAUGE

Part #	Description	Size	Bar Size	1-9	File
72JGX-72G	Round-Ground Full Chisel, Skip Tooth	72 DL	20"	\$18.95	7/32
72JGX-84DL	Round-Ground Full Chisel, Skip Tooth	84 DL	24"	\$21.95	7/32
72JGX-91DL	Round-Ground Full Chisel, Skip Tooth	91 DL	28"	\$22.95	7/32
72JGX-92DL	Round-Ground Full Chisel, Skip Tooth	92 DL	28"	\$23.00	7/32
72JGX-93DL	Round-Ground Full Chisel, Skip Tooth	93 DL	28"	\$23.25	7/32
72JGX-105DL	Round-Ground Full Chisel, Skip Tooth	105 DL	32"	\$26.25	7/32
72JGX-114DL	Round-Ground Full Chisel, Skip Tooth	114 DL	36"	\$28.50	7/32
72LG-84G	Round Ground, Standard	84 DL	24"	\$21.95	7/32
72JG	Round Ground, Skip Tooth	100′	-	\$329.95	7/32



OREGON® 91VG SAW CHAIN - 3/8 PITCH, .050 GAUGE

Part #	Description	Size	Bar Size	1-9	File
91VG-50	Chamfer Chisel, Standard	50 DL	14"	\$12.50	5/32
91VG-55E	Chamfer Chisel, Standard	55 DL	16"	\$13.75	5/32
91VG-56E	Chamfer Chisel, Standard	56 DL	16"	\$14.00	5/32
91VG-62E	Chamfer Chisel, Standard	62 DL	18"	\$15.50	5/32
91VG-100R	Chamfer Chisel, Standard	100′	-	\$329.95	5/32

CARLTON® A1LM CHISEL CHAIN - 3/8 PITCH, .050 GAUGE

Magna Chisel cutting chain. Single drag for better cutting performance. Stays sharp under the most severe cutting conditions. Easily maintained with a standard 7/32" round chain saw file.

A1LM-72E	72 Drive Links, for 20" Bars	\$14.95 each
A1LM-84E	84 Drive Links for 24" Bars	\$17.95 each
A1LM-100R	100' Roll	\$299.95 each



POLE SAW/POLE PRUNER CHAIN - 3/8 PITCH

OREGON® 90PX SAW CHAIN - 3/8 PITCH, .045 GAUGE

90PX-34	Loop, 34 Drive Links for 8" Bars\$10.95 each
90PX-44G	Loop, 44 Drive Links for 12" Bars\$12.95 each
90PX-50G	Loop, 50 Drive Links for 14" Bars\$14.50 each



SAW CHAIN





CARLTON POLE PRUNER LOOPS - 3/8 PITCH, .043 GAUGE

• Drive Links: 44

• Cutter Style: Semi-Chisel, Safety

N4C-44E For 12" Bars.....\$12.95 each

OREGON® MICRO-LITE™ 90SG LOOPS - 3/8 PITCH, .043 GAUGE

90SG-44E	Loop, 44 Drive Links	\$12.95 each
	Loop, 45 Drive Links	
90SG-50G	Loop, 50 Drive Links	\$14.50 each
90SG-55E	Loop. 55 Drive Links	\$15.95 each



CHAINSAW CHAIN - .325 PITCH

OREGON® SUPER 20 CHAINSAW CHAIN - .325 PITCH, .050 GAUGE

20LP-62DL	Loop – 62 Drive Links, Full Sequence, .050 Gauge \$15.50 each
20LP-66DL	Loop – 66 Drive Links, Full Sequence, .050 Gauge \$16.50 each
20LP-67DL	Loop – 67 Drive Links, Full Sequence, .050 Gauge \$16.75 each
20LP-68G	Loop – 68 Drive Links, Full Sequence, .050 Gauge \$17.00 each
20LP-72DL	Loop – 72 Drive Links, Full Sequence, .050 Gauge \$18.00 each
20LP-74G	Loop – 74 Drive Links, Full Sequence, .050 Gauge \$18.50 each
22LP-68DL	Loop – 68 Drive Links, Full Sequence, .063 Gauge \$17.00 each
22LP-81DL	Loop – 81 Drive Links, Full Sequence, .063 Gauge \$20.25 each



HARVESTER CHAIN

OREGON® 18HX HARVESTER CHAIN - .404 PITCH, .080 GAUGE

18H	100' Roll	\$389.95 each
18H-70DL	Loop – 70 Drive Links	\$23.80 each
18H-86DL	Loop – 86 Drive Links	\$29.24 each
	Loop – 87 Drive Links	
18H-101DL	Loop – 101 Drive Links	\$35.35 each



CARLTON® B8HC HARVESTER CHAIN - .404 PITCH, .080 GAUGE

B8HC-100RSK	100' Roll, Skip Tooth	\$399.95 each
B8HC-100RW	100' Roll. Full Sequence	\$399.95 each

OREGON® 11H SEMI-CHISEL HARVESTER CHAIN - 3/4 PITCH

11H-50R	50' Roll	\$379.95 each
11H-56DL	Loop – 56 Drive Links	\$48.75 each
11H-60DL	Loop – 60 Drive Links	\$52.20 each
11H-65DL	Loop – 65 Drive Links	\$56.55 each
11H-66DL	Loop – 66 Drive Links	\$57.42 each
11H-67DL	Loop – 67 Drive Links	\$58.29 each
11H-89DL	Loop – 89 Drive Links	\$77.43 each
11H-90DL	Loop – 90 Drive Links	\$78.30 each
11H-96DL	Loop – 96 Drive Links	\$83.52 each



OREGON® 11BC HARVESTER CHAIN (CHIPPER) - 3/4 PITCH

11BC-50R 50' Roll\$489.95 each



CARLTON® G7SP HARVESTER CHAIN – CHIPPER STANDARD, 3/4 PITCH

G7SP-50R	50' Roll	\$349.95 each
G7SP-52E	Loop – 52 Drive Links	\$43.16 each
G7SP-55E	Loop – 55 Drive Links	\$45.65 each
G7SP-57E	Loop – 57 Drive Links	\$47.31 each
G7SP-60E	Loop – 60 Drive Links	\$49.80 each
G7SP-61E	Loop – 61 Drive Links	\$50.63 each
G7SP-66E	Loop – 66 Drive Links	\$54.78 each
G7SP-68E	Loop – 68 Drive Links	\$56.44 each
G7SP-96E	Loop – 96 Drive Links	\$79.68 each





CHAINSAW BARS

OREGON® ARMOR TIP PLUS HARDNOSE BARS

- Solid-nose, solid body bars for professional users working in dirty or abrasive conditions.
- Ultra-high-strength stellite alloy is laser welded to the nose for long bar life
- Lubri-Dam® oil-retaining feature prevents oil from running out the bar's tail, keeps more
 oil on the bar and chain*
- OREGON GRAMMOR TIP
- Lubri Jet® oil holes reduce oil-hole plugging and enhance bar-chain lubrication*
- Laser welding provides the optimum satellite bond without weakening the bar body, as can occur with gas welding
- Super-tough chrome-moly steel provides superior bar-body strength and tough rails with excellent resistance to wear and chipping
- * Lubri-Dam® and Lubri Jet® oiling features may not be a standard feature on certain bars depending on the date of manufacture of bar type.

Laser Weld - 3/8" Pitch, .050 Gauge

Part #	Saw Brand	Length	DL	1-2	3-5	6+
140GPEA041	Poulan	14"	52	\$27.95	N/A	N/A
160GPEA041	Poulan	16"	56	\$30.50	N/A	N/A
160ATMD025	Stihl	16"	60	\$43.50	\$42.05	\$40.50
180ATMD025	Stihl	18"	66	\$45.75	\$44.10	\$42.50
200ATMD025	Stihl	20"	72	\$50.25	\$48.50	\$46.65
240ATMD025	Stihl	24"	84	\$56.60	\$54.60	\$52.60
160ATMD009	Husky	16"	60	\$43.50	\$42.05	\$40.50
180ATMD009	Husky	18"	68	\$45.75	\$44.10	\$42.50
200ATMD009	Husky	20"	72	\$50.25	\$48.50	\$46.65
200ATMK095	Husky	20"	72	\$50.25	\$48.50	\$46.65
240ATMD009	Husky	24"	84	\$56.60	\$54.60	\$52.60

OREGON POWER MATCH® PLUS ROLLERNOSE BARS

The industry standard for professional users cutting clean wood.

- Nose fastens with a single rivet, and is securely held by wide, strong, overlapping ears
- Lubri-Dam® oil-retaining feature prevents oil from running out the bar's tail, keeps more oil on the bar and chain*



- Lubri Jet® oil holes reduce oil-hole plugging and enhance bar-chain lubrication*
- Super-tough chrome-moly steel provides superior bar-body strength and tough rails with excellent resistance to wear and chipping

3/8" Pitch, .050 Gauge

Part #	Saw Brand	Length	DL	1-2	3-5	6+
160RNDD025	Stihl	16"	60	\$41.50	\$40.00	\$38.50
180RNDD025	Stihl	18"	66	\$43.65	\$42.05	\$40.50
200RNDD025	Stihl	20"	72	\$47.95	\$46.25	\$44.50
240RNDD025	Stihl	24"	84	\$60.95	\$56.65	\$54.60
280RNDD025	Stihl	28"	91	\$67.65	\$65.25	\$62.75
160RNDD009	Husky	16"	60	\$41.50	\$40.00	\$38.50
180RNDD009	Husky	18"	68	\$43.65	\$42.05	\$40.50
200RNDD009	Husky	20"	72	\$47.95	\$46.25	\$44.50
240RNDD009	Husky	24"	84	\$60.95	\$56.65	\$54.60
280RNDD009	Husky	28"	91	\$67.65	\$65.25	\$62.75
200RNDD176	Poulan	20"	72	\$47.95	\$46.25	\$44.50

^{*}Lubri-Dam® and Lubri Jet® oiling features may not be a standard feature on certain bars depending on the date of manufacture of bar type.

CHAINSAW BARS

REPLACEMENT 3/8" PITCH SPROCKET NOSES

• Drive Links: 44

• Cutter Style: Semi-Chisel, Safety

 30853
 Oregon Brand
 \$17.45 each

 30853T
 CSP Brand
 \$14.95 each





TOTAL SUPER CHAINSAW BARS

The industry standard for professional users cutting clean wood.

Total Super Bars are made from the finest-quality high-carbon steel available. They are assembled to exact uniform tolerances, ensuring precise cutting stability over the bar nose. These high standards of manufacturing result in a premium quality guide bar built for unmatched service life.



- Superior durability, strength, and accuracy
- Manufactured under strict quality control procedures

3/8" Pitch, .050 Gauge

Part #	Saw Brand	Length	DL	Price			
T202FV4	Stihl	20"	72	\$49.95			
T204FV4	Stihl	24"	84	\$62.95			
T838FV4	Husky	20"	72	\$49.95			
T459FV4	Husky	Husky 24" 84					
T48FV84	Replace	\$17.95					



FROSTBITE CHAINSAW BARS

Part #	Saw Brand	Length	Price
HV2050PA-FB	Husky	20"	\$45.95
SN2050PA-FB	Husky	20"	\$45.95



OREGON POWER MATE® RIM SPROCKETS

Preferred by most professional chainsaw users. "Floats" on the splined hub, allowing chain and sprocket to self-align with the bar groove.

R68210S 3/8 - 7, Large Spline 22273 3/8 - 8, Large Spline 18720 3/8 - 7, Small Spline



11032	.525	,	
1-11			\$5.95 each
124			\$4.0E.02ch

8MM BAR NUTS

NBM8BN	For Husqvarna	.\$.60 each
NBM8X34BN	For Stihl	.\$.75 each

SAW WRENCHES

These economical tools make bar removal and chain tensioning easy. For Stihl and Husqvarna.



CSWR-010 13mm x 16mm, 2" Barrel.....\$3.20 each



OTHER BARS & BLADES

OREGON® 12" MICRO-LITE DOUBLE GUARD POWER PRUNER BAR

This bar features Oregon's Micro-Lite narrow-kerf cutting system which increases cutting efficiency and requires less power from the saw than standard cutting systems. To obtain all the advantages of the Micro-Lite feature use with narrow-kerf .043" 90 series chain.

- .043" Gauge
- 3/8" Low Pro Pitch
- 9 Tooth Count
- Bar Mount used on Stihl, Olympyk, Oleo-Mac saws
- Narrow-kerf sprocket-nose



SOLID HARVESTER SPROCKET NOSE BARS

- Pitch .404"
- Gauge 0.080" (2.0mm)
- Drive Sprocket Tooth Count 11, 12, 13

Part Number	Brand	Model	Size	Price
752HSFL205	Oregon	Bell	75cm	\$89.95
FB752HSFL205	Frostbite	Bell	75cm	\$79.95
902HSFL205	Oregon	Bell	90cm	\$96.95
FB902HSFL205	Frostbite	Bell	90cm	\$89.95
752HSFL003	Oregon	Propac	67cm	\$89.95
752HSFL114	Oregon	Denarco	75cm	\$89.95
902HSFL114	Oregon	Denarco	90cm	\$96.95



QUADCO MULCHING TEETH - BRUSH CUTTING TEETH

Tougher, more sustainable mower teeth to withstand harsh elements. Available for all popular applications, these teeth perform well in even the toughest conditions. With a QUAD TOOTH, your machine will perform like more horsepower has been added because



less cutting effort is required. Less cutting effort equals fuel savings and less wear on the machine. Quadco standard factory tips are all one-piece. In addition, Quadco has designed a holder that has replaceable teeth and in some instances, rotatable teeth for reduced cost and longer life.

Ask us about upgrading your complete drum. Increase your productivity and decrease your operating costs. Drums available for most popular forestry mulchers. Call for more information.

Part Number	Price	
Q11290X2	Tooth for Fecon Brush Cutters	\$79.78
Q11231	Sleeve for P/N Q11290X2	\$6.95
Q0NLW12	Nor-Lock Washer 3/4" for Q11290X2	\$9.95
Q02121672	Bolt for P/N Q11290X2, 3/4" x 16" x 4-1/2"	\$5.95





*Full Line of Quadco
Cutting Teeth Available

For Orders: Phone 1.800.592.6940 / Fax 318.688.6487 / www.cspcatalog.com

SLASHER AND DELIMBER BARS

CSP Part #	Oregon Part #	Make	Model	Nose	Length	DL	Price
34HN-CTR	341ATVT133	CTR-2009	Delimber 400, 450, 500	H/N	34"	56	\$416.85
34CTRSN	341SNCT133	CTR	Delimber 400, 450, 500	S/N	34"	56	\$324.95
34H208S	-	CTR	400 (2003 and after)	S/N	34"	56	\$324.95
N/A	351SNCT219	Waratah	HTH 623C	S/N	35"	56	\$380.95
36CTRSN	361SNCT133	CTR-2004 and before	Delimber 450, 500, 550	S/N	36"	59	\$375.00
40CTRSN	-	CTR – 2004	Delimber 400, 450, 500	S/N	40"	67	\$395.00
58H136D	581DEB9136	CTR - 10/2011	Slasher Double-End	D/E	58"	89	\$375.00
58CTRW-42IP	581UEB9155	CTR	Slasher 42-IP	U/E	58"	96	\$395.95
66H155U	661UEB9155	CTR - 8/2011	Slasher 50-IP	U/E	66"	106	\$487.50
CSI-34	-	CSI – 2007	PTD-143, PTD-243	H/N	34"	56	\$299.95
37SNCSI	371SNCT190	CSI	PTD-143, PTD-243	S/N	37"	60	\$395.00
43H190S	431SNCT190	CSI	Ultra PTD-246, PTD-143, PTD-243, PTD-264	S/N	43"	66	\$395.95
59H191U	591UED9191	CSI	DL-4400 Slasher	U/E	59"	96	\$449.95
58FECDE	581DEC9135	Hudson/FEC – 2009	Slasher Double-End	D/E	58"	91	\$349.95
65H135D	651DEC9135	Hudson/FEC	Slasher Double-End	D/E	65"	106	\$469.95
40H138S	401SNCT138	Hultdin – 2005	Supercut 300, 350	S/N	40"	60	\$395.95
60H137M	-	L & M – 2008	Deck Saws	D/E	60"	ı	\$429.95
72H137M	-	L & M – 2009	Deck Saws	D/E	72"	-	\$499.95
43H161S	431SNCT161	Pierce Pacific – 2006	HSD 3345, 3348, PMD 3348	S/N	43"	65	\$395.95
58H178D	581DEB9178	Riley	BCL-43, HG 6600, HG 3500	D/E	58"	96	\$395.95
34TIMSN	341SNCT043	Timbco – 2004	34" Saw Head	S/N	34"	55	\$324.95
38TIMSN	381SNCT043	Timbco – 2/2011	38" Saw Head	S/N	38"	60	\$335.95
34H134S	341SNCT134	Timberline -2008	ST 3510, ST 3520, ST 3530	S/N	34"	54	\$324.95
32H622S	-	Waratah – 2008	HTH 622	S/N	32"	50	\$319.95
34H151S	341SNCT151	Waratah	D230, D240, D250, DS260	S/N	34"	56	\$324.95
36H146S	361SNCT146	Waratah	HTH 24	S/N	36"	57	\$339.95
44H210S	441SNCT210	CTR	426, 320	S/N	44"	66	\$395.00
58H207U	581UEAP207	Riley	4300C Slasher	U/E	58"	96	\$425.00
38H146S	381SNCT146	Waratah	HTH 624	S/N	38"	60	\$349.95
38H208S	-	CTR	550 (2004 & After)	S/N	38"	61	\$324.95
38H221S	381SNCT221	Riley	4800C	S/N	38"	61	\$350.00

3/4 PITCH REPLACEMENT SPROCKET NOSES

 40603
 Oregon Brand
 \$79.95 each

 40603T
 CSP Brand
 \$69.95 each

 400635
 (OEM) 3/4 Pitch Sprocket Nose
 \$106.38 each

 41796
 Replacement Rivets
 \$8.95 per pack of 25



CHAINSAW SHARPENING SUPPLIES

OREGON CHAINSAW FILES

Stock Number	Size	1-5 Dozen	6+ Dozen
70502	7/32"	\$19.75	\$16.50
70503	3/16"	\$19.75	\$16.50
70504	5/32"	\$19.75	\$16.50
70505	13/64"	\$19.75	\$16.50
70511	4.5 mm	\$19.75	\$16.50



CSP BRAND CHAINSAW FILES

- High quality, Swiss made files
- Same pattern as Oregon Chain Saw Files
- Packed one dozen per box

Stock Number	Size	1-5 Dozen	6+ Dozen
732-CSP	7/32"	\$13.75	\$11.95
316-CSP	3/16"	\$13.75	\$11.95
532-CSP	5/32"	\$13.75	\$11.95
1364-CSP	13/64"	\$13.75	\$11.95

WOODEN CHAINSAW FILE HANDLES



OR-30870 Oregon\$2.25 each

PFERD CHAIN SHARP

PFERD Chain Sharps are now offered in three sizes. The professional models are available with either a 7/32" or 3/16" diameter chain saw file and both come with a flat depth gauge file. Both are 8" long. These professional models can also be used with a 1' x 13/64" chain saw file.



17062	3/16"\$32.75 each
17049	7/32"\$32.95 each

PFERD LOW PROFILE CHAIN SHARP®

The low profile Chain Sharp has a 5/32" diameter sharpening file and a depth gauge file. 8" length. This model is not suited for other file diameters.

17050 5	5/32"	\$32.95	each

PFERD FILES



PFD17038	3/16"	\$21.50/Dozen
PFD17039	7/32"	\$21.50/Dozen
PFD17047	5/32"	\$21.50/Dozen

OREGON 5/16" ROUND FILES FOR 11H/ 11BC CHAIN

90410 Box of 6.......\$16.50 each

TIMBER TUFF UPRIGHT BENCH MOUNT ELECTRIC CHAINSAW CHAIN SHARPENER

Motor: 110 V/60 HzMotor input power: 230 WattMaximum speed: 3600 rpm

• Includes: Thermo overload protection

• Work Light: 15 watt

• Includes: 3 grinding wheels sizes 1/8", 3/16", 1/4"

CS-BWM\$152.99 each

EFCO® BENCH GRINDER WHEELS

These high-quality grinding wheels resist burning of the cutters and leave a precision finish.



P/N	Width	For Chain Sizes	Price
EFFL66	3mm	1/4", 3/8" EP, .325	\$16.50
EFFL64	4.7mm	3/8", .404	\$16.25
EFFL65	7mm	3/4" and depth gauges	\$26.95

ANVILS



EFFL29	EFCO® "A" Anvil for 3/8", .404 and 1/2" Chain \$5.95 each
25049T	Anvil for 3/4 Pitch Chain - CSP Brand \$29.95 each

TECOMEC® JOLLY STAR CHAIN GRINDER

Easy to adjust and use, with a self-centering chain vise that provides equal and consistent grind angles without additional adjustment. The Jolly Star has clearly marked guides for fast and easy set-up. It will grind virtually all chain types and sizes - from 1/4" to 3/4" pitch. Comes complete with grinding wheels for chain pitches up to .404" and depth gauges, a wheel gauge, hex wrenches and

a dressing brick. UL-listed. New design self-centering chain vise includes rollers for easier chain advancement. The handle is adjustable and can be set for optimum location. The vise angle is fast and easy to set via a knob directly underneath. This vise accepts all chain pitches up to 3/4".

- Direct drive
- 120v / 60 Hz / 300W motor
- Double-coil motor arm torsion spring
- Tilting-vise allows setting of vertical (down) angle for chisel cutters.
- Down angle grind head adjustment
- Cutter length adjustment
- Built-in lamp

11369001\$375.00 each

CHAIN BREAKERS & CHAIN CONNECTORS

POCKET CHAIN BREAKER

- Easy to use
- Breaks 1/4", .325", 3/8", .404" and 1/2" pitch chains
- Anvil sold separately.

CHAIN BREAKER

CB1000 Pocket Chain Breaker w/ Punch\$21.95 each



Multi-purpose chain breaker breaks any kind of saw chain, even 3/4i pitch harvester chains. Can also be used to drive out bar-nose rivets. Includes punch for all chain pitches.

24548\$I.....\$179.95 each



OREGON® DURA MAX™ HEAVY DUTY RIVET **SPINNER**

The heavyweight champion of handoperated rivet spinners. Designed to meet all rivet-spinning needs. Spins all chain rivets up to .404" pitch, and adapts easily for spinning 3/4" rivets when used with the 3/4"-pitch adapter kit (sold separately call for details).



24549\$1\$179.95 each

EFCO® HAND RIVET SPINNER

• Built-in thrust bearing for low friction

TIE STRAPS & PRESETS

43202

43203

P107542

P23843

P31939

P23837

P23910

P37263

P37641

- · Chain guides are height adjustable for easy centering of rivet
- Includes "A" anvil (for 3/8", .404" & 1/2" chain)
- Includes "B" anvil (for 1/4" & .325" chain)

EFFL25\$66.95 each

P107539 Oregon Tie Strap, 11H, 25 /pk......\$13.25 per pack

P107540 Oregon Presets, 11H or 11BC, 25 /pk\$24.25 per pack

P107541 Left Hand Cutting Teeth, 11H, 25 /pk..\$42.50 per pack

Carlton Tie Straps, 3/4 chain, 25 /pk.....\$13.95 per pack

Carlton Presets, 3/4 chain, 25 /pk.....\$19.95 per pack

Right Hand Cutting Teeth, 11H, 25/pk......\$42.50 per pack

Oregon Tie Strap, .325 chain, 25 /pk...... \$9.95 per pack

Oregon Presets, .325 chain, 25 /pk\$13.75 per pack

Oregon Tie Strap, 3/8 chain, 25 /pk.\$14.95 per pack

Oregon Presets, 3/8 chain, 25 /pk.....\$13.95 per pack

Oregon Tie Strap, 18H chain, 25 /pk.....\$13.25 per pack

Oregon Presets, 18H chain, 25 /pk.....\$13.25 per pack

* Parts Available

EFCO® BENCH-MODEL CHAIN BREAKER

- Professional shop model
- Smooth cam action
- Specially designed for optimum leverage
- Includes attachment for replaceable bar nose
- · Complete with punch and anvil for all chain sizes

an enam sizes	
EFFL20	\$75.95 each
EFFL-22 Replacement Punch	\$6.50 each

* Parts Available

WEDGES, DOUBLE TAPERED

- Non-grip barbs
- · Resists chipping and breaking
- Orange plastic
- Available in 3 lengths

NPP-55	5-1/2" Wedge	\$4.95 each
NPP-75	7-1/2" Wedge	\$8.95 each
NPP-105	10-1/2" Wedge	\$11.50 each

CHAINSAW ACCESSORIES

BOSCH CHAINSAW SPARK PLUGS



WS7F	For Husqvarna (1-11)	\$3.50 each
	12+	
WSR6F	For Stihl (1-11)	
	12+	

CRANKING ROPE FOR CHAINSAWS

RP41/2H	9/64 – 200' Roll	\$19.25 each
	5/32 – 200' Roll	\$22.25 each
RP51/2H	11/64 – 200' Roll	\$24.25 each

LOGGING SUPPLIES & EQUIPMENT

WINCH LINE CABLE WITH FERRULE

Steel cable with Ferrule. 636

1-100-636SF	1" x 100' Call for Current Price
1-125-636SF	1" x 125' Call for Current Price
1-75-636SF	1" x 75' Call for Current Price



ALLOY TAIL CHAINS

- Made from Alloy chain and used with wire rope when wrapping is required to lift, pull or skid
- Special hook is designed to minimize fraying of wire rope to which it is attached
- Proof tested

P/N	Size	Length	Working Load Limit	Price
2011295	3/4"	18"	23,000 lbs	\$198.95
2011495	7/8"	24"	34,200 lbs	\$239.95
2011695	1"	24"	38,700 lbs	\$279.95



DEBARKING FLAIL CHAIN

10B21 Carbon Steel, .656 Diameter



T0213458	8 Link, 250/Drum	\$9.50 each
T0213459	9 Link, 200/Drum	\$10.75 each

24" X 24" DIAMOND COROPLAST **WARNING SIGNS**



10021	Log Trucks Entering Highway	\$14.95 each
10083	Caution Mud On Road	\$14.95 each
2424-LOA	Logging Operation Ahead	\$14.95 each

DELIMBINATOR CHAIN - FLAIL CHAIN

- .630 Diameter
- 10B21 Carbon Steel
- 80 per Drum



T0213358	8 Link	\$8.95 each
T0213363	13 Link	\$13.95 each

DELIMBINATOR RODS

Delimbinator Rods for flail chain

DELIMBINATOR-ROD\$99.95 each

FROSTBITE GRAPPLE

Move logs, haul brush, load your sawmill or firewood processor or load logs on your trailer or truck. For tractors 25 HP and up. Ten bronze bushings for durability. 50 % stronger structure. Powder painted. Comes with a 5 year warranty.



GRAPPLE	\$1 695 00 each

FOXFIRE LOGGER LITES

Designed to provide Log Truckers and Utility Companies with a convenient way to mark the end of their log and pole loads. Consists of a FoxFire Lite, a galvanized metal mounting plate, and a custom T-handled tool. Quickly mounts to the end of your load for maximum safety and visibility. When not in use, the Logger Lite Kit stays together and is easy to store.

FLL-A	Amber	\$42.95 each
FLL-R	Red	\$42.95 each

PRO-TEC-TO WRAP®

Pro-Tec-To Wrap® for bundling hoses. Heavy Wall High Density Spiral Hose Wrap offers crush and abrasion protection. Black

Part Number	ID	Wall Thickness	Price Per Foot	Price Per Roll
93050	1/2"	.075085"	\$1.92	\$163.20 per 100' Roll
93063	5/8"	.09010"	\$2.40	\$204.00 per 100' Roll
93075	3/4"	.110125"	\$2.48	\$210.80 per 100' Roll
93100	1"	.120135"	\$2.95	\$250.75 per 100' Roll
93125	1-1/4"	.130145"	\$3.78	\$321.30 per 100' Roll
93150	1-1/2"	.145160"	\$4.58	\$389.30 per 100' Roll
93200	2"	.160180"	\$6.50	\$276.25 per 50' Roll
93250	2-1/2"	.190210"	\$8.46	\$359.55 per 50' Roll
93300	3"	.210230"	\$10.42	\$442.85 per 50' Roll
93350	3-1/2"	.230250"	N/A	\$389.98 per 50' Roll
93400	4"	.220260"	N/A	\$320.50 per 50' Roll
93500	5"	.240280"	N/A	\$381.50 per 50' Roll
93600	6"	.260300"	N/A	\$337.50 per 50' Roll



*Blue, Yellow, Orange, Green, Red, Gray & Brownish Yellow available by Special Order – by the roll only. Call to order.

LOGGING OILS & FLUIDS/MULTI-TOOL

MYSTIK RED MULTI-PURPOSE HIGH TEMPERATURE GREASE

• 14 oz. Tubes – 10 per case 100-JT-6.....\$3.75 each



TRACTOR HYDRAULIC FLUID

• 5 Gallon Plastic Bucket

100-TH\$36.50 each TRAC



TRUSOUTH BAR AND CHAIN OIL

- High Tac Formula
- 1 Gallon Plastic Jugs 6 per case

100-BC.....\$10.95 each



LUBSOIL PREMIUM HYDRAULIC FLUID

Formulated with ultrapremium synthetic base stock and the latest technological



additive systems in this LUBSOIL synthetic formulation promotes superior thermal stability and low temperature fluidity, as well as excellent protection against wear, rust, oxidation, and extreme pressure.

5 Gallon Bucket\$43.95 per bucket

PURE GUARD PREMIUM ENGINE OIL

• 8 oz. Plastic Bottles - 24 per case





DIESEL EXHAUST FLUID


2.5 Gallon Jugs - Case of 2

100-DEF......\$25.75 per case

SHELL ROTELLA® 15/40 OIL

Formulated with ultra-premium synthetic base stock and the latest technological advances in fluid additives. The additive systems in this LUBSOIL synthetic formulation promotes superior thermal stability and low temperature fluidity, as well as excellent protection against wear, rust, oxidation, and extreme pressure.


*Other Sizes and Colors of Cans Available





TRUFUEL 50

The perfect fuel for all 2-cycle, air cooled engines requiring a 50:1 or 40:1 mix. Premixed & ready to use gasoline formulated with synthetic oil, a fuel stabilizer, and ethanol-free gasoline.





WEDCO TWO-IN-ONE MIX GAS/BAR OIL CONTAINER



Built tough with high-density polyethylene for unlimited uses. Store two-cycle gas/oil mix in one side and chain bar oil in the other side. Features a reversible flex spout with flame arrestor and filtering screen plus a screw-on vent cap for positive seal. UL* classified, MA Fire Marshall approved and C.S.A. approved.



TOPSAW TOOL

TopSaw Pocket Tool works on all major brands of chainsaws, cut off saws, fire and rescue saws and more. It is 12 tools in 1. Work on your saw at or away from your truck. Anything you break in the field that can be fixed in the field, you can do it with TopSaw. Tighten chain, replace spark plugs, put on a new chain, clean your bar groove, air filter or even replace a recoil rope on site.

TopSaw contains: Reversible 19mm x 10 mm and 21mm x 16mm interchangeable sockets, 13mm fixed socket, T27 and T25 Torx, 4mm Hex ball drive, large and small screwdriver, bar groove clean out tool, and when folded up can be used as a chainsaw file handle. All in a heavy nylon pouch.

TSPWP......\$19.95 each

