The IBC Wall Mount Guardrail provides permanent full-perimeter fall protection with a unique design that allows water-tight installation using a dual plate mounting system. The dual plate mounting system allows roof flashing to be installed over the base plate and creates a compression seal around mounting studs when the upright plate is attached. IBC Wall Mount Guardrail are available in powder coat colors to match Kynar® sheet metal or other building components and RAL colors.



- Mounting studs are caulked with non-curing butyl or roof manufacturers approved sealant.
- Target patch is applied over mounting plate.
- Upright is bolted to backup plate creating a compression watertight seal around mounting studs.
- Horizontal rails attach to upright with hex drive flange head bolts.
- Installs to the inside parapet wall to reduce street level visibility.
- Powder coat finish allows color matching to existing building components



KEY FEATURES

- Full perimeter fall protection.
- Designed for permanent applications.
- Attachment not visible from the ground.
- Backup plates for water-tight installation.
- Mounts to inside of parapet walls.
- No cutting or welding.
- Easy to install.
- Ideal for new construction or retro-fit.
- Powder Coat or Hot-Dipped Galvanized
- Made in the USA.
- Meets and exceeds:

OSHA 29 CFR 1926.501

OSHA 29 CFR 1926.502

OSHA 29 CFR 1910.29

Cal-OSHA §1620

Cal-OSHA §1621

Cal-OSHA §3209

Cal-OSHA §3212

ICC 2012 Building Codes

ANSI/ASEE A1264.1-2007

USACE EM 385-1-1 (21.E.01 a-c)

Leading Edge Safety, LLC. 1345 Taney Street North Kansas City, MO 64116 888-990-2990 Sales@LeadingEdgeSafety.net www.LeadingEdgeSafety.net



Product Name: IBC Wall Mount Guardrail-Powder Coated Steel

Product Description: IBC Wall Mount Guardrail provides permanent full-perimeter fall protection, allowing direct mounting to interior parapet walls

using a dual plate mounting system that assures water-tight installation. Backup plates, target patches, and upright plates creates a compression attachment to prevent water infiltration around mounting studs. Powder coated steel colors available to match Kynar

sheet metal or other building components and RAL colors.

Applications: The IBC Wall Mount Guardrail provides perimeter fall protection for low-slope roofs requiring attachment to the

inside of parapet walls, meets and exceeds 50 lb/ft requirements of ICC Building Codes.

Installation: IBC Wall Mount Guardrail allows water-tight installation through wall flashings on both new and existing para-

pet walls with the use of backup plates, target patches and wall mount brackets. Target patches are field fabricated to fit around backup plate mounting studs and large enough to allow roof manufacturers recommended seam width around perimeter of target patch. Mounting studs are sealed behind target patch with non-curing

butyl or manufacturers recommended sealant.

Materials:

Uprights: 1.625" x .25" steel tube (ASTM A-513-5-08A DOM Grade 1026)

Mounting Bracket: 3/16" steel plate (ASTM A36) bracket with pre-punched holes for mounting stud attachment.

Horizontal Rails: 1.625" x .065" and 1.375" x .065" (ASTM A-513 DOM Grade 1020) steel tube adjustable slide rails.

Finish: Powder coated steel or Hot-Dipped Galvanized to ASTM A123.

Colors: Numerous colors to match Kynar® sheet metal, building components and RAL colors.

Hardware: 3/8"-16 x 1" zinc plated steel. (Consult LES for approved structural attachment fasteners)

Labels: Applicable safety warnings and manufacturer's contact information.

Sizes: Uprights: Custom designed per project to OSHA Standards and IBC code requirements.

Horizontal Rails: 5'0" o.c.; 70" to 43", 43" to 29" Adjustable

Corners: 20.5" o.c. Outside Corner; 12.5" o.c. Inside Corner

Weight: Uprights: 25 lbs +/-

Horizontal Rails: 1 lbs/lf +/-

Corners: 2 lbs +/-

Standards: Meets and exceeds OHSA Standard 29 CFR 1926.501, 1926.502, 1910.29, Cal-OSHA §1620, §1621, §3209,

§3210, ICC Building Codes, ANSI/ASEE A1264.1-2007, and USACE EM 385-1-1 (21.E.01 a-c)

Warranty: 1 year manufacturer's limited warranty covering manufacturing defects.

Country of Origin: United States of America

AutoCAD details and specifications available at www.LeadingEdgeSafety.net

