


# X-CALIBUR MOBILE FALL CART INSPECTION AND MAINTENANCE LOG

PLEASE COPY THIS LOG. FILL IT OUT BEFORE EACH USE. AND KEEP IT IN YOUR RECORDS.

EQUIPMENT MODEL #: XBR-000-23-ASM JOB NAME: \_\_\_\_\_

EQUIPMENT SERIAL #: \_\_\_\_\_

INSPECTION DATE: \_\_\_\_\_



## GENERAL INSPECTION ITEMS:



**(1) General Cart / Frame Damage** - Inspect for Loose, bent or damaged parts

	Corrective Action Needed?	Maintenance Performed:	
Inspected By:	Yes <input type="radio"/> No <input type="radio"/>		

**(2) General Cart / Frame Welded Connections** - Inspect welded connections for visible distortion, cracks or other damage


	Corrective Action Needed?	Maintenance Performed:	
Inspected By:	Yes <input type="radio"/> No <input type="radio"/>		

**(3) Wheels and Tires** - Inspect wheels and tires for damage, flat spots or excessive build up

	Corrective Action Needed?	Maintenance Performed:	
Inspected By:	Yes <input type="radio"/> No <input type="radio"/>		

**(4) Safety Labels** - Inspect that all of the Safety Labels are present and legible (The user manual has a complete listing of labels and locations)

	Corrective Action Needed?	Maintenance Performed:	
Inspected By:	Yes <input type="radio"/> No <input type="radio"/>		



**GENERAL INSPECTION ITEMS:**

**(1) Fork Pocket / Lifting Point** - Inspect for rust or damage, ensure both pins are installed and snap lock is engaged

Inspected By:	Corrective Action Needed?	Maintenance Performed:
	Yes <input type="radio"/> No <input type="radio"/>	

**(2) Universal Weights** - Ensure the universal weights are installed and locked into place (1 + 4 = 5 weights required)


Inspected By:	Corrective Action Needed?	Maintenance Performed:
	Yes <input type="radio"/> No <input type="radio"/>	

**(3) Handle and Front Axle** - Inspect the handle and pivot attachment for damage, and proper alignment

Inspected By:	Corrective Action Needed?	Maintenance Performed:
	Yes <input type="radio"/> No <input type="radio"/>	

**(4) Outriggers** - Inspect the outriggers and spring lock pins for damage and freedom of movement,

Inspected By:	Corrective Action Needed?	Maintenance Performed:
	Yes <input type="radio"/> No <input type="radio"/>	



**SAFETY ENGAGEMENT ASSEMBLY:**

**(1) Attachment Point Tie-Off Rings** - Inspect for distortion or damage


Inspected By:	<b>Corrective Action Needed?</b>		Maintenance Performed:
	Yes <input type="radio"/>	No <input type="radio"/>	

**(2) Inspection Window** - Ensure the engagement arm is in the proper spring loaded position by using the inspection window (Green means go)

Inspected By:	<b>Corrective Action Needed?</b>		Maintenance Performed:
	Yes <input type="radio"/>	No <input type="radio"/>	

**(3) Engagement Arm (Claw)** - Inspect for bent or damages, including the talon and rake tips.

Inspected By:	<b>Corrective Action Needed?</b>		Maintenance Performed:
	Yes <input type="radio"/>	No <input type="radio"/>	



**Transport Mode:**

<b>(1) Handle Position Lock</b> - Ensure the handle position lock moves freely and is full engaged before moving the unit	
Inspected By:	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"> <p style="color: red; font-weight: bold;">Corrective Action Needed?</p> <p>Yes <input type="radio"/> No <input type="radio"/></p> </div> <div style="text-align: center;"> <p>Maintenance Performed:</p> <hr style="width: 100%;"/> </div> </div>

<b>(2) Ground Clearance</b> - Ensure proper ground clearance before moving the unit	
Inspected By:	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"> <p style="color: red; font-weight: bold;">Corrective Action Needed?</p> <p>Yes <input type="radio"/> No <input type="radio"/></p> </div> <div style="text-align: center;"> <p>Maintenance Performed:</p> <hr style="width: 100%;"/> </div> </div>

**DO NOT USE DAMAGED EQUIPMENT OR EQUIPMENT THAT HAS BEEN MODIFIED.**

For proper set-up and use instructions please refer to the instruction manual specific to your make and model of Mobile Fall Protection cart.

For Technical Support contact 888-990-2990 / [TechnicalSupport@leadingedgesafety.net](mailto:TechnicalSupport@leadingedgesafety.net)