

PROFESSIONAL GRINDING MACHINE

GREEN MACHINE



Professional machines for **grinding, polishing** and **cleaning** all types of civil and industrial floors.



ALL THE ADVANTAGES OF OUR MACHINES

Grinder with low environmental impact

GM 40 - 44 is a **robust** and easy to maintain sander. Silent with 3-gear reducer.

Ideal for carrying out washing, dewaxing, micro-smoothing, sanding and crystallization operations.

Thanks to the Gear plate it is possible to sand the surfaces without any effort. Equipped with an aluminum casing and handle shaft, it combines efficiency, solidity and ease of use, making it the ideal machine for those who have to **satisfy every sanding need in small environments.**

Its shape allows you to lower the center of gravity by increasing the thrust on the floor.

The GEAR PLATE allows you to smooth surfaces without any effort.

Crown support in hardened steel fixed on the casing necessary to transform the SD GREEN single disc machine into a GM sander with the use of Gear plate.



Sturdy practical handle for lifting

Ø150 mm wheels in soft non-marking rubber.

Optional large tank (15 l.) equipped with convenient cap, **extremely robust** construction.



Made of 70% recyclable materials

- Polyethylene
- Painted steel
- Aluminium

VERSIONS SD GREEN MACHINE

	GM40 3HP	GM40 3HP VS	GM40 4HP	GM40 4HP VS	GM44 3HP	GM44 3HP VS	GM44 4HP	GM44 4HP VS	GMWOOD 4HP	GMWOOD 4HP VS
MOTOR	3HP MAX	3HP VS MAX	4HP MAX	4HP VS MAX	3HP MAX	3HP VS MAX	4HP MAX	4HP VS MAX	4HP MAX	4HP VS MAX
KIT RING GEAR	100mm	100mm	100mm	100mm	140mm	140mm	140mm	140mm	140mm	140mm
GEAR PLATE	100mm	100mm	100mm	100mm	140mm	140mm	140mm	140mm	140mm	140mm
TANK	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SPASH GUARD	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
PAD HOLDER	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
VACUUM KIT									YES	YES

TECHNICAL DATA		GM 3Hp	GM 3Hp VS	GM 4Hp	GM 4Hp VS	GMWOOD	GMWOOD VS
POWER	[W-Hp] max	1800-3Hp	1800-3Hp	2100-4Hp	2200-4Hp	2200-4Hp	2200-4Hp
POWER SUPPLY	[V-Hz]	230/50-60	230/50-60	230/50-60	230/50-60	230/50-60	230/50-60
AMPERAGE	[A]	9	8	11	10	13	12
N. MOTOR FLANGE REVOLUTIONS	[rpm]	140	95-185	140	95-185	140	95-185
SPEED OF ROTATION WITH PLANETARY Ø100	[rpm]	800	500-1000	800	500-1000	800	500-1000
SPEED OF ROTATION WITH PLANETARY Ø140	[rpm]	700	450-900	700	450-900	700	450-900
DISCS DIAMETER	[mm]	100-140	100-140	100-140	100-140	140	140
WORK AREA WIDTH	[mm]	400	400	400	400	400	400
DIMENSIONS L X P X A	[mm]	500x365x1200	500x365x1200	500x365x1200	500x365x1200	500x365x1200	500x365x1200
WEIGHT	[kg]	50	52	52	54	55	57

ACCESSORIES FOR SD GREEN

Gear Plate Ø140



Pad holder
Ø100 / 140



Tank



Tools holder
Ø100-140mm B



Extra weight
7Kg



Spash guard



Vacuum shroud



Carborundum



Grouting disc



Smoothing disc



Disk
bush hammer
sandblaster Ø400



Disk
bush hammer
Ø400



Bush hammer
Ø140 for Gear
Plate



Gear plate
Ø100



Free plate
Ø100



Frankfurt plate



Tungxto ring



Steel spike brush
Ø430



Soft scrub brush



Hard scrub brush



Tynex abrasive
brush



Steel brush
Ø430



Sand paper
Ø140



VACUUM KIT



Pad holder



Pad holder for steel wool



Steel brush
Ø100-140



Aging brush floors
Ø100-140



LITHOLUX Me G



Concrelux Ø430



Traxopad Ø430



Marblelux Ø430



Tungxo Ø100-140



MCA Ø100-140



MCS Ø100-140



MSA Ø100-140



RM Ø100 -140



RC Ø100 -140



SSK Ø100-140



SSK TRIPLE Ø140



Kit luggy bag concrete



Kit luggy bag granite



Kit luggy bag marble



Contentitore
plexiglass
Ø100-140



Hybrid H1
Ø430-140-100



Hybrid H2
Ø430-140-100



Hybrid H3
Ø430-140-100



Hybrid H4
Ø430-140-100





Via Teramo, 11, 65024
T. +39 085 8562076 / +39 085 8121061
Manoppello Scalo (PE) Italy
email: info@lmamachine.com - www.lmamachine.com

