# **CODE PURE POP UP WASTES**

BPIR DECLARATION

# **DESIGNATED BUILDING PRODUCT: CLASS 1**

# Declaration

Plumbline has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

# Product / System

Name	Code Pure pop up wastes
Line	Pop up Basin and Bath wastes
Identifier	A110.LC A110.LC.BB A110.LC.BCP A110.LC.BL A110.LC.BN A110.LC.CR A110.LC.GM A110.LC.WH

## Description

Code Pure Extended Pop Up Bath Waste 40mm Code Pure Extended Pop Up Bath Waste 40mm Brushed Brass Code Pure Extended Pop Up Bath Waste 40mm Brushed Copper Code Pure Extended Pop Up Bath Waste 40mm Matt Black Code Pure Extended Pop Up Bath Waste 40mm Brushed Nickel Code Pure Extended Pop Up Bath Waste 40mm Chrome Code Pure Extended Pop Up Bath Waste 40mm Gunmetal Code Pure Extended Pop Up Bath Waste 40mm Matt White

## Scope of use

The basin waste/outlet and/or overflow section of the product must be installed by a suitably qualified plumber or tradesperson. Must be installed indoors.

## **Conditions of use**

The basin waste/outlet and/or overflow section of the product must be installed by a suitably qualified plumber or tradesperson. Must be installed indoors.

## Relevant building code clauses

B2 Durability - B2.3.1 (b) F2 Hazardous building materials - F2.3.1 G13 Foul water - G13.3.1, G13.3.2

## **Contributions to compliance**

Clauses relating to this product are aimed at the installer. The product is designed to enable the installer to comply with the building code. The product complies with the clause B2 (Durability) B2.3.1.

## Supporting documentation

The following additional documentation supports the above statements:

V 1

design and specification (Design, Installation) https://www.elitebathroomware.co.nz/collec tions/shop?q =code%20pop%20up%20

For further information supporting Code Pure pop up wastes claims refer to our website.

#### **Contact Details**

Manufacture Location	Overseas
Legal and trading name of manufacturer	Plumbline LTD
Legal and trading name of importer	Plumbline
Importer address for service	1 Antilles Place Wellington 6037
Importer website	www.plumbline.co.nz
Importer NZBN	9429036110377
Importer email	sales@plumbline.co.nz
Importer phone number	04 5689898

## ELITE BATHROOMWARE LTD

59A Allens Road, East Tamaki 1072 New Zealand 092747030 | <u>https://www.elitebathroomware.co.nz/</u>


# APPENDIX

**NOTE:** THE BELOW APPENDIX INCLUDES INFORMATION RELATING TO BPIR READY.

PUBLISHING THIS INFORMATION IS NOT A REQUIREMENT UNDER BPIR. ITS INCLUSION HERE IS TO PROVIDE A REFERENCE FOR HOW THIS BPIR SUMMARY WAS GENERATED AS WELL AS TO HELP SUMMARY CREATORS UNDERSTAND THE PERFORMANCE CLAUSES SUGGESTED BY BPIR READY.

# **BPIR Ready selections**

Category: Basins, baths and bidets



# Building code performance clauses

# **B2** Durability

# B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

 (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.

# F2 Hazardous building materials

**F2.3.1** The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

# G13 Foul water

G13.3.1 The plumbing system shall be constructed to: a. convey foul water from buildings to a drainage system, b. avoid the likelihood of blockage and leakage, c. avoid the likelihood of foul air and gases entering buildings, and d. provide reasonable access for maintenance and clearing blockages.

G13.3.2 The drainage system shall: a. convey foul water to an appropriate outfall, b. be constructed to avoid the likelihood of blockage, c. be supported, jointed and protected in a way that will avoid the likelihood of penetration of roots or the entry of ground water, d. be provided with reasonable access for maintenance and clearing blockages, e. be ventilated to avoid the likelihood of foul air and gases accumulating in the drainage system and sewer, and f. be constructed to avoid the likelihood of damage from superimposed loads or normal ground movement.