



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

20-Dec-2021
Page 1 of 1

Report For: Rogitex
76 Boulevard Hymus,
Pointe-Claire
Quebec, Canada H9R 1E3
Attn: Tara Tobin

Sample Identification:

Liquid Fertilizer
Id: Humic Land
From California
Lot# 20200105-01

Date Received: 8-Dec-2021

Laboratory Number: 443111A

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Detection Limit-	Analysis Date/Analyst
EPA 6010	Arsenic (As), Total	< 1.0	mg/Kg	0.01	12-16-21 DS
	Cadmium (Cd), Total	0.2	mg/Kg	0.01	12-16-21 DS
	Chromium (Cr), Total	2.2	mg/Kg	0.01	12-16-21 DS
	Cobalt (Co), Total	2.2	mg/Kg	0.01	12-16-21 DS
	Copper (Cu), Total	1.9	mg/Kg	0.01	12-16-21 DS
	Lead (Pb), Total	< 1.0	mg/Kg	0.01	12-16-21 DS
EPA 7473	Mercury (Hg), Total	0.02	mg/Kg	0.01	12-13-21 JF
EPA 6010	Molybdenum (Mo), Total	0.8	mg/Kg	0.01	12-16-21 DS
	Nickel (Ni), Total	1.7	mg/Kg	0.01	12-16-21 DS
	Zinc (Zn), Total	7.4	mg/Kg	0.01	12-16-21 DS
	Selenium (Se), Total	0.5	mg/Kg	0.10	12-16-21 DS
EPA 3050B	Digestion/Preparation for Analysis		1.0481-100		12-13-21 SR

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

20-Dec-2021
Page 1 of 1

Report For: Rogitex
76 Boulevard Hymus,
Pointe-Claire
Quebec, Canada H9R 1E3
Attn: Tara Tobin

Sample Identification:

Liquid Fertilizer
Id: Humic Land
From Florida
Lot# 2020101601

Date Received: 7-Dec-2021

Laboratory Number: 443080

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Detection Limit-	Analysis Date/Analyst
EPA 6010	Arsenic (As), Total	< 1.0	mg/Kg	0.01	12-16-21 DS
	Cadmium (Cd), Total	0.1	mg/Kg	0.01	12-16-21 DS
	Chromium (Cr), Total	3.4	mg/Kg	0.01	12-16-21 DS
	Cobalt (Co), Total	2.5	mg/Kg	0.01	12-16-21 DS
	Copper (Cu), Total	2.0	mg/Kg	0.01	12-16-21 DS
	Lead (Pb), Total	< 1.0	mg/Kg	0.01	12-16-21 DS
EPA 7473	Mercury (Hg), Total	0.02	mg/Kg	0.01	12-14-21 JF
EPA 6010	Molybdenum (Mo), Total	0.4	mg/Kg	0.01	12-16-21 DS
	Nickel (Ni), Total	2.6	mg/Kg	0.01	12-16-21 DS
	Zinc (Zn), Total	12	mg/Kg	0.01	12-16-21 DS
	Selenium (Se), Total	0.6	mg/Kg	0.10	12-16-21 DS
EPA 3050B	Digestion/Preparation for Analysis		1.1491-100		12-13-21 SR

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

20-Dec-2021
Page 1 of 1

Report For: Rogitex
76 Boulevard Hymus,
Pointe-Claire
Quebec, Canada H9R 1E3
Attn: Tara Tobin

Sample Identification:

Liquid Fertilizer
Id: Humic Land
From Florida
Lot# 2021072601

Date Received: 7-Dec-2021

Laboratory Number: 443080A

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Detection Limit-	Analysis Date/Analyst
EPA 6010	Arsenic (As), Total	< 1.0	mg/Kg	0.01	12-16-21 DS
	Cadmium (Cd), Total	0.2	mg/Kg	0.01	12-16-21 DS
	Chromium (Cr), Total	2.3	mg/Kg	0.01	12-16-21 DS
	Cobalt (Co), Total	2.8	mg/Kg	0.01	12-16-21 DS
	Copper (Cu), Total	1.8	mg/Kg	0.01	12-16-21 DS
	Lead (Pb), Total	< 1.0	mg/Kg	0.01	12-16-21 DS
EPA 7473	Mercury (Hg), Total	0.01	mg/Kg	0.01	12-14-21 JF
EPA 6010	Molybdenum (Mo), Total	0.4	mg/Kg	0.01	12-16-21 DS
	Nickel (Ni), Total	1.8	mg/Kg	0.01	12-16-21 DS
	Zinc (Zn), Total	4.6	mg/Kg	0.01	12-16-21 DS
	Selenium (Se), Total	0.5	mg/Kg	0.10	12-16-21 DS
EPA 3050B	Digestion/Preparation for Analysis		1.0241-100		12-13-21 SR

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

20-Dec-2021
Page 1 of 1

Report For: Rogitex
76 Boulevard Hymus,
Pointe-Claire
Quebec, Canada H9R 1E3
Attn: Tara Tobin

Sample Identification:

Liquid Fertilizer
Id: Humic Land
From California
Lot# 20200105-01

Date Received: 8-Dec-2021

Laboratory Number: 443111

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Analysis Date / Analyst
SM 9221	Escherichia Coli	< 2	MPN/gm	09-Dec-2021/CG
EPA 1681	Fecal Coliform	< 2	MPN/gm	09-Dec-2021/CG
EPA 1682	Salmonella	< 2.6	MPN/4gm	09-Dec-2021/CG

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

20-Dec-2021
Page 1 of 1

Report For: Rogitex
76 Boulevard Hymus,
Pointe-Claire
Quebec, Canada H9R 1E3
Attn: Tara Tobin

Sample Identification:

Liquid Fertilizer
Id: Humic Land
From Florida
Lot# 2020101601

Date Received: 7-Dec-2021

Laboratory Number: 443080

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Analysis Date / Analyst
SM 9221	Escherichia Coli	< 2	MPN/gm	08-Dec-2021/CG
EPA 1681	Fecal Coliform	< 2	MPN/gm	08-Dec-2021/CG
EPA 1682	Salmonella	< 2.6	MPN/4gm	08-Dec-2021/CG

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

20-Dec-2021
Page 1 of 1

Report For: Rogitex
76 Boulevard Hymus,
Pointe-Claire
Quebec, Canada H9R 1E3
Attn: Tara Tobin

Sample Identification:

Liquid Fertilizer
Id: Humic Land
From Florida
Lot# 2021072601

Date Received: 7-Dec-2021

Laboratory Number: 443080A

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Analysis Date / Analyst
SM 9221	Escherichia Coli	< 2	MPN/gm	08-Dec-2021/CG
EPA 1681	Fecal Coliform	< 2	MPN/gm	08-Dec-2021/CG
EPA 1682	Salmonella	< 2.6	MPN/4gm	08-Dec-2021/CG

THORNTON LABORATORIES
Steve Fickett, III