



Materials & Finishes - Standard:

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Plain (PL):** No finish

Materials & Finishes - Special Metals:

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 *
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 *
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 *

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	A	Finish	Product Weight / Piece (lbs)
P1363A	4" (102)	EG	0.78
P1363A	4" (102)	HG	0.827
P1363A	4" (102)	GR	0.78
P1363A	4" (102)	SS	0.76
P1363B	5" (127)	EG	0.89
P1363B	5" (127)	HG	0.943
P1363B	5" (127)	GR	0.89
P1363B	5" (127)	SS	0.86
P1363C	6" (152)	EG	1.01
P1363C	6" (152)	HG	1.071
P1363C	6" (152)	GR	1.01
P1363C	6" (152)	SS	1.01
P1363D	7" (178)	HG	1.187
P1363D	7" (178)	GR	1.12
P1363D	7" (178)	SS	1.12
P1363E	8" (203)	EG	1.24
P1363E	8" (203)	GR	1.24
P1363E	8" (203)	SS	1.24

Project:	<input style="width: 100%;" type="text"/>		
Architect / Engineer:	<input style="width: 100%;" type="text"/>		
Date:	<input style="width: 25%;" type="text"/>	Phone:	<input style="width: 25%;" type="text"/>
Contractor:	<input style="width: 100%;" type="text"/>		
Address:	<input style="width: 100%;" type="text"/>		
Notes:	<input style="width: 100%;" type="text"/>		

Approval Stamp: