



Materials & Finishes - Standard:

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Plain (PL):** No finish

Materials & Finishes - Special Metals:

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 *
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 *
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 *

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	Use With	A	Finish	Product Weight / Piece (lbs)
P1377	P1000, P1100, P2000	1-9/16"	EG	2.65
P1377	P1000, P1100, P2000	1-9/16"	HG	2.809
P1377	P1000, P1100, P2000	1-9/16"	GR	2.65
P1377	P1000, P1100, P2000	1-9/16"	ZD	2.65
P1377	P1000, P1100, P2000	1-9/16"	SS	2.65
P4377	P3300, P4000, P4100	15/16"	EG	1.76
P4377	P3300, P4000, P4100	15/16"	HG	1.76
P4377	P3300, P4000, P4100	15/16"	GR	1.76
P5077	P5000	3-3/16"	EG	3.8
P5077	P5000	3-3/16"	GR	3.8
P5577	P5500	2-3/8"	EG	2.94
P5577	P5500	2-3/8"	GR	2.94

Project:	<input style="width: 100%;" type="text"/>		
Architect / Engineer:	<input style="width: 100%;" type="text"/>		
Date:	<input style="width: 25%;" type="text"/>	Phone:	<input style="width: 50%;" type="text"/>
Contractor:	<input style="width: 100%;" type="text"/>		
Address:	<input style="width: 100%;" type="text"/>		
Notes:	<input style="width: 100%; height: 30px;" type="text"/>		

Approval Stamp: