



### Material:

- The steel meets or exceeds the physical properties of ASTM A1011 GR 33, except with SS, ST & AL finishes.

### Finishes:

- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Everdur (E EG):** TBD
- **Stainless Steel, Type 304 (SS):** ASTM A240, Type 304 \*
- **Stainless Steel, Type 316 (ST):** ASTM A240, Type 316 \*
- **Aluminum (AL):** TBD

\* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

### Material & Finish Combinations:

| Material / Finish        | Part Number Suffix | Pipe Clamp Material / Finish | Fasteners (Screw & Nut) Material / Finish | Example  |
|--------------------------|--------------------|------------------------------|---|----------|
| Electro-galvanized       | EG                 | EG                           | EG  | P1109EG  |
| Hot-dipped galvanized    | HG                 | HG                           | SS  | P1109HG  |
| Unistrut Defender        | DF                 | DF                           | DF  | P1109DF  |
| Stainless Steel Type 304 | SS                 | SS                           | SS  | P1109SS  |
| Stainless Steel Type 316 | ST                 | ST                           | SS  | P1109ST  |
| Aluminum                 | AL                 | AL                           | AL  | P1109AL  |
| Copper Coated            | CC                 | CC                           | CC  | P1109CC  |
| Everdur                  | EEG                | EG                           | E   | P1109EEG |

| Part No. | Nom. Pipe Size | A             | B            | C             | Ga. (Thickness) | Finish | Product Weight / Piece (lbs) |
|----------|----------------|---------------|--------------|---------------|-----------------|--------|------------------------------|
| P2558-05 | 1/2"           | 2-7/8" (7.3)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | EG     | 0.23                         |
| P2558-05 | 1/2"           | 2-7/8" (7.3)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | HG     | 0.243                        |
| P2558-05 | 1/2"           | 2-7/8" (7.3)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | GR     | 0.23                         |
| P2558-05 | 1/2"           | 2-7/8" (7.3)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | SS     | 0.23                         |
| P2558-05 | 1/2"           | 2-7/8" (7.3)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | AL     | 0.03                         |
| P2558-07 | 3/4"           | 3-1/8" (7.9)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | EG     | 0.26                         |
| P2558-07 | 3/4"           | 3-1/8" (7.9)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | HG     | 0.275                        |
| P2558-07 | 3/4"           | 3-1/8" (7.9)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | GR     | 0.26                         |
| P2558-07 | 3/4"           | 3-1/8" (7.9)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | SS     | 0.26                         |
| P2558-07 | 3/4"           | 3-1/8" (7.9)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | AL     | 0.09                         |
| P2558-10 | 1"             | 3-3/8" (8.6)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | EG     | 0.31                         |
| P2558-10 | 1"             | 3-3/8" (8.6)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | HG     | 0.328                        |
| P2558-10 | 1"             | 3-3/8" (8.6)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | GR     | 0.31                         |
| P2558-10 | 1"             | 3-3/8" (8.6)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | SS     | 0.31                         |
| P2558-10 | 1"             | 3-3/8" (8.6)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | AL     | 0.1                          |
| P2558-12 | 1-1/4"         | 3-3/4" (9.5)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | EG     | 0.35                         |
| P2558-12 | 1-1/4"         | 3-3/4" (9.5)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | HG     | 0.371                        |
| P2558-12 | 1-1/4"         | 3-3/4" (9.5)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | GR     | 0.35                         |
| P2558-12 | 1-1/4"         | 3-3/4" (9.5)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | SS     | 0.35                         |
| P2558-15 | 1-1/2"         | 3-7/8" (9.8)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | EG     | 0.39                         |
| P2558-15 | 1-1/2"         | 3-7/8" (9.8)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | HG     | 0.413                        |
| P2558-15 | 1-1/2"         | 3-7/8" (9.8)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | GR     | 0.39                         |
| P2558-15 | 1-1/2"         | 3-7/8" (9.8)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | SS     | 0.39                         |
| P2558-15 | 1-1/2"         | 3-7/8" (9.8)  | 9/32" (7.1)  | 7/16" (11.1)  | 1/8" (3.2)      | AL     | 0.13                         |
| P2558-20 | 2"             | 5-3/4" (14.6) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4)      | EG     | 0.94                         |
| P2558-20 | 2"             | 5-3/4" (14.6) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4)      | HG     | 0.996                        |
| P2558-20 | 2"             | 5-3/4" (14.6) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4)      | GR     | 0.94                         |

|          |        |              |              |               |            |    |       |
|----------|--------|--------------|--------------|---------------|------------|----|-------|
| P2558-20 | 2"     | 5-3/4" (146) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 0.94  |
| P2558-20 | 2"     | 5-3/4" (146) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | ST | 0.94  |
| P2558-20 | 2"     | 5-3/4" (146) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | AL | 0.35  |
| P2558-25 | 2-1/2" | 6-1/4" (159) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | EG | 1.14  |
| P2558-25 | 2-1/2" | 6-1/4" (159) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | HG | 1.208 |
| P2558-25 | 2-1/2" | 6-1/4" (159) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | GR | 1.14  |
| P2558-25 | 2-1/2" | 6-1/4" (159) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 1.14  |
| P2558-25 | 2-1/2" | 6-1/4" (159) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | AL | 0.41  |
| P2558-30 | 3"     | 6-7/8" (175) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | EG | 1.33  |
| P2558-30 | 3"     | 6-7/8" (175) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | HG | 1.409 |
| P2558-30 | 3"     | 6-7/8" (175) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | GR | 1.33  |
| P2558-30 | 3"     | 6-7/8" (175) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 1.33  |
| P2558-30 | 3"     | 6-7/8" (175) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | ST | 1.33  |
| P2558-35 | 3-1/2" | 7-3/8" (187) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | EG | 1.52  |
| P2558-35 | 3-1/2" | 7-3/8" (187) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | HG | 1.611 |
| P2558-35 | 3-1/2" | 7-3/8" (187) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | GR | 1.52  |
| P2558-35 | 3-1/2" | 7-3/8" (187) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 1.52  |
| P2558-35 | 3-1/2" | 7-3/8" (187) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | ST | 1.52  |
| P2558-40 | 4"     | 7-7/8" (200) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | EG | 1.76  |
| P2558-40 | 4"     | 7-7/8" (200) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | HG | 1.865 |
| P2558-40 | 4"     | 7-7/8" (200) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | GR | 1.76  |
| P2558-40 | 4"     | 7-7/8" (200) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 1.64  |
| P2558-40 | 4"     | 7-7/8" (200) | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | ST | 1.64  |
| P2558-50 | 5"     | 9" (229)     | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | EG | 1.98  |
| P2558-50 | 5"     | 9" (229)     | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | HG | 2.098 |
| P2558-50 | 5"     | 9" (229)     | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | GR | 1.98  |
| P2558-50 | 5"     | 9" (229)     | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 1.98  |
| P2558-50 | 5"     | 9" (229)     | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | ST | 1.98  |
| P2558-60 | 6"     | 10" (254)    | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | EG | 2.25  |
| P2558-60 | 6"     | 10" (254)    | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | HG | 2.385 |
| P2558-60 | 6"     | 10" (254)    | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | GR | 2.25  |
| P2558-60 | 6"     | 10" (254)    | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | SS | 2.28  |
| P2558-60 | 6"     | 10" (254)    | 7/16" (11.1) | 11/16" (17.5) | 1/4" (6.4) | ST | 2.28  |

**Project:**

**Architect / Engineer:**

**Date:**  **Phone:**

**Contractor:**

**Address:**

**Notes:**

**Approval Stamp:**