



Materials & Finishes - Standard:

- **Pregalvanized (PG):** Conforms to ASTM A653 SS GR 33, G90.
- **Unistrut Defender (DF):** Conforms to ASTM A1046 SS GR 33
- **Hot Dip Galvanized (HG):** Steel conforms to ASTM A1011 SS GR 33, Finish conforms to ASTM A123
- **Perma-Green (GR):** Steel conforms to ASTM A1011 SS GR 33, E-Coat finish
- **Perma-Gold (ZD):** Steel conforms to ASTM A1011 SS GR 33, Finish conforms to ASTM B633, Type II SC3
- **Plain (PL):** Conforms to ASTM A1011 SS GR 33

Materials & Finishes - Special Metals:

- **Stainless Steel, Type 304 (SS):** ASTM A240, Type 304 *
- **Stainless Steel, Type 316 (ST):** ASTM A240, Type 316 *
- **Aluminum (EA):** ASTM B221, Type 6063-T6 (Extruded) *

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	Length (ft)	Finish	Product Weight / Ft (lbs/ft)
P3300SL	10	PG	1.3
P3300SL	20	PG	1.3
P3300SL	10	HG	1.314
P3300SL	20	HG	1.314
P3300SL	20	GR	1.3
P3300SL	10	GR	1.3
P3300SL	10	PL	1.3
P3300SL	20	PL	1.3
P3300SL	20	ZD	1.3
P3300SL	10	ZD	1.3
P3300SL	10	SS	1.3
P3300SL	20	SS	1.3

Beam Loading - P3300SL						
Span (in)	Max Allow. Uniform Load (lbs)	Deflection at Uniform Load (in)	Uniform Loading at Deflection			Lateral Bracing Reduction Factor
			Span/180 (lbs)	Span/240 (lbs)	Span/360 (lbs)	
24	510	0.10	510	510	340	1.00
36	340	0.22	306	230	153	1.00
48	255	0.40	170	128	85	1.00
60	204	0.62	111	85	51	0.98
72	170	0.89	77	60	34	0.97
84	145	1.20	60	43	26	0.96
96	128	1.59	43	34	26	0.94
108	111	1.96	34	26	17	0.93
120	102	2.48	26	17	17	0.92

Refer to the General Specifications for loading information.

Column Loading - P3300SL					
Unbraced Height (in)	Allowable Load at Slot Face (lbs)	Max Column Load Applied at C.G.			
		K=0.65 (lbs)	K=0.80 (lbs)	K=1.0 (lbs)	K=1.2 (lbs)
24	2,360	7,740	7,260	6,350	5,390
36	2,120	6,470	5,390	3,990	2,810
48	1,760	4,910	3,550	2,270	1,580
60	1,380	3,440	2,270	1,460	KL/r>200
72	1,080	2,390	1,580	KL/r>200	KL/r>200

Refer to the General Specifications for loading information.

Project:

Architect / Engineer:

Date: **Phone:**

Contractor:

Address:

Notes:

Approval Stamp: