
## UNISTRUT





## Materials & Finishes - Standard:

- Base Metal: Steel conforms to ASTM A1011 SS GR 33, A1011 Base Michael Steel Comonis to ASTM A101 Michael State (State 1)
  HSLAS GR 45, A36, A575, A576, or A635.
  Electrogalvanized (EG): Conforms to ASTM B633, Type III SC1
  Unistrut Defender (DF): Conforms to ASTM A1059
  Hot Dip Galvanized (HG): Conforms to ASTM A123 or A153
  Berne Groom (CP): Conforms to ASTM A123 or A154

- Perma-Green (GR): Conforms to commercial standards for
- powder coating
  Perma-Gold (ZD): Conforms to ASTM B633, Type II SC1 or SC3
- Plain (PL): No finish

## Materials & Finishes - Special Metals:

- Stainless Steel, Type 304 (SS): Conforms to ASTM A240 or A276, Type 304
- Stainless Steel, Type 316 (ST): Conforms to ASTM A240 or • A276, Type 316
- Aluminum (AL): Conforms to ASTM B209, Type 1100F or 5052-H32

\* These materials have different physical properties and performance characteristics. Please contact us for design support.

Project:		
Architect / Engineer:		
Date:	Ph	one:
Contractor:		
Address:		
Notes:		

## Approval Stamp:

Part No.	Finish	Product Weight / Piece ( Ibs)
P5560	EG	0.11