



  
Film & Video  
Products  
[www.kenro.co.uk](http://www.kenro.co.uk)



### Kenro Smart Lite 60W Bi-Colour LED COB Light KSLC101

This powerful, versatile, palm-sized light combines cutting-edge COB technology with the efficiency of LED lights to deliver powerful, even light output with precision control. It is sturdy, lightweight and compact, perfect for on-the-go shooting for photographers and film makers.

#### Key Specifications

- Smartphone app control & remote control
- 60W power, 0-100% dimming, up to 29000 Lux
- 7500-2700K, CRI (Ra) 96+
- Powered by mains (included) or PD mobile power supply (not included)
- Weighs 250g, dimensions (with reflector) 161 x 74 x 68mm
- Supplied with removable reflector, white silicone diffuser, and remote control



### Kenro Smart Lite Bi-Colour Light Panel KSLP104

This versatile lighting solution delivers bright, diffused, even illumination from a high fidelity light source. The ultra slimline light panel can be powered by mains cable (included) or two Sony F-series batteries (not included).

#### Key Specifications

- Remote control
- 45W power, 0-100% dimming, up to 3300 Lux
- 7500-3200K, CRI (Ra) 96+
- Powered by mains (included) or 2x NP-F type batteries (not included)
- Weighs 1.3kg, dimensions 360 x 256 x 12mm
- Aluminium casing




### Kenro Smart Lite 60W RGB Light Panel KSLP103

Combining professional power with portability, this all-purpose RGB light panel is designed to give bright, even illumination, with a set of built-in 4-way barn doors to allow you to soften and shape your light to perfection.

#### Key Specifications

- Smartphone app control
- 60W power, 0-100% dimming, up to 7300 Lux
- 7500-3200K & full RGB, CRI (Ra) 96+
- Powered by mains (included) or 2x NP-F type batteries (not included)
- Weighs 1.64kg, dimensions 245 x 238 x 25mm
- Features built-in 4-way barn doors and removable diffuser




### Kenro Smart Lite 19" RGB Ring Light Kit KSLR101

Get flawless, soft, shadowless light with this 19" RGB ring light kit that contains everything you need to start producing beautifully lit content straight out of the box.

#### Key Specifications

- Smartphone app control
- 60W power, 0-100% dimming, up to 2900 Lux
- 7500-3200K & full RGB, CRI (Ra) 96+
- Powered by mains (included) or 2x NP-F type batteries (not included)
- Weighs 960g, dimensions 580 x 480 x 34mm
- Supplied with light stand, smartphone / tablet holders, mini ball head and carry case



### Kenro Smart Lite Bi-Colour Compact Light KSLP101

This lightweight, versatile and highly portable LED light panel is approximately smartphone-sized, powered by a built-in lithium battery for uniform, quality lighting wherever you are.

#### Key Specifications

- 9W power, 1-100% dimming, up to 1150 Lux
- 5600-3200K, CRI (Ra) 96+
- Built-in battery, USB-C charging
- Weighs 170g, dimensions 132.5 x 80 x 10.8mm
- Can also be used as a power bank, with USB-C power output
- 1/4" screw threads for mounting
- Supplied with mini ball head and soft carry case



### Kenro Smart Lite RGB Compact Light KSLP102

This high performance, professional RGB LED light panel boasts high quality, accurate light with smartphone app control, an integrated battery, special effects and full precision control at your fingertips.

#### Key Specifications

- Smartphone app control
- 10W power, 0-100% dimming, up to 1050 Lux
- 7500-3200K & full RGB, CRI (Ra) 96+
- Built-in battery & magnet, plus 1/4" screw threads for mounting
- Weighs 200g, dimensions 149 x 80 x 14mm
- Supplied with mini ball head and soft carry case




### Kenro Smart Lite RGB Compact Tube Light KSLT101

This palm-sized, all-purpose RGB tube light with built-in battery is designed for photographers and film makers on the go, and comes packed with features and accessories to enhance every project.

#### Key Specifications

- Smartphone app control
- 10W power, 0-100% dimming, up to 700 Lux
- 7500-3200K & full RGB, CRI (Ra) 96+
- Built-in battery & magnets at each end, plus 1/4" screw threads for mounting
- Weighs 320g, dimensions 39 x 39 x 269mm
- Supplied with mini tripod, protective sleeve, waterproof bag, and wrist strap



### Coming Soon – NEW Kenro Smart Lite Pixel Tube Lights in 3 Sizes

Coming soon to Kenro and available in 1ft, 2ft, and 4ft lengths, these innovative pixel tube lights feature customisable RGB colours, allowing users to create dynamic lighting effects for cinematic productions, music videos, live performances, and more. With intuitive controls and wireless connectivity options, these RGB pixel tube lights empower creatives to unleash their imagination and achieve stunning results.



## Kenro Smart Lite Accessories

### Mini Ball Head

KSLX101

Max load: 10kg

Material: Aluminium

Mounting options (top):  
Cold shoe slot, 1/4" screw

Mounting options (bottom): Cold shoe attachment, 1/4" screw thread, 3/8" screw thread

Weight: 63g

Dimensions: 66 (H) x 36 (W) x 24 (D) mm



### Mini Ball Head with Detachable Long Shank

KSLX103

Max load: 2kg

Material: Aluminium

Ball head dimensions:  
42mm high x 22mm diameter at base

Shank dimensions: 47mm high x 16mm diameter

Total height: 107mm

Ball head weight: 42g

Total weight: 87g



### Smartphone Adapter

KSLX102

Material: Plastic

Mounting options: 2x cold shoe slots, 2x 1/4" screw threads, 3/8" screw thread

Compatible device width:  
5-10cm

Weight: 54g

Dimensions:  
114 (H) x 30 (W) x 53 (D) mm



### Smartphone & Tablet Holder

KSLX105

*Holds a smartphone on one side, or a tablet on the other*

Material: Plastic & metal

Screw threads: 2x 1/4"

Compatible smartphone width:  
58-90mm

Compatible tablet width:  
110-180mm

Weight: 70g



### 2-in-1 Mini Tripod & Handgrip

KSLX109

Maximum load: 10kg

Construction: Aluminium

Folded length: 120mm

Screw: 1/4"

Diameter: 31mm

Weight: 95g



### Compact Aluminium Light Stand

KSLX104

Maximum load: 4kg

Construction: Aluminium

Maximum height: 190cm

Minimum height: 94cm

Maximum footprint: 90x79cm

Minimum footprint: 30cm sq.

Folded length: 50cm

Weight: 830g

Sections: 4



### Professional 2.8m Light Stand

KSLX107

Maximum load: 8kg

Construction: Aluminium

Maximum height: 280cm

Minimum height: 110cm

Maximum footprint: 99cm

Minimum footprint: 38cm

Folded length: 90cm

Weight: 2.2kg

Sections: 4



### 2m Light Stand

KSLX108

Maximum load: 8kg

Construction: Aluminium

Maximum height: 200cm

Minimum height: 110cm

Maximum footprint: 64cm

Minimum footprint: 26cm

Folded length: 68cm

Weight: 850g

Sections: 3



## New Accessories Coming Soon

### 7" Mini Tripod & Handgrip

KSLX110

A sturdy 7" metal handgrip and tripod with 1/4" screw.



### Bowens Mount Adapter

KSLX111

A classic Bowens S-type mount adapter for use with the Compact LED COB Light.



### 55cm Diameter Softbox Kit

KSLX112

55cm diameter soft box with classic Bowens S-type mount and fabric grid.



### Battery Handle & Handgrip

KSLX113

Ergonomic grip handle with built-in 20,700mAh battery for on-the-go DC and USB-C power.



## Lavalier Microphone KNMC101

This omnidirectional lavalier clip-on microphone is powered by one LR44 battery (included) and comes complete with all you need straight out of the box.

It features a high quality condenser and low handling noise, plus a 6m long cable for maximum freedom of movement, making it ideal for use in any scenario where one individual is speaking directly to camera.

### Key Specifications

- Microphone type: Lavalier
- Polar pattern: Omnidirectional
- Frequency response: 65 Hz ~ 18 kHz
- Sensitivity: -30 +/- 3 dB (0 dB = 1V / Pa, at 1 kHz)
- Signal to noise ratio: 74 dB SPL
- Output: 35mm (1/8") 4-pole gold plug
- Dimensions: Cable - 6m / 20ft
- Weight: Microphone - 2.5g; Power module - 18g
- Battery: 1x LR44 (included)



## Universal Cardioid Microphone KNMC102

This lightweight cardioid shotgun-style microphone features a cold shoe mount allowing it to be mounted directly onto a camera or audio mixer.

No battery is required - the microphone connects directly to your recording device via the included 3.5mm audio cable. A professional furry windshield is included, and the metal body ensures maximum longevity.

### Key Specifications

- Microphone type: Shotgun
- Polar pattern: Cardioid
- Frequency response: 35 Hz ~ 18 kHz +/- 3 dB
- Sensitivity: -42 +/- 1 dB (0 dB = 1V / Pa, at 1 kHz)
- Signal to noise ratio: 76 dB SPL
- Output: 3.5mm TRS and TRRS connector
- Dimensions: 22 x 22 x 81mm
- Weight: 86g
- Battery: None required



## Kenro Universal Charger KNCH02

The Kenro Universal Charger is incredibly versatile and charges the majority of standard batteries, as well as battery-powered devices that charge via USB. Featuring automatically controlled fast / trickle charging, it controls the charge accurately to ensure that batteries charge swiftly and fully. This charger also has reverse polarity and defective battery detection, as well as short circuit prevention.

This unit will charge: 3.6-3.7V / 7.2-7.4V Li-ion battery packs, 1-2 NiMh / NiCd AA or AAA batteries, square batteries for camcorders and digital cameras, as well as MP3 / MP4 devices, smartphones, tablets and more via the USB port.

### Key Specifications

- AC input voltage: 100-240V AC
- DC input voltage: 12V DC 1000mA
- Battery size: AA/AAA NiMh / 3.6-3.7V or 7.2-7.4 Li-ion
- Li-ion charge output rating: 3.6-3.7V 700mA / 7.2-7.4V 700mA
- NiMh / NiCd output rating: 2 x 1.4V 1000mA max / -dv: 10mv
- USB output rating: 5V DC 500mA
- Features: Reverse polarity detection; short circuit prevention; bad battery detection
- Contents: Universal charger, AC power adapter, DC car cord, instruction manual



Kenro's range of video tripod kits, heads and slider is designed for ease of use, reliability and affordability. In a choice of 8-layer carbon fibre or high quality aluminium alloy, it includes a video monopod with a fold-out base for additional stability when space is at a premium, plus a standard video tripod for regular filming needs. It also features an ultra-stable twin tube video tripod in aluminium, with a three section, dual leg system and mid-section spreader for extra rigidity and peace of mind.

Each tripod and monopod is matched with a fluid-action, two-way pan and tilt head, with built-in spirit level, quick release plate and adjustable foam-lined handle. They are supplied in padded carry cases with a 6-year limited warranty.

Also available in this range are two Kenro video heads, for smaller and larger loads, a bowl head adapter, and our innovative double distance slider, which is ingeniously engineered to offer greater range of motion than its actual length.

	KENVT101A	KENVT101C	KENVT102	KENVT102C	KENVT103
Type	Monopod	Monopod	Tripod	Tripod	Tripod
Material	Aluminium	Carbon Fibre	Aluminium	Carbon Fibre	Aluminium
Number of sections	5	5	3	3	3
Leg locking mechanism	Flip lock	Flip lock	Flip lock	Flip lock	Twist lock
Maximum Leg Diameter	34.5mm	34.5mm	28mm	31mm	16mm
Minimum Leg Diameter	22mm	22mm	22mm	24mm	14mm
Maximum Working Height	1590mm	1590mm	1590mm	1700mm	1850mm
Minimum Working Height	635mm	635mm	245mm	250mm	855mm
Folded Length	635mm	635mm	790mm	840mm	900mm
Weight	2.06kg	1.96kg	2.8kg	2.8kg	4.5kg
Maximum Load	5kg	5kg	5kg	6kg	6kg



**Kenro Video Monopod**  
KENVT101

Available in aluminium or carbon fibre.



**Kenro Standard Video Tripod**  
KENVT102

Available in aluminium or carbon fibre.



**Kenro Twin Tube Video Tripod**  
KENVT103

## NEW

### Karoo 3-in-1 Photo & Video Tripod Kit KENTR106

The Karoo 3-in-1 Photo and Video Tripod offers all-in-one excellence for every shooting scenario, features a triple-action fluid video head perfect for both photography and filmmaking, and a removable centre column that can be inserted horizontally for horizontal axis shots and also transforms into a 4-section monopod.

#### Key Specifications

- Folded length 64cm (tripod) / 47.5cm (monopod)
- Max load 5kg
- Weight 1.88kg
- Maximum height 185cm (tripod) / 137cm (monopod)
- Minimum working height 61cm
- Fluid action 3-way photo & video head with quick release plate



### Kenro Video Heads & Bowl Adapter

Kenro video heads are light and compact with a good load bearing capacity. They are fluid action and supplied with an adjustable pan handle and quick release plate. These heads have a flat base to fit standard tripods. A 65mm video head bowl adapter is also available separately.



**Kenro Video Head VH01F (Small)** KENVH01F

Base diameter: 65mm  
Bush thread: 3/8"  
Weight 960g  
Maximum load: 5kg



**Kenro Video Head VH02F (Large)** KENVH02F

Base diameter: 65mm  
Bush thread: 3/8"  
Weight 1.06kg  
Maximum load: 8kg



**Kenro Bowl Head Adapter**  
KENVHA1

Base diameter: 75mm  
Bush thread: 3/8"  
Weight 209g


### Kenro Double Distance Slider KENVT104

This cleverly designed slider extends seamlessly in either direction when mounted on a tripod, offering double the usual range of motion for its size, delivering the perfect combination of portability and performance. Use it on a flat surface for greater load capacity (6kg), or on a tripod for more range (76cm).

With its aluminium construction, this slider is both strong and lightweight, and the smooth, belt-driven movement gives beautifully clean footage. This easy-to-use, affordable system adds a professional edge to any video footage.

#### Key Specifications

Maximum load (flat surface): 6kg  
Maximum load (tripod mounted): 3kg  
Actual length: 50cm  
Movement range (flat surface): 38cm  
Movement range (tripod mounted): 76cm  
Dimensions: 500 x 100 x 90mm  
Weight: 1.64kg



## Kenair Clean Air Duster & Master Kit

Kenair emits a powerful controllable jet of gas. It is used to blow dust, fluff, lint, grit or other unwanted debris from surfaces or cavities. It is used extensively as a high performance cleaner for photo, video, computer and electronic equipment, and is also used generally in industry, engineering, maintenance, by hobbyists and a host of other applications. A dust vac attachment is available separately to convert the blower into a mini vacuum cleaner, allowing it to suck small particles and debris into an attached chamber.

The Kenair Clean Air Duster uses an Ultra Low Global Warming Potential (GWP) Propellant. Kenro is one of the first companies to utilise this product technology in an Air Duster. The new product has a similar performance to the original, but with the additional benefit of a lower GWP (Global Warming Potential). It complies with the latest EU regulations on fluorinated gases (EU No. 517 /2014).

KENR01	Kenair Master Kit (360ml + valve)
KENR02	Kenair Aerosol 360ml
KENR04	Kenair Actuator Valve
TD122	Dust Vac Attachment



## Kenair Anti-Reflect KENR07

Kenair Anti-Reflect spray reduces reflections and glare in product photography. The Full Matt product is ideal for use in photographing highly reflective surfaces such as glass and mirrors. Versions of the Kenair Anti-Reflect specifically for black or white reflective surfaces are also available. Easy to wipe off after use with a soft, dry cloth.

KENR07	Kenair Anti-Reflect Full Matt 400ml
KENR07B	Kenair Anti-Reflect Black 400ml
KENR07W	Kenair Anti-Reflect White 400ml



## Kenair Lens Cleaner & Microfibre Cleaning Cloth

Lens Cleaner: KENR013;  
Cloth: MR108

This high quality 150ml aerosol cleans, polishes and demists camera lenses and optical equipment of all kinds.

Kenro's best-selling microfibre cleaning cloth is 30% nylon and 70% polyester. It boasts a generous overall size of 32x38cm and a denier of 0.31, perfect for cleaning and demisting all kinds of lenses and optical equipment without smearing or scratching.



**Hurricane Blower**  
KENR014

A double valve system that produces a powerful jet of air for blowing dirt, dust, and fluff from cameras and lenses.

## Like What You See?

To order any of the products from this catalogue, see complete technical specifications or get the most up-to-date pricing, visit Kenro's website at: [www.kenro.co.uk](http://www.kenro.co.uk)

If you are purchasing for your business, you might also be interested in setting up a Kenro trade account to take advantage of our exclusive trade pricing. To find out more, contact us on [sales@kenro.co.uk](mailto:sales@kenro.co.uk), scan the QR code, or visit our website.



[www.kenro.co.uk/pages/trade-account-registration](http://www.kenro.co.uk/pages/trade-account-registration)

