


12'×14' Metal Patio Gazebo ASSEMBLY MANUAL



MODEL#: LGMF1589

Missing part? Damaged? Contact us via email at service@domioutdoorliving.com

© Copyright 2019-2023 Domi Outdoor Living LLC. All rights reserved.

Pre-assembly



1.Two or more people are required for assembly.



2.You will need one or more stepladders.



3. Wearing protective gloves is recommended.



4. You may need a safety hat.



5.Please use a Phillips screw driver.



6.For ease of construction, you may need a drill.



7. You may need a safety goggle.




8.Do not fully tighten screws prior to complete assembly.


Warning & Attention


- -Try to assemble this product on the flat ground, otherwise it is difficult to carry out;
- -It would be much easier to assemble the product with three or more people;
- -After assembly, please check whether all screws are tightened, to prevent parts from falling apart.


▲ Use bolts to secure the frame to the ground to against the strong wind.




depth of it is over 3 inch, you can use 5/16 in. ×4 in. Structural Wood Screw to mount the gazebo.












Or you can make a concrete footing for gazebo, $15 \times 15 \times 15$ inches is recommended use expansion bolts to mount the pergola like (2) shows.


IMPORTANT: Anchor is not recommended


































- (1) Connect Part #C/C1 and #D/D1 to Part #A with 8 Bolts #4. (From Outside)
- (2) Repeat the above procedures to assemble the other 3 corners.▲ Please don't tighten all bolts.







1) 1x

M6x16

8) 32x


(1) Affix Part #R and Part #R1 to the frame with 8 Bolts #8.






(2) Repeat the above procedures to assemble the other 3 corners.▲ Please don't tighten all bolts.

12





Assemble the 4 Corner Roof Bars:















8) 12x





(1) Connect Part #E1 and Part #E with 2 Bolts #8.




- (2) Attach Part #U to Part #E with Bolt #8.
- (3) Repeat the above procedures to assemble the other 3 corner roof bars.


14









(3) Repeat the above procedures to assemble the opposite side.




(3) Repeat the above procedures to assemble the opposite side.





Secure Part #T to Part #S and Part #S1. (From Bottom to Top)








ATTENTION: The holes of Part #S and Part #S1 need to be aligned, on the same vertical line.





















(1) Place the Assembled J1 & Q1 and J2 & Q2 on Part #E2, securing with 1 Bolt #8.




(2) Repeat the above procedures to assemble the opposite side.












ATTENTION: The bigger roof panel need to cover the smaller one. (N3) (1) Insert Part #N1 and (2) Insert Part #N4 and Part #N2 into the frame. Part #N3 into the frame. (N2) N3


(3) Repeat the above procedures to assemble the opposite side.


30




















(Z) 14x


Cover Part #Z to Roof Panels






















- (1) Place 2 Part #W between Part #P5 and Part #E2. Then secure with 2 Bolts #9 and 2 Nuts #5.
- (2) Repeat the above procedures to assemble the opposite side.
















S4

1) 1x



ST6.3x15


2) 4x



- (1) Place Part #K3 and Part #K on Part #E; Put on Part #X3 and secure with Self-tapping Screw #2.
- (2) Repeat the above procedures to assemble the other 3 corners.




3 8x




(1) Attach roof panels to finishing bars with 2 Self-tapping Screws #3.


(2) Repeat the above procedures to assemble the other 3 sides.


How to Put the 92 Hooks into the Double-track





Double-track













RESORT COMFORT IN YONR OWN BACKYARD

Thanks for your purchase.

At domi outdoor living, we believe in our products.

That's why we provide a 12-month warranty and friendly, easy-to-reach after-sales service. So if you have any questions about our product and assembly,please feel free to contact us. We will be here for you.

Support:





email: service@domioutdoorliving.com

Please tell us your order ID when contact.

Attach photos of damaged part for instant reply.