

Accredited for compliance with ISO17034 and ISO17025. This document shall not be reproduced except in full. Accreditation Number: 20126

The results of the tests, calibrations and/or measurements included in this document are traceable to Australia/national standards. NATA is a signatory to the APLAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of reference materials certificates.



Reference Material Product Information Sheet Epichem's Quality System conforms to ISO9001:2015 as certified by ECAAS Pty Ltd - Certification number 616061. ...NH HCI Η,, *N*-desmethyldextromethorphan hydrochloride Name Synonym(s) $(9\alpha, 13\alpha, 14\alpha)$ -3-methoxymorphinan hydrochloride; nor-dextromethorphan hydrochloride; ent-3-methoxymorphinan hydrochloride Epichem Item # EPL-AA14 Batch 14 CAS# 1087-69-0 **Molecular Formula** C₁₇H₂₃NO.HCl Molecular Weight 293.84 g/mol White powder Appearance 250.5-255.5°C (decomposition) **Melting Point** Required (%): C:69.5; H:8.2; N:4.8. Found (%): C:69.6; H:8.2; N:4.7. **Combustion Analysis** Purity* 99.4% **Date of Manufacture** 3 March 2009 **Storage Requirements** Protect from heat, light and moisture. This compound is for laboratory use only. Its toxicological properties may not have **Special Precautions** been fully established. It should be handled only by suitably qualified personnel. Intended Use This compound is suitable for the identification of impurities and degradants in pharmaceutical materials. The purity assay is considered as relative contribution. Date of Shipment TBA This certificate is valid for one year from the date of shipment provided the substance is unopened and stored under the recommended conditions. **Retest Date** TBA (Proper Storage and Handling Required)

* NATA accreditation does not cover the performance of this service

EPL-AA14 Batch 14

Revision 4


I. Identity

The identity of this product was established using the following analyses:

Ia. ¹HNMR Spectrum

Conditions: 300 MHz, CDCl₃

¹HNMR spectrum consistent with chemical structure.




Ib. Mass Spectrum

The mass spectrum of this material was analysed by Liquid Chromatography Mass Spectroscopy (LCMS) using inhouse EM005.WI08.

Method: 5% to 100% ACN in water gradient (+0.1% formic acid)

Poroshell 120 EC-C18, 4.6 x 50 mm, 2.7 micron



Theoretical value: 258.2 [M+H]⁺.


The signal of the Mass Spectrum is consistent with the theoretical value and its interpretation is consistent with the structural formula.

EPL-AA14 Batch 14

Revision 4

Ic. IR Spectrum

The infra-red spectrum of this material was analysed by Fourier-Transform Infra-red Spectroscopy (FTIR) using inhouse EM005.WI09.



The interpretation of the signals of the Fourier Transform Infra-red Spectrum is consistent with the structural formula.

EPL-AA14 Batch 14


Revision 4

II. Purity

The purity of this material was analysed by high performance liquid chromatography (HPLC) using in-house EM005.W107.

HPLC Conditions:

Column	Conditions				Detector	Injector
Agilent ZORBAX Eclipse XDB-C8 4.6 x 150mm 5 micron	15°C					Auto
	Time (min)	% Line A (Water + 0.1% (v/v) TFA)	% Line B (Acetonitrile + 0.1% (v/v) TFA)	Flow rate (mL/min)	280nm	0nm 1.0 μL 1.2mg/mL in 50% acetonitrile 50% water (+0.1% TFA)
	0.00	70	30	1.0		
	8.00	50	50	1.0		
	12.50	5	95	1.0		
	17.50	5	95	1.0		
	18.50	70	30	1.0		
	24.90	70	30	1.0		



EPL-AA14 Batch 14

Revision 4

Area Percent Report – Sorted by Signal

Peak Number	Retention Time (rounded)	Area	Area % (rounded)
1	2.82	0.01	0.00
2	4.03	0.20	0.05
3	4.89	409.79	99.52
4	5.18	1.76	0.43
Totals			100 (rounded)

For the calculation the system peaks were ignored. The content of the analyte was determined as a ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100%.

Results:

Average

99.5% (average of 10 duplicate analyses)

EPL-AA14 Batch 14

Revision 4

III. Water Content

Method: Karl-Fischer titration using in-house EM005.WI04.

Results:

Average 0.1%

IV. Ash Content

Method: Combustion adjuvant added.

Result:

Contains <0.1% ash.

V. Residual Solvents

Method: ¹HNMR

Result:

No significant impurities detected by ¹H NMR analysis.

VI. Final Result

· · · · · · · · · · · · · · · · · · ·	
Chromatographic purity (HPLC)	99.5%
Water content	0.1%
Ash content	<0.1%
Residual solvents	<0.1%
Purity*	99.4%

This purity is assessed to be 99.4%.

Product Reviewed By:

Product Released By:

James Rixson, PhD Head of Production

Carol Worth Quality Manager Release Date: 27 May 2022

**NATA accreditation does not cover the performance of this service.* The calculation of the purity follows the formula:

 $Purity(\%) = \frac{((Chromatographicpurity[HPLC])x(100 - (watercontent + ashcontent + volatilecontents)))}{100}$

EPL-AA14 Batch 14

Revision 4