

Accredited for compliance with ISO 17034 This document shall not be reproduced except in full. Accreditation Number: 20126 Corporate Site Number: 24143



The results of the tests, calibrations and/or measurements included in this document are traceable to Australia/national standards. NATA is a signatory to the APLAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of reference materials certificates.

Reference Material Product Information Sheet Epichem's Quality System conforms to ISO9001:2015 as certified by ECAAS Pty Ltd - Certification number 616061.				
Name	N-(2,6-dimethylphenyl)-2-((1-methylethyl)amino)acetamide hydrochloride (1:1)			
BP Name	Lidocaine Impurity G hydrochloride			
Synonym(s)	2-isopropylamino-2',6'-acetoxylidide hydrochloride			
Epichem Item #	EPL-AA246 Batch 1			
CAS #	35891-87-3			
Molecular Formula	C ₁₃ H ₂₁ ClN ₂ O			
Molecular Weight	256.77 g/mol			
Appearance	Off-white powder			
Melting Point	207.8-213.4°C			
Combustion Analysis	Required (%): C:60.8, H:8.2, N:10.9. Found (%): C:61.0, H:8.4, N:10.9.			
Purity*	99.5%			
Date of Manufacture	16 September 2019			
Storage Requirements	Protect from heat, light and moisture.			
Special Precautions	This compound is for laboratory use only. Its toxicological properties may not have been fully established. It should be handled only by suitably qualified personnel.			
Intended Use	This compound is suitable for the identification of impurities and degradants in pharmaceutical materials. The purity assay is considered as relative contribution.			
Date of Shipment	ТВА			
	This certificate is valid for one year from the date of shipment provided the substance is unopened and stored under the recommended conditions.			
Retest Date	TBA (Proper Storage and Handling Required)			

* NATA accreditation does not cover the performance of this service

EPL-AA246 Batch 1

 Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia

 Tel + 61 (0)8 6167 5200
 Fax + 61 (0)8 6167 5201
 www.epichem.com.au
 ABN 80 106 769 902


I. Identity

The identity of this product was established using the following analyses:

Ia. ¹HNMR Spectrum

Conditions: 400 MHz, DMSO-d₆

¹HNMR spectrum consistent with chemical structure.



EPL-AA246 Batch 1


 Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia

 Tel + 61 (0)8 6167 5200
 Fax + 61 (0)8 6167 5201
 www.epichem.com.au
 ABN 80 106 769 902

Ib. Mass Spectrum

The mass spectrum of this material was analysed by Liquid Chromatography Mass Spectroscopy (LCMS) using inhouse EM005.WI08.

Method: ACN/water gradient (+ 0.1% formic acid). ZORBAX SB-C8, 4.6 x 30 mm, 3.5 micron.




Theoretical value: 221.2 [M-Cl]⁺.

The signal of the Mass Spectrum is consistent with the theoretical value and its interpretation is consistent with the structural formula.

EPL-AA246 Batch 1

Ic. IR Spectrum

The infra-red spectrum of this material was analysed by Fourier-Transform Infrared Spectroscopy (FTIR) using inhouse EM005.WI09.



The interpretation of the signals of the Fourier-Transform Infrared Spectrum is consistent with the structural formula.


EPL-AA246 Batch 1

II. Purity

The purity of this material was analysed by high performance liquid chromatography (HPLC) using in-house EM005.WI07.

HPLC Conditions:

Column	Conditions					Injector
Agilent Poroshell	25°C					Auto
120 EC C-18 4.6x50 mm	Time (min)	% Line A (Water + 0.1% (v/v) TFA)	% Line B (Acetonitrile + 0.1% (v/v) TFA)	Flow rate (mL/min)	220nm	1.0 μL 1.1 mg/mL in water (+0.1% TFA)
4.0250 mm	0.00	95	5	1.0		
2.7 micron	6.00	77	77 23 1.0			
	13.20	5	95	1.0		
	18.20	5	95	1.0		
	19.20	95	5	1.0		
	22.20	95	5	1.0		



EPL-AA246 Batch 1

 Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia

 Tel + 61 (0)8 6167 5200
 Fax + 61 (0)8 6167 5201
 www.epichem.com.au
 ABN 80 106 769 902

Area Percent Report – Sorted by Signal

Peak Number	Retention Time (rounded)	Area	Area % (rounded)
1	5.63	1889.17	99.74
2	9.71	4.85	0.26
Totals			100 (rounded)

For the calculation the system peaks were ignored. The content of the analyte was determined as a ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100%.

Results:

Average

99.7% (average of 10 duplicate analyses)

EPL-AA246 Batch 1

III. Water Content

Method: Karl-Fischer titration using in-house EM005.WI04.

Results:

Average 0.2%

IV. Ash Content

Method: BP 2019 Ash Appendix XIJ Method II

Result:

Contains <0.1% ash.

V. Residual Solvents

Method: ¹HNMR

Result:

<0.1 residual solvent by ¹H NMR analysis.

VI. Final Result

Chromatographic purity (HPLC)	99.7%
Water content	0.2%
Ash content	<0.1%
Residual solvents	<0.1%
Purity*	99.5%

This purity is assessed to be 99.5%

Product Reviewed By:

Product Released By:

John Moursounidis, PhD Head Reference Standards Boon Tan Quality Manager Release Date: 28 November 2019

**NATA accreditation does not cover the performance of this service.* The calculation of the purity follows the formula:

 $Purity(\%) = \frac{((Chromatographicpurity[HPLC])x(100 - (watercontent + ashcontent + volatilecontents)))}{100}$

EPL-AA246 Batch 1