


Reference Material Product Information Sheet

Epichem's Quality System conforms to ISO9001:2015 as certified by ECAAS Pty Ltd - Certification number 616061.



| | |
|-----------------------------|---|
| Name | 8-chloro-5,6-dihydro-11H-benzo[5,6]cyclohepta[1,2-b]pyridin-11-one |
| BP/EP Name | Loratadine Impurity B |
| Epichem Item # | EPL-AA268 Batch 1 |
| CAS # | 31251-41-9 |
| Molecular Formula | C ₁₄ H ₁₀ ClNO |
| Molecular Weight | 243.69 g/mol |
| Appearance | Yellow Crystalline Solid |
| Melting Point | 103.0-105.1°C |
| Combustion Analysis | Required (%): C:69.0; H:4.1; N:5.8. Found (%): C:67.34; H:4.0; N:5.6. |
| Purity* | 99.9% |
| Date of Manufacture | 23 July 2020 |
| Storage Requirements | Protect from heat, light and moisture. |
| Special Precautions | This compound is for laboratory use only. Its toxicological properties may not have been fully established. It should be handled only by suitably qualified personnel. |
| Intended Use | This compound is suitable for the identification of impurities and degradants in pharmaceutical materials. The purity assay is considered as relative contribution. |
| Date of Shipment | TBA This certificate is valid for one year from the date of shipment provided the substance is unopened and stored under the recommended conditions. |
| Retest Date | TBA (Proper Storage and Handling Required) |

* NATA accreditation does not cover the performance of this service

EPL-AA268 Batch 1

Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 6167 5200 Fax + 61 (0)8 6167 5201 www.epichem.com.au ABN 80 106 769 902

I. Identity

The identity of this product was established using the following analyses:

Ia. ¹H NMR Spectrum


Conditions: 400 MHz, CDCl₃

¹H NMR spectrum consistent with chemical structure.

| Acquisition Time (sec) | 3.7547 | Comment | LBC398-135@1H 1H CDCl3 (E:\dataexternal\epichem) cygoh 15 | | | | |
|------------------------|---|----------------------|---|------------------------|-----------|-----------------------|--------|
| Date | 22 Jul 2020 17:29:36 | Date Stamp | 22 Jul 2020 17:29:36 | | | | |
| File Name | \\NAPHTHALENE\Company\NMR files\LBC398-135@1H\1\data\1\1r | Frequency (MHz) | 400.13 | | | | |
| Nucleus | 1H | Number of Transients | 8 | Origin | spect | Original Points Count | 24038 |
| Owner | nmr | Points Count | 32768 | Pulse Sequence | zg | Receiver Gain | 181.00 |
| SW(cyclical) (Hz) | 6402.05 | Solvent | CHLOROFORM-d | Spectrum Offset (Hz) | 2792.7351 | | |
| Spectrum Type | STANDARD | Sweep Width (Hz) | 6401.85 | Temperature (degree C) | 24.996 | | |

¹H NMR (400 MHz, CHLOROFORM-d) δ ppm 3.15 - 3.21 (m, 3 H) 3.21 - 3.26 (m, 3 H) 7.25 (d, *J*=1.95 Hz, 1 H) 7.33 (dd, *J*=8.50, 2.05 Hz, 1 H) 7.37 (dd, *J*=7.72, 4.59 Hz, 1 H) 7.60 - 7.66 (m, 1 H) 8.05 (d, *J*=8.60 Hz, 1 H) 8.69 (dd, *J*=4.49, 1.56 Hz, 1 H)

LBC398-135@1H.001.001.1r.esp



EPL-AA268 Batch 1

Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia

Tel + 61 (0)8 6167 5200

Fax + 61 (0)8 6167 5201

www.epichem.com.au


ABN 80 106 769 902

Ib. Mass Spectrum

The mass spectrum of this material was analysed by Liquid Chromatography Mass Spectroscopy (LCMS) using in-house EM005.WI08.

Method: ACN/water gradient (+ 0.1% formic acid).
ZORBAX SB-C8, 4.6 x 30 mm, 3.5 micron.

| Retention Time (MS) | MS Area | Mol. Weight or Ion |
|---------------------|----------|--------------------|
| 2.666 | 13191687 | 511.00 I |
| | | 509.05 I |
| | | 246.10 I |
| | | 245.10 I |
| | | 244.05 I |



Theoretical value: 244.1 [M+H]⁺.


The signal of the Mass Spectrum is consistent with the theoretical value and its interpretation is consistent with the structural formula.

EPL-AA268 Batch 1

Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 6167 5200 Fax + 61 (0)8 6167 5201 www.epichem.com.au ABN 80 106 769 902

Ic. IR Spectrum

The infra-red spectrum of this material was analysed by Fourier-Transform Infrared Spectroscopy (FTIR) using in-house EM005.WI09.



The interpretation of the signals of the Fourier-Transform Infrared Spectrum is consistent with the structural formula.

EPL-AA268 Batch 1


Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 6167 5200 Fax + 61 (0)8 6167 5201 www.epichem.com.au ABN 80 106 769 902

II. Purity

The purity of this material was analysed by high performance liquid chromatography (HPLC) using in-house EM005.WI07.

HPLC Conditions:

| Column | Conditions | | | | Detector | Injector |
|---|------------|-----------------------------------|--|--------------------|--------------|---|
| Agilent Poroshell 120 EC-C18 4.6 x 50mm 2.7 micron | 25°C | | | | DAD 298nm | Auto 1.0 µL 0.4 mg/mL in 100% acetonitrile (NO MODIFIERS) |
| | Time (min) | % Line A (Water + 0.1% (v/v) TFA) | % Line B (Acetonitrile + 0.1% (v/v) TFA) | Flow rate (mL/min) | | |
| | 0.00 | 95 | 5 | 1.0 | | |
| | 6.00 | 65 | 35 | 1.0 | | |
| | 12.00 | 5 | 95 | 1.0 | | |
| | 17.00 | 5 | 95 | 1.0 | | |
| | 18.00 | 95 | 5 | 1.0 | | |
| | 21.00 | 95 | 5 | 1.0 | | |



EPL-AA268 Batch 1

Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 6167 5200 Fax + 61 (0)8 6167 5201 www.epichem.com.au ABN 80 106 769 902

Area Percent Report – Sorted by Signal

| Peak Number | Retention Time (rounded) | Area | Area % (rounded) |
|-------------|--------------------------|---------|------------------|
| 1 | 4.33 | 0.06 | 0.01 |
| 2 | 5.75 | 1061.11 | 99.98 |
| 3 | 6.46 | 0.04 | 0.00 |
| 4 | 7.66 | 0.05 | 0.01 |
| 5 | 9.73 | 0.03 | 0.00 |
| Totals | | | 100 (rounded) |

For the calculation the system peaks were ignored. The content of the analyte was determined as a ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100%.

Results:

Average 100.0% (average of 10 duplicate analyses)

EPL-AA268 Batch 1

Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 6167 5200 Fax + 61 (0)8 6167 5201 www.epichem.com.au ABN 80 106 769 902

III. Water Content

Method: Karl-Fischer titration using in-house EM005.WI04.

Results:

Average 0.1%

IV. Ash Content

Method: BP2020 Ash Appendix XI J Method II

Result:

Contains <0.1% ash.

V. Residual Solvents

Method: ¹HNMR

Result:

Contains <0.1% Isopropyl Alcohol by ¹H NMR analysis.

VI. Final Result

| | |
|-------------------------------|--------|
| Chromatographic purity (HPLC) | 100.0% |
| Water content | 0.1% |
| Ash content | <0.1% |
| Residual solvents | <0.1% |
| Purity* | 99.9% |

This purity is assessed to be 99.9%.

Product Reviewed By:

Product Released By:

James Rixson, PhD
Head of Production

Carol Worth, PhD
Quality Manager

Release Date: 20 July 2022

*NATA accreditation does not cover the performance of this service.

The calculation of the purity follows the formula:

$$\text{Purity(\%)} = \frac{((\text{Chromatographic purity[HPLC]}) \times (100 - (\text{water content} + \text{ash content} + \text{volatile contents})))}{100}$$

EPL-AA268 Batch 1

Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 6167 5200 Fax + 61 (0)8 6167 5201 www.epichem.com.au ABN 80 106 769 902