

Accredited for compliance with ISO17034. This document shall not be reproduced except in full. Accreditation Number: 20126



NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of reference materials certificates.

Reference Material Product Information Sheet				
Epichem's Quality System conforms to ISO9001:2015 as certified by ECAAS Pty Ltd - Certification number 616061.				
HO OH N OH O				
Name	<i>N</i> -((2 <i>R</i> )-2-hydroxy-2-(3-hydroxyphenyl)ethyl)- <i>N</i> -methyl-2-(4-(2-methylpropyl)phenyl)propanamide			
Epichem Item #	EPL-AA39 Batch 5			
CAS #	2575516-57-1			
Molecular Formula	C <sub>22</sub> H <sub>29</sub> NO <sub>3</sub>			
Molecular Weight	355.48 g/mol			
Appearance	Colourless glass			
Melting Point	40.2-49.1°C			
Combustion Analysis	Required (%): C:74.3; H:8.2; N:3.9. Found (%): C:74.3; H:8.1; N:4.1.			
Purity*	96.6%			
Date of Manufacture	4 October 2012			
<b>Storage Requirements</b>	Protect from heat, light and moisture.			
Special Precautions	This compound is for laboratory use only. Its toxicological properties may not have been fully established. It should be handled only by suitably qualified personnel.			
Intended Use	This compound is suitable for the identification of impurities and degradants in pharmaceutical materials. The purity assay is considered as relative contribution.			
Date of Shipment	ТВА			
	This certificate is valid for one year from the date of shipment provided the substance is stored under the recommended conditions.			
Retest Date	TBA (Proper Storage and Handling Required)			

\* NATA accreditation does not cover the performance of this service

EPL-AA39 Batch 5

Revision 3

 Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia


 Tel + 61 (0)8 6167 5200
 Fax + 61 (0)8 6167 5201
 www.epichem.com.au
 ABN 80 106 769 902

# I. Identity

The identity of this product was established using the following analyses:

## Ia. <sup>1</sup>HNMR Spectrum

Conditions: 400 MHz, DMSO-d<sub>6</sub> <sup>1</sup>HNMR spectrum consistent with chemical structure.



EPL-AA39 Batch 5


**Revision 3** 

#### **Ib. Mass Spectrum**

The mass spectrum of this material was analysed by Liquid Chromatography Mass Spectroscopy (LCMS) using in-house EM005.WI08.

Method: 5% to 100% ACN in water gradient (+0.1% formic acid)

Zorbax Eclipse XDB-C8, 3.0 x 100 mm, 3.5 micron



Theoretical value: 356.2 [M+H]<sup>+</sup>.


The signal of the Mass Spectrum is consistent with the theoretical value and its interpretation is consistent with the structural formula.

EPL-AA39 Batch 5

**Revision 3** 

## Ic. IR Spectrum

The infra-red spectrum of this material was analysed by Fourier-Transform Infrared Spectroscopy (FTIR) using in-house EM005.WI09.



The interpretation of the signals of the Fourier-Transform Infrared Spectrum is consistent with the structural formula.


EPL-AA39 Batch 5

**Revision 3** 

# **II.** Purity

The purity of this material was analysed by high performance liquid chromatography (HPLC) using inhouse EM005.WI07.

## **HPLC Conditions:**



#### EPL-AA39 Batch 5

**Revision 3** 

 Epichem Pty Ltd, Suite 5, 3 Brodie-Hall Drive, Bentley WA 6102, Australia

 Tel + 61 (0)8 6167 5200
 Fax + 61 (0)8 6167 5201
 www.epichem.com.au
 ABN 80 106 769 902

Peak Number	Retention Time (rounded)	Area	Area % (rounded)
1	1.05	0.07	0.00
2	2.89	0.40	0.02
3	4.85	0.84	0.04
4	5.49	0.59	0.03
5	5.64	1961.67	99.01
6	5.92	3.18	0.16
7	6.17	3.04	0.15
8	6.37	0.19	0.01
9	6.60	6.36	0.32
10	6.93	0.25	0.01
11	7.05	1.15	0.06
12	7.19	1.65	0.08
13	8.38	0.72	0.04
14	11.02	0.52	0.03
15	11.04	0.69	0.03
Totals			100 (rounded)

## Area Percent Report – Sorted by Signal

For the calculation the system peaks were ignored. The content of the analyte was determined as a ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100%.

## **Results:**

Average

99.0% (average of 10 duplicate runs)

EPL-AA39 Batch 5

Revision 3

## **III. Water Content**

Method: Karl-Fischer titration using in-house EM005.WI04. **Results:** Average 1.2%

## **IV. Ash Content**

Method: BP 2018 Ash (Appendix XI J) Method II **Result:** Contains <0.1% ash.

V. Residual Solvents

Method: <sup>1</sup>HNMR **Result:** 1.2% Ethyl acetate by <sup>1</sup>HNMR analysis.

## VI. Final Result

Chromatographic purity (HPLC)	99.0%	
Water content	1.2%	
Ash content	<0.1%	
Residual solvents	1.2%	
Purity*	96.6%	

This purity is assessed to be 96.6%.

Product Reviewed By:

Product Released By:

James Rixson, PhD Head of Production Carol Worth, PhD Quality Manager Release Date: 25<sup>th</sup> January 2023

\**NATA accreditation does not cover the performance of this service.* The calculation of the purity follows the formula:

 $Purity(\%) = \frac{((Chromatographicpurity[HPLC])x(100 - (watercontent + ashcontent + volatilecontents)))}{100}$ 

100

EPL-AA39 Batch 5

Revision 3