Our Formula. Your Success.

Reference Material Product Information Sheet



Name	2,2'-iminobis[N-(2,6-dimethylphenyl)-acetamide
BP/EP Name	Levocabastine diacid impurity
Epichem Item #	EPL-AA263 Batch 1
CAS #	745798-07-6
Molecular Formula	$C_{20}H_{25}N_3O_2$
Molecular Weight	339.44 g/mol
Appearance	White powder
Melting Point	210.0-218.7°C
Combustion Analysis	Required (%): C:70.8; H:7.4; N:12.4. Found (%): C:70.6; H:7.5; N:12.3.
Purity*	91.5%
Date of Manufacture	6 March 2020
Storage Requirements	Protect from heat, light and moisture.
Special Precautions	**This compound is for laboratory use only. Its toxicological properties may not have been fully established. It should be handled only by suitably qualified personnel.**
Intended Use	This compound is suitable for the identification of impurities and degradants in pharmaceutical materials. The purity assay is considered as relative contribution.
Date of Shipment	TBA
	This certificate is valid for one year from the date of shipment provided the substance is unopened and stored under the recommended conditions.
Retest Date	TBA (Proper Storage and Handling Required)

EPL-AA263 Batch 1

Epichemistry Pty Limited, Suite 11, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 9363 7888 www.epichem.com ABN 50 670 849 377

I. Identity

The identity of this product was established using the following analyses:

Ia. ^{1}HNMR Spectrum

Conditions: 400 MHz, DMSO-d_6

^{1}H NMR spectrum consistent with chemical structure.

Acquisition Time (sec)	3.7547	***Comment***	LBC386-065@3Ha 1H DMSO {E:\dataexternal\epichem} cygoh 21				
Date	09 Dec 2019 17:38:08			***Date Stamp***	09 Dec 2019 17:38:08		
File Name	\\naphthalene\company\NMR files\LBC386-065@3Ha\1\pdata\1\1r					***Frequency (MHz)***	400.13
Nucleus	1H	***Number of Transients***	8	***Origin***	spect	***Original Points Count***	24038
Owner	nmr	***Points Count***	32768	***Pulse Sequence***	zg	***Receiver Gain***	128.00
SW(cyclical) (Hz)	6402.05	***Solvent***	DMSO-d6	***Spectrum Offset (Hz)***	2796.6003	***Spectrum Type***	STANDARD
Sweep Width (Hz)	6401.85	***Temperature (degree C)***	25.429				

LBC386-065@3Ha.001.001.1r.esp



EPL-AA263 Batch 1

Ib. Mass Spectrum

The mass spectrum of this material was analysed by Liquid Chromatography Mass Spectroscopy (LCMS) using in-house EM005.WI08.

Method: ACN/water gradient (+ 0.1% formic acid).

ZORBAX SB-C8, 4.6 x 30 mm, 3.5 micron.

Retention Time (MS)	MS Area	Mol. Weight or Ion
2.431	13240543	341.20 I 340.20 I



Theoretical value: 340.2 [M+H]+.

The signal of the Mass Spectrum is consistent with the theoretical value and its interpretation is consistent with the structural formula.

Epichemistry Pty Limited, Suite 11, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 9363 7888 www.epichem.com ABN 50 670 849 377

Ic. IR Spectrum

The infra-red spectrum of this material was analysed by Fourier-Transform Infrared Spectroscopy (FTIR) using in-house EM005.WI09.



The interpretation of the signals of the Fourier-Transform Infrared Spectrum is consistent with the structural formula.

Epichemistry Pty Limited, Suite 11, 3 Brodie-Hall Drive, Bentley WA 6102, Australia
Tel + 61 (0)8 9363 7888 www.epichem.com ABN 50 670 849 377

II. Purity

The purity of this material was analysed by high performance liquid chromatography (HPLC) using in-house EM005.WI07.

HPLC Conditions:

Column	Conditions				Detector	Injector
Agilent Poroshell 120 EC-C18 4.6 x 50mm 2.7 micron	25ºC				DAD 220nm	Auto 1.0 µL 0.75 mg/mL in 50% water / 50% acetonitrile (+0.1% TFA)
	Time (min)	% Line A (Water + 0.1% (v/v) TFA)	% Line B (Acetonitrile + 0.1% (v/v) TFA)	Flow rate (mL/min)		
	0.00	85	15	1.0		
	6.00	61	39	1.0		
	11.60	5	95	1.0		
	16.60	5	95	1.0		
	17.60	85	15	1.0		
	20.60	85	15	1.0		



EPL-AA263 Batch 1

Area Percent Report – Sorted by Signal

Peak Number	Retention Time (rounded)	Area	Area % (rounded)
1	5.52	1792.78	99.96
2	6.74	0.14	0.01
3	7.73	0.50	0.03
Totals			100 (rounded)

For the calculation the system peaks were ignored. The content of the analyte was determined as a ratio of the peak area of the analyte and the cumulative areas of the purities, added up to 100%.

Results:

Average 100.0% (average of 10 duplicate analyses)

EPL-AA263 Batch 1

III. Water Content

Method: Karl-Fischer titration using in-house EM005.WI04.

Results:

Average 0.2%

IV. Ash Content

Method: BP 2020 Appendix XI J Method II

Result:

Contains 0.1% ash.

V. Residual Solvents

Method: ^{1}HNMR

Result:

No significant impurities detected by ^{1}H NMR analysis.

VI. Final Result

Chromatographic purity (HPLC)	100.0%
Water content	0.2%
Ash content	0.1%
Residual solvents	<0.1%
Purity	99.7%

This purity is assessed to be 99.7%.

Product Reviewed By:

James Rixson, PhD
Head of Production

Product Released By:

Carol Worth, PhD
Quality Manager

Release Date: 7 October 2022

The calculation of the purity follows the formula:

$$\text{Purity}(\%) = \frac{((\text{Chromatographicpurity[HPLC]})x(100 - (\text{watercontent} + \text{ashcontent} + \text{volatilecontents})))}{100}$$

EPL-AA263 Batch 1