

## DECLARATION OF CONFORMITY

Sensidvne, LP 1000 112th Circle North, Suite 100 St. Petersburg, Florida 33716

**Certificate No: 001 Issue 10** November 23, 2021

The undersigned declares that the products named in this certificate meet the provisions of the relevant Union harmonization legislation: Directive 94/9/EC (until April 19th, 2016) and Directive 2014/34/EU (from April 20th, 2016) concerning equipment and protective systems intended for use in potentially explosive atmospheres and US and Canadian Hazardous Location and Electrical Equipment Requirements. The product complies with the requirements of Directive 2004/108/EC relating to electromagnetic compatibility. This declaration is issued in the sole responsibility of Sensidyne, LP.

Product Type: Portable Air Sampling Pump Product designation: GilAir PLUS with 7.2 V DC NiMH Battery Pack Manufacturer: Sensidyne, LP Intended Use: Air Sampling

Notified Body: FM Approvals Ltd. 1 Windsor Dials Windsor, Berkshire, UK SL4 1RS Notified body Number: CE 1725

Personal Sampling Pump Performance Requirements: ISO/EN 13137

## Intrinsically Safe:

CAN US Class I, II, III Division 1, Groups: A, B, C, D, E, F, and G, hazardous (classified) locations. IS/I,II,III /1/ ABCDEFG / T4 ta = 0°C to 45°C Class I, Zone 0, Group: IIC hazardous (classified) locations. I/O AEx ia IIC /T4 Ta = 0°C to 45°C **Class 3600** 2011 Class 3610 2010 ANSI/IEC 60529 2004

Class I, II, III Division 1, Groups: A, B, C, D, E, F, and G, hazardous (classified) locations. IS/I,II,III / 1 / ABCDEFG / T4 ta = 0°C to 45°CClass I, Zone 0, Group: IIC hazardous (classified) locations. I / 0 AEx ia IIC /T4 Ta = 0°C to 45°C CAN C22.2 No. 157 2006 CAN C22.,2 No. 213 2004 CSA-C22.2 No. 60529 2005

FM10ATEX0044X EC

II 1 G Ex ia IIC T4 Ta = 0°C to 45°C Conforming to the following standards: EN60079-0:2006 EN60079-11:2007 EN60079-26:2007 Report: 3039791EC

ATEX Quality Assurance Notification: SIRA Certification Notified body Number: 0518

EMC: Emissions and Immunity Standards EN 61326:2006 EN 55011: Class A EN 61000-4-2 EN 61000-4-3 EN 61000-4-4

EN 61000-4-5 FN 61000-4-6

Safety Compliance: TUV NRTL: U8 11 03 71335-002 CSA/CAN C22.2 No. 61010-1-04 UL 61010-1:2001:2005 EN 61010-1 Report: 090-1002842-000

Signed:

EN 61000-4-8 EN 61000-4-11

Additional Standards: EN1232 Type P ISO 13137:2013 Type P and Type G



Date: 11/23/2021

Name: Sean Shannon Manager: Quality Assurance /Regulatory Affairs Sensidyne, LP Title:

Who is the natural and legal person with responsibility for the design, manufacture, packaging and labeling before the device is placed on the market under his own name, regardless of whether these operations are carried out by the Manufacturer or on his behalf by a third party.

