

879 Federal Blvd Denver, CO, 80204, US

Certificate of Analysis

Kaycha Labs

10mg Gummies 503223

Matrix: Infused

Sample: DE30327006-001 Harvest/Lot ID: 503223

Batch#: 503223

Seed to Sale# 1A4000B00010D25000002652

Batch Date: N/A

Sample Size Received: 40 gram

Total Amount: N/A

Retail Product Size: 53 gram

Ordered: 03/23/23 Sampled: 03/23/23

Completed: 03/30/23 Sampling Method: N/A

PASSED

Pages 1 of 1

License # 405R-00011 614 Cliff Street

Silver Cliff, CO, 81252, US

Mar 30, 2023 | Resinosa LLC





Pesticides













Terpenes NOT TESTED

PASSED



Cannabinoid





Total CBD 1.0446%



Total Cannabinoids 1.3093%



Analysis Method: SOP-020 (R15) Analytical Batch: DE005264POT Instrument Used: Agilent 1100 "Falcor"

Reviewed On: 03/30/23 15:31:43 Batch Date: 03/28/23 06:58:23

Reagent: 030623.18; 012523.R11; 031423.R09; 032523.R01; 032923.R03 Consumables: TSIN0C040FG; HWK-TP3ML; 1355147; 00336569-4; 304104086; 308128093; 12600-249CC-249; 923C4-923AK; 118C6-118H Pipette: N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP-022 (R13) for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310,

Dane Oberhill

Lab Director

State License # 405R-00011 405-00008 ISO 17025 Accreditation # 4331.01 Signature

03/30/23

Signed On