SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name: Blackline Iron Off Iron Remover

Product Use: Automotive Detailer Manufacturer/Supplier: Blackline

Address: 27620 Tyler Blvd, Ste 10, Mentor Ohio 44060, United States

Telephone Number: +1 (877) 362-1875 E-Mail: jon@blacklinecarcare.com

Web: blacklinecarcare.com

SECTION 2: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION: HEALTH ENVIRONMENTAL

Eye Effects – 1
Skin Corrosion – 1A
Acute Toxicity – 3
Skin Sensitization – 3
Mutagenicity – N/A
Carcinogenicity – 1
Reproductive/Developmental – N/A
Target Organ Toxicity – N/A
Toxicity – N/A
Aspiration Hazard – N/A
Environmental Hazards – N/A
Hazardous To The Aquatic Environment – 3

Flammable Liquid – N/A
Explosives – N/A
Flammable Gases – N/A
Flammable Aerosols – N/A
Oxidizing Gases – N/A
Gases Under Pressure – N/A
Flammable Solid – N/A
Self-Reactive Substances – N/A
Pyrophoric Solids – N/A
Self-Heating Substances – N/A
Oxidizing Liquids – N/A
Oxidizing Solids – N/A
Organic Peroxides – N/A
Corrosive To Metal – N/A
Substances Which, In Contact With

Water Emit Flammable Gases - N/A

PHYSICAL

HAZARD STATEMENTS

Danger!

H302 - Harmful If Swallowed

H290 - May Be Corrosive To Metals

H314 – Causes Severe Skin Burns And Eye Dam-

age.

H318 - Causes Serious Eye Damage.

H331 - Toxic If Inhaled

H350 - May Cause Cancer

Not classified as hazardous under GHS

Dermatitis may be aggravated by excessive exposure to the skin.

PICTOGRAM







SECTION 2: HAZARD(S) IDENTIFICATION CONT,

General:

P101 If Medical Advice Is Needed, Have Product Or Label At Hand.

P102 Keep Out Of Reach Of Children.

P103 Read Label Before Use.

Prevention:

P234 Keep Only In Original Containers.

P261 Avoid Breathing Dust/Fumes/Mist/Vapors/Spray.

P262 Do Not Get In Eyes, On Skin, Or On Clothing.

P264 Wash Skin Thoroughly After Handling.

P270 Do Not Eat, Drink Or Smoke When Using This Product.

P271 Use Only Outdoors Or In A Well-Ventilated Area.

P280 Wear Protective Gloves/Protective Clothing/Eye Protection/Face

Response: P301 +P310+P330 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

P301 + P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN: Remove/Immediately take off all contaminated clothing. Rinse skin with water/shower.

P304+P340+P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT CAS NUMBER		WEIGHT
Thioglycolic Acid	68-11-1	≤ 10
Ethylene Glycol Butyl	111-76-2	≤ 10
Ammonium Hydrogen Fluoride	1341-49-7	≤ 5
Dodecylbenzen	27176-87-0	≤ 15

SECTION 4: FIRST AID MEASURES

Eye contact: Flush immediately with large amounts of clean water for at least 15 minutes, eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin contact: Rinse area with soap and water. Seek medical attention if any redness or irritation persists

Inhalation: if breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective but should be used to cool fire-exposed containers, structures and to protect personnel. Use water to dilute spills and to flush them away from sources of ignition.

Fire fighting procedures: No special protective action for fire fighters are anticipated.
Unusual fire an explosion: Fire or excessive heat may produce hazardous decomposition Production.

Combustion products: Sulfur containing gases.

SECTION 6: ACCIDENT RELEASE MEASURES

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in sealed container pending a waste disposal evaluation. Contain spilled liquid with sand or earth. Do Not use combustible materials such as sawdust. Use appropriate personal protective equipment as stated in Section 8 of this SDS. Advice the environmental protection agency (EPA) and appropriate state agencies, if required. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Vacuum or sweep up material and place in a disposal container.

SECTION 7: HANDLING AND STORAGE

Handling:

Obtain Special Instructions Before Use. Do Not Handle Until All Safety Precautions Have Been Read And Understood. Do Not Breathe Dust/Fumes/Gas/Mist/Vapors/Spray. Wash Thoroughly After Handling. Avoid Release To The Environment. Wear Protective Gloves/Protective Clothing/Eye Protection/Face Protection. Use Personal Protective Equipment As Required.

Storage:

Keep Container Tightly Closed In A Cool, Dry, Well-Ventilated Area Away From Heat, Source Of Ignition And Incompatibles. Do Not Store Below 32 Degrees F Or Above 100 Degrees F. Do Not Store In Direct Sunlight. Keep Away From Children. Storage Code: White — Corrosive. Separate Acids From Bases; Separate Oxidizer Acids From Organic Acids.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE LIMITS:

AMMONIUM HYDROGEN FLUORIDE 1341-49-7 SULFURIC ACID 7664-93-9

PEL (OSHA) 1 MG/M3, 8 HR. TWA
TLV (ACGIH) 1.2 MG/M3, 8 HR. TWA

A2 (SULFURIC ACID CONTAINED IN STRONG INORGANIC ACID MISTS) ETHYLENE GLYCOL MONOBUTYL 111-76-2 **20 PPM ACGIH** PEL NIOSH TWA 5 PPM 24 MG/M3 NIOSH PEL OSHA ZI **TWA 50 PPM** 240 MG/M3 OSHA Z1 TWA

Engineering Controls: local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Personal protective equipment (PPE): lab coat, apron, gloves, goggles, eye wash, safety shower. Respiratory protection: respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Respirator type(s): none required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. Eye protection: wear chemical splash goggles when handling this product. Have an eye wash station available. Skin protection: avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical breakthrough and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Gloves: natural latex, neoprene, nitrile, butyl rubber.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

No Data Available Flash point: Lower Flammability Limit: > 200 F Auto-Ignition Temperature: Not Available Upper Flammability Limit: No Data Available

100°C Volatile Organic Compound: N/A Boiling Point: Melting Point: Not Available Volatile Organic Compound: N/A

Vapor Pressure: Evaporation Rate (Water=1): No Data Available <0.3 Mm Hg @ 25°C No Data Available

Vapor Density (Air = 1): Viscosity:

Soluble In Water Ph: 3 - 4Solubility: Molecular Weight: Pour Point: Not Available Mixture

8.805 LBS. /GAL Molecular Formula: Mixture Spec. Grav./Density:

Odor/Appearance: Pungent Acidic/Liquid

SECTION 10: STABILITY AND REACTIVITY

Reactivity: This Material May Be Reactive With Certain Agents Under Certain Conditions.

Chemical Stability: Stable Under Normal Conditions

Possibility Of Hazardous Reactions: Hazardous Polymerization Will Not Occur. Conditions To Avoid: Keep Away From Ignition Sources, Heat, Sparks Or Flames.

Incompatible Materials: water-Reactive Materials, Water, Organic Compounds, Strong Reducing Agents,

Acetaldehydes, Amines

Hazardous Decomposition: None Know.

SECTION 11: TOXICOLOGICAL INFORMATION

Based On The Test Data And/Or Information On The Components, This Material May Produce The Following Health Effects:

Inhalation: Respiratory Tract Irritation: Signs/Symptoms May Include Cough, Sneezing, Nasal Discharge, Headache, Hoarseness, And Nose And Throat Pain.

Skin Contact: Mild Skin Irritation: Signs/Symptoms May Include Localized Redness, Swelling, Itching, And Dryness. Allergic Skin Reaction (Non-Photo Induced) In Sensitive People: Signs/Symptoms May Include Redness, Swelling, Blistering, And Itching.

Eye Contact: Moderate Eye Irritation: Signs/Symptoms May Include Redness, Swelling, Pain, Tearing, And Blurred Or Hazy Vision.

Ingestion: Gastrointestinal Irritation: Signs/Symptoms May Include Abdominal Pain, Stomach Upset, Nausea, Vomiting And Diarrhea.

Target Organ Effects: Allergic Skin Reaction (Non-Photo Induced) In Sensitive People. Signs/Symptoms May Include Redness, Swelling, Blistering, And Itching.

Toxicological Data: If A Component Is Disclosed In Section 3 But Does Not Appear In A Table Below, Either No Data Are Available For That Endpoint Or The Data Are Not Sufficient For Classification.

SECTION 11: TOXICOLOGICAL INFORMATION CONT.

NAME	ROUTE	SPECIES	VALUE
Sulfuric Acid	ORAL	RAT	Ld 50 2,140 Mg/Kg
Sulfuric Acid	INHALATION	GUINEA PIG	Lc 50 30mg/M3
Sulfuric Acid	DERMAL	_	NO DATA AVAILABLE
Ammonium Hydrogen Fluoride	ORAL	RAT	Ld 50 60 – 130 Mg/Kg
Ammonium Hydrogen Fluoride	INHALATION	-	NO DATA AVAILABLE
Ammonium Hydrogen Fluoride	DERMAL	_	NO DATA AVAILABLE
Ethylene Glycol Butyl	ORAL	GUINEA PIG	Ld 50 1,200 Mg/Kg
Ethylene Glycol Butyl	INHALATION	GUINEA PIG	Ld 50 >633ppm, 1h.
Ethylene Glycol Butyl	DERMAL	GUINEA PIG	Ld 50 >2,000 Mg/Kg
Dodecylbenzen	ORAL	RABBIT	Ld 50: 1407 Mg/Kg
Dodecylbenzen	INHALATION	-	NO DATA AVAILABLE
Dodecylbenzen	DERMAL	-	NO DATA AVAILABLE

Skin corrosion/irritation
Serious eye damage/irritation
Skin sensitization
Respiratory sensitization
Germ cell mutagenicity
Carcinogenicity

Reproductive toxicity
Reproductive and/or developmental effects
Specific target organ toxicity – single exposure
Specific target organ toxicity – repeated exposure
Aspiration hazard

SECTION 12: ECOLOGICAL INFORMATION

This Product May Be Dangerous To Plants And/Or Wildlife.

Mobility: This Material Is Expected To Have High Mobility In Soil. It Absorbs Weakly To Most Soil Types.

Persistence: Biodegradation, Adsorption To Sediment, And Bio-Concentration To Aquatic Organisms Should

Not Be Significant.

Bioaccumulation: Bioconcentration Is Not Expected To Occur.

Degradability: Does Not Biodegrade Readily.

Other Adverse Effect: No Data

Chemical Name Cas # Eco Toxicity

Sulfuric Acid 7664-93-9 96 Hr Lc50 Brachydanio Rerio> 500mg/L

24 Hr Ec50 Daphnia Magna 29 Mg/L

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations. Always contact a permitted waste disposer tsd to assure compliance. Waste disposal code(s): if discarded, this product is considered a rcra corrosive waste, d002.

SECTION 14: TRANSPORT INFORMATION

UN number: No data available

UN proper shipping name: Not Regulated Transport hazard class(es): No data available

Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on

ITW Evercoat original packaging, which is suitable for domestic ground transport only.

SECTION 15: REGULATORY INFORMATION

Amendments And Reauthorization Act Of 1986 Title Iii (Emergency Planning And Community Right-To-Know Act Of 1986) Sections 311 And 312 311/312 Hazard Categories:

Fire Hazard – No, Pressure Hazard – No, Reactivity Hazard – No, Immediate Hazard – Yes, Delayed Hazard – No

Superfund Amendments And Reauthorization Act Of 1986 Title Iii (Emergency Planning And Community Right-To-Know Act Of 1986)

Section 313 This Material Does Not Contain Any Chemical Components With Known Cas Numbers That Exceed The Threshold (De Minimis) Reporting Levels. Established By Sara Title III, Section 313

Comprehensive Environmental Response, Compensation, And Liability Act Of 1980 (Cercla) Section 103 This Material Does Not Contain Any Components With A Cercla Rq

California Prop. 65 This Product Does Not Contain Any Chemicals Known To State Of California To Cause Cancer, Birth Defects, Or Any Other Reproductive Harm.

United States Tsca Inventory (Tsca) All Components Of This Product Are In Compliance With The Inventory Listing Requirements Of The U.s. Toxic Substances Control Act (Tsca) Chemical Substance Inventory. This SDS has been prepared to meet the U.S. hazard communication standard, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION

NFPA Hazardous Classification Health: 3 Flammability: 0 Instability: 0 Special Hazard: None

Revision Indicator: SDS revision issued September 23, 2022

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.