

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name: Ocean Breeze Air Freshener
 Product Use: Vehicle Cleaner
 Manufacturer/Supplier: Blackline
 Address: 27620 Tyler Blvd, Ste 10, Mentor Ohio 44060, United States
 Telephone Number: +1 (877) 362-1875
 E-Mail: jon@blacklinecarcare.com
 Web: blacklinecarcare.com

SECTION 2: HAZARD(S) IDENTIFICATION

Flammable Liquids, Category 4
 Serious Eye Damage/Eye Irritation, Category 2A
 Not classified as hazardous under GHS
 Dermatitis may be aggravated by excessive exposure to the skin.



GHS Signal Word:

GHS Hazard Phrases:

GHS Precautionary Phrases:

GHS Response Phrases:

GHS Storage and Disposal Phrases:

OSHA Regulatory Status:

Potential Health Effects (Acute and Chronic):

Warning

H227 – Combustible liquid.

H319 – Causes serious eye irritation.

P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P264 – Wash hands thoroughly after handling. P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 – If eye irritation persists, get medical advice/attention.

P403+235 – Store in cool/well-ventilated place.

P501 – Dispose of contents/container to in accordance with all applicable local, state, and federal regulations.

While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

Hazards not otherwise classified (HNOC) or not covered by GHS –none.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

| COMPONENT | CAS NUMBER | Concentration |
|------------------------|-------------------|----------------------|
| Alcohol ethoxylate | 68439-46-3 | 3.0 -5.0 % |
| (Not available) | N/A | 3.0 -5.0 % |
| Ethyl alcohol | 64-17-5 | < 2.0 % |
| Sodium xylenesulfonate | 1300-72-7 | < 1.0 % |

SECTION 4: FIRST AID MEASURES**Emergency and First Aid**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Procedures:**In Case of Inhalation:**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact:

Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Signs and Symptoms Of Exposure:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed:

No data available.

SECTION 5: FIRE FIGHTING MEASURES

Flash Pt: 47.00 C (116.6 F) Method Used: Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Further information:

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

SECTION 6: ACCIDENT RELEASE MEASURES

Protective Precautions,
Protective Equipment and
Emergency Procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
For personal protection see section 8.

Environmental Precautions:
Steps To Be Taken In Case
Material Is Released Or
Spilled:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

SECTION 7: HANDLING AND STORAGE

Precautions To Be Taken in
Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition – No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.

Precautions To Be Taken in
Storing:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 –8 – 8 deg.C. Storage class 510)

Other Precautions:

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

| <u>Partial Chemical Name</u> | <u>CAS NUMBER</u> | <u>ACGIH TWA</u> | <u>OSHA TWA</u> | <u>Other Limits</u> |
|------------------------------|-------------------|---------------------------------|-----------------|---------------------|
| Alcohol ethoxylate | 68439-46-3 | No data. | No data. | No data. |
| Ethyl alcohol | 64-17-5 | TLV: 1000 ppm STEL: 1000 ppm | PEL: 1000 ppm | No data. |
| Sodium xylenesulfonate | 1300-72-7 | No data. | No data. | No data. |

| <u>Chemical Name</u> | <u>CAS NUMBER</u> | <u>Jurisdiction</u> | <u>Recommended Exposure Limits</u> | <u>Notations</u> |
|----------------------|-------------------|-------------------------------|--|------------------|
| Ethyl alcohol | 64-17-5 | California, USA PELs NIOSH | TWA: 1900 mg/m3 (1000 ppm) TWA: 1900 mg/m3 (1000 ppm) | |

Personal Protective
Equipment Symbols:
Respiratory Equipment
(Specify Type):

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection:
Protective Gloves:

No data available.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Other Protective Clothing:
Engineering Controls
(Ventilation etc.)

Impervious clothing. Flame retardant antistatic protective clothing.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Environmental Exposure
Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Products Description: Blue with Vanilla Odor
 Solubility in Water: Complete
 Boiling Point: No Data
 Specific Gravity: No Data
 Vapor Pressure (mmHg): NE
 Percent Volatile: <2.0% by weight
 Octanol/Water Partition Coefficient: No data.
 Autoignition Pt: No data

Vapor Density (AIR=1): NE
 Evaporation Rate: NE
 Flash Point: > 200 C
 pH: 5
 Melting Point: N/A
 Flammability Rate: No data
 Explosive Limits: No data
 Density: 8.371 LB/GA
 Decomp Temp: No data
 Viscosity: N/A

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data
 Stability: Unstable [] Stable [X]
 Conditions To Avoid – Heat, flames and sparks.
 Instability:
 Incompatibility – Materials To Strong oxidizing agents.
 Avoid:
 Hazardous Decomposition or No data available. In the event of fire: see section 5.
 Byproducts:
 Possibility of Hazardous Will occur [] Will not occur [X]
 Reactions:
 Conditions To Avoid – No data available.
 Hazardous Reactions:

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|--------------------------------|---|
| Toxicological Information | Acute toxicity. No data available. Inhalation: Dermal. Germ cell mutagenicity: Reproductive toxicity. Aspiration hazard: |
| Irritation or Corrosion: | Skin corrosion/irritation. No data available. Serious eye damage/ eye irritation: no data available. |
| Sensitization: | No data available. |
| Chronic Toxicological Effects: | Specific target organ toxicity –single exposure (Globally Harmo nized System) No data available. |
| Carcinogenicity/Other | IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| Carcinogenicity: | NTP? No IARC Monographs? No OSHA Regulated? No |

SECTION 12: ECOLOGICAL INFORMATION

General Ecological No data available.

Information:

| | | |
|-------------------------------------|--|--------------------|
| Results of PBT and vPvB assessment: | PBT/vPvB assessment not available as chemical safety assessment not required/not assessment: | conducted. |
| Persistence and Degradability: | | No data available. |
| Bioaccumulative Potential: | | No data available. |
| Mobility in Soil: | | No data available. |
| Other adverse effects: | | No data available. |

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD : Dispose of contents/container to in accordance with all applicable local, state, and federal regulations.

The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

SECTION 14: TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED PER 49 CFR 173.150.

UN number: No data available

UN proper shipping name: Not Regulated

Transport hazard class(es): No data available

Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on

ITW Evercoat original packaging, which is suitable for domestic ground transport only.

SECTION 15: REGULATORY INFORMATION

| CAS # | Hazardous Components (Chemical Name) | S.302 (EHS) | S.304 RQ | S.313 (TRI) |
|------------|--------------------------------------|-------------|----------|-------------|
| 38439-46-3 | Alcohol ethoxylate | No | No | No |
| N/A | (Not Available) | No | No | No |
| 64-17-5 | Ethyl alcohol | No | No | No |
| 1300-72-7 | Sodium xylenesulfonate | No | No | No |

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

| | |
|---|--|
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Explosive |
| <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Flammable (gases, aerosols, liquid, or solid) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Oxidizer (liquid, solid or gas) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Self-reactive |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Pyrophoric (liquid or solid) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Pyrophoric gas |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Self-Heating |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Organic Peroxide |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Corrosive to Metal |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Gas under pressure (compressed gas) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Contact with water emits flammable gas |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Combustible Dust |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Physical Hazard Not Otherwise Classified (HNOC) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Acute toxicity (any route of exposure) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Skin Corrosion or Irritation |
| <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Serious eye damage or eye irritation |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Respiratory or Skin Sensitization |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Germ cell mutagenicity |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Carcinogenicity |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Reproductive toxicity |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Aspiration Hazard |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Simple Asphyxiant |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | (Health) Hazard Not Otherwise Classified (HNOC) |

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|------------|--------------------------------------|--|
| 38439-46-3 | Alcohol ethoxylate | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes – Inventory; CA PROP.65: No; CA TAC, Title 8: No |
| N/A | (Not Available) | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No |
| 64-17-5 | Ethyl alcohol | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes –Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8 |

SECTION 15: REGULATORY INFORMATION (Cont.)

1300-72-7 Sodium xylenesulfonate

CAA HAP,ODC: No; CWA NPDES:
No; TSCA: Yes – Inventory; CA
PROP.65: No; CA TAC, Title 8: No**SECTION 16: OTHER INFORMATION**

Revision Date: 01/10/2024

Hazard Rating System:

| | | |
|-------|---------------|---|
| | Health: | 0 |
| | Flammability: | 0 |
| | Physical: | 0 |
| HMIS: | PPE: | 0 |

DISCLAIMER:

The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this MSDS information may not be applicable. Information is correct to the best of our knowledge at the date of the MSDS publication.