


ferti-lome

Weed-Out Nutsedge Control



Selective Postemergence Control of Annual Grasses, Broadleaf Weeds, and Sedges in Residential Lawns.

- Ready To Use No Mixing
- Kills Yellow & Purple Nutsedge, Kyllinga, And Over 60 Other Tough Weeds
- For Northern And Southern Turf Grasses
- Rainproof In 2 Hours Results Are Visible In Days

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other panels for additional precautionary information.

ACTIVE INGREDIENT:	By Wt.
Sulfentrazone	0.05%
OTHER INGREDIENTS:	99.95%
	100.00%

NET CONTENTS ONE QUART (32 FL. OZ. / 946ML)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spary mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating. drinking, chewing gum, or using tobacco.

Remove contaminated clothing and wash before reuse, Keep children and pets out of the treated area until sprays have dried

FIRST A

If	Call a poison control center or doctor immediately for treatment advice.
Swallowed	Do not induce vomiting unless told to by a poison control center or doctor.

Do not give anything by mouth to an unconscious person.

If On Skin or

 Take off contaminated clothing.

-	Clothing	 Rinse skin immediately with plenty of water for 15-20 minutes.
		Call a poison control center or doctor for treatment advice

H In Eyes
 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Remove contact lenses if present, after the first five minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

PEEL FROM CORNER OF BOOKLET

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In the event of a medical or chemical emergency, contact

North America 1-800-255-3924

For Information Regarding the Use of this Product Call 1-855-270-4776.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Do not store below 32°F. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

PESTICIDE CONTAINER DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of in trash.



VOLUNTARY PURCHASING GROUPS, INC. 230 FM 87 • BONHAM, TEXAS 75418 EPA Reg. No. 279-3354-7401 • EPA Est. No. 7401-TX-01 www.fertilome.com • 855-270-4776

ENVIRONMENTAL HAZARDS

This product is toxic to marine/estuarine invertebrates. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy or when heavy rainfall is expected. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Observe all cautions and limitations on this label. The use of ferti-lome® Weed-Out Nutsedge Control Ready To Use not consistent with this label may result in plant injury. Keep container closed to avoid soills and contamination.

PRODUCT INFORMATION

ferti•lome® Weed-Out Nutsedge Control Ready To Use selectively controls tough weeds like purple and yellow nutsedge (nutgrass), Kyllinga, wild onion and garlic, goosegrass, broadleaf plaintain, purslane, redroot pigweed, dandelion, spurge, and other listed annual, biennial, and broadleaf weeds in a great variety of lawns, includino:

Cool-Season Grasses	
Creeping Bentgrass	Kentucky Bluegrass
Tall Fescue	Rough Bluegrass
Fine Fescue	Ryegrass (perennial)
Warm-Season Grasses	
Bermudagrass	Buffalograss
St. Augustinegrass	Bahiagrass
Zoysiagrass	Kikuyugrass
Carpetgrass	Seashore Paspalum
Centipedegrass	

This unique formula kills weeds fast. ferti•lome® Weed-Out Nutsedge Control Ready To Use involves uptake by both weed roots and shoots. Complete kill should occur in 2-3 weeks. ferti•lome® Weed-Out Nutsedge Control Ready To Use also controls nutlets in the soil.

APPLICATION INSTRUCTIONS AND PRECAUTIONS

Twist open nozzle. Spot spray weed directly onto weed until well covered. Some weeds may require repeat application (see detailed instruction below).

Wait at least 4 weeks after treatment before reseeding, winter overseeding, or plugging lawns. For best results, apply to weeds where less than 3 inches high

Apply only when wind is no more than 10 mph. Avoid applying when windy to prevent product drifting to other plants.

Try to avoid overlap spraying.

Do not spray over-the-top of flowers, ornamentals (including herbaceous) or garden vegetables other than those listed on the label under "Control of Weeds in Ornamentals" Section as injury may result.

Do not use in turfgrasses other than those listed on the label.

Do not use in greenhouses.

Do not graze or feed treated grass clippings.

CONTROL OF SEDGES (INCLUDING NUTSEDGES) AND GRASSES

Spray directly on emerged weeds to control or suppress sedges and some grasses. ferti•lome® Weed-Out Nutsedge Control Ready To Use is effective against newly emerged and established sedges. Good spray coverage is needed for optimum control.

Grass and sedge weed species controlled or suppressed

Common Name	Scientific Name
Annual bluegrass	Poa annua
Goosegrass*	Eleusine indica
Kyllinga, green	Kyllinga brevifolia
Kyllinga, false green	Kyllinga gracillima
Nutsedge, purple*	Cyperus rotundus
Nutsedge, yellow	Cyperus esculentus
Sedge, globe	Cyperus globulosus
Sedge, cylindrical	Cyperus retrorsus
Sedge, Surinam	Cyperus surinamensis
Sedge, Texas	Cyperus polystachyos

*For optimal control of Purple Nutsedge and Goosegrass, repeat treatment every 3-4 weeks.

CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

Spray directly on newly emerged weeds to control or suppress a wide range of broadleaf weeds.

Broadleaf weeds controlled or suppressed by ferti*lome® Weed-Out Nutsedge Control Ready To Use

	ientific Name
D:u	
Bittercress Car	rdamine spp.
	dicago lupulina
Buttercups Ran	nunculus spp.
	ranium carolinianum
Carpetweed Moi	llugo verticillata
	ellaria media
	rastium vulgatum
	tentilla spp.
Clover Trife	folium spp.
Cudweed Gna	aphalium spp.
Dandelion Tara	axacum officinale
Dock, Curly Run	mex crispus
Evening primrose Oer	nothera biennis
Fiddleneck Am.	sinckia spp.
Filaree Ero	ndium spp.
	lidago spp.
	chmea hederacea
Henbit Lan	mium amplexicaule
	ygonum aviculare
	ckia scoparia
	enopodium album
	liva pterosperma
Lespedeza, common Les	spedeza striata
	lva neglecta
	hemilla arvensis
	drocotyle spp.
	aranthus retroflexus
	aranthus hybridus
	naranthus albus
	tricaria matricarioides
	ntago comanalata
	ntago lanceolata
	ntago narowiforma
	bulus terrestris
	tulaca oleracea
Pusley, Florida Rici	hardia scabra

Broadleaves	Scientific Name
Redweed	Melochia corchorifolia
Rocket, London	Sisymbrium irio
Smartweed, Pennsylvania	Polygonum pensylvanicum
Sorrel, Red	Rumex acetosella
Speedwell	Veronica spp.
Spurge, (annuals)	Euphorbia spp.
Spurge, prostrate	Euphorbia humistrata
Spurge, spotted	Euphorbia maculata
Spurweed	Solvia pterosperma
Star of Bethlehem	Ornithogalum umbellatum
Velvetleaf	Abutilon theophrasti
Violet, wild	Viola pratincola
Wild garlic	Allium vineale
Wild onion	Allium canadense
Woodsorrel, creeping	Oxalis corniculata
Woodsorrel, yellow	Oxalis stricta

CONTROL OF WEEDS IN ORNAMENTALS

ferti*lome® Weed-Out Nutsedge Control Ready To Use is effective in killing the listed weeds in established landscape plantings.

Apply **Ferti*-lome® Weed-Out Nutsedge Control Ready To Use** spray solution to the area where weeds occur. Applications should *only* be made over the top of or around the *listed* oramenetals. APPLICATION TO THE FOLIAGE OR ROOT ZONE OF UNLABELED ORNAMENTALS, PERENNIALS, OR ANNUAL BEDDING PLANTS MAY RESULT IN SEVERE PLANT INJURY. Use only on well-established, non-stressed plants.

ferti*lome* Weed-Out Nutsedge Control Ready To Use CAN BE APPLIED TO THE FOLLOWING ORNAMENTALS:

Common Name	Scientific Name
Boxwood, Common Box, Bonsai	Buxus sp
Dwarf Yaupon Holly	ILex vomitoria 'Nana'
Creeping Juniper	Juniperus horizontalis
Roses	Rosa sp
Yews	Taxus sp
Glossy abelia	Abelia X grandiflora
Butterfly bush or Summer lilac	Buddleia davidii
Round leaf holly	ILex Rotunda
Blue Holly or Meserve Holly	ILex x meserveae
Crepe myrtle	Lagerstroemia indica
Douglas Fir	Pseudotsuga menziesii
Rhododendrons	Rhododendron sp
Spirea (flowering bush)	Spirea Sp

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Keep from freezing. Do not store below 32°F. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

PESTICIDE CONTAINER DISPOSAL:

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of in trash.

Conditions of Sale and Limitation of Warranty and Liability:

Notice: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unposend, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of VPG or Seller. All such risks shall be assumed by Buyer and User, and, to the extent consistent with applicable law, Buyer and User agree to hold VPG and Seller harmless for any claims relation to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or VPG, and, to the extent consistent with applicable law, buyer assumes the risk of any such use.

To the extent consistent with applicable law, VPG or seller shall not be liable for any incidental consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF VPG AND SELLER FOR ANY AND ALL CLAIMS. LOSSES, INLURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BERACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR. AT THE ISLECTION OF VPG OR SELLER. THE REPUR OF THE PODULOT OR.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

	DDODUCT FACTO
	PRODUCT FACTS
Kills	Sedges and Broadleaf Weeds: Purple and Yellow Nutsedge, Kyllinga, Plaintain, Clover, Spurge, Woodsorrel, Knotweed, Chickweed, Curly Dock, Wild Onion, Wild Garlic, and other listed weeds
Use On	Well established turf grasses. Cool Season Grasses: Creeping Bentgrass, Fine & Tall Fescue, Perennial Ryegrass, Kentucky & Rough Bluegrass
	Warm Season Grasses: Bahiagrass, Bermudagrass, Buffalograss, Carpetgrass, Centipedegrass, Kikuyugrass, Seashore Paspalum, St. Augustinegrass, Zoysiagrass
How to Use	Spot spray weed directly until runoff. Some weeds may require repeat application (see detailed instructions).
When to Use	As weeds are small and actively growing.

ferti•lome® is a trademark of Voluntary Purchasing Groups, Inc.

Manufactured By:



BONHAM, TEXAS 75418 EPA Reg. No. 279-3354-7401 EPA Est. No. 7401-TX-01 Visit Us At: www.fertilome.com Product Questions? 855-270-4776

1100001 QUESTIONS: 000 210 4110

©Voluntary Purchasing Groups, Inc. All Rights Reserved

11258-1118-TL

