



RC HomeDecor

Home at its best!

**Indoor-Outdoor & Pre-Lit
Christmas Decoration**

By Chasryan LLC



Contact:

Ryan Sankar

832-518-8942

Chasryanllc@gmail.com

<https://rc-homedecor.com/>



CS23-0101



CS23-0102



CS23-0103



CS23-0104



CS23-0105



CS23-0106



CS23-0107



CS23-0108



CS23-0201



CS23-0202



CS23-0203



CS23-0204



CS23-0205



CS23-0206



CS23-0207



CS23-0208



CS23-0301



CS23-0302



CS23-0303



CS23-0304



CS23-0305



CS23-0306



CS23-0307



CS23-0308



CS23-0309



CS23-0310



CS23-0401



CS23-0402



CS23-0403



CS23-0404



CS23-0405



CS23-0406



CS23-0407



CS23-0408



CS23-0409



CS23-0410



CS23-0501



CS23-0502



CS23-0503



CS23-0504



CS23-0505



CS23-0506



CS23-0507



CS22-0508



CS22-0509



CS22-0510



CS23-0601



CS23-0602



CS23-0603



CS23-0604



CS23-0605



CS23-0606



CS23-0607



CS23-0608



CS23-0701



CS23-0702



CS23-0703



CS23-0704



CS23-0705



CS23-0706



CS23-0707



CS23-0708



CS23-0709



CS23-0710



CS23-0801



CS23-0802



CS23-0803



CS23-0804



CS23-0805



CS23-0806



CS23-0807



CS23-0901

Battery Operated Static or Flash

or

 **Low Voltage**



CS23-0902



CS23-0903



CS23-0904



CS23-0905



CS23-0906



CS23-0907



CS23-1001



CS23-1002



CS23-1003



CS23-1004



CS23-1005



CS23-1006



CS23-1007



CS23-1008



CS23-1009



CS23-1101



CS23-1102



CS23-1103



CS23-1104



CS23-1105



CS23-1106



CS23-1107



CS23-1108



CS23-1201



CS23-1202



CS23-1203



CS23-1204



CS23-1205



CS23-1206



CS23-1207



CS23-1208



CS23-1209



CS23-1301



CS23-1302



CS23-1303



CS23-1304



CS23-1305



CS23-1306



CS23-1307



CS23-1401



CS23-1402



CS23-1403



CS23-1404



CS23-1405



CS23-1406



CS23-1407



CS23-1408



CS23-1501



CS23-1502



CS23-1503



CS23-1504



CS23-1505



CS23-1506



CS23-1507



CS23-1508



CS23-1601



CS23-1602



CS23-1603



CS23-1604



CS23-1605



CS23-1701



CS23-1702



CS23-1703



CS23-1704



CS23-1705



CS23-1706



CS23-1801



CS23-1802



CS23-1803



CS23-1804



CS23-1805



CS23-1806



CS23-1807




CS23-1808



CS23-1901



CS23-1902



CS23-1903



CS23-1904



CS23-1905



CS23-1906



CS23-1907



CS23-1908



CS23-1909



CS23-2001



CS23-2002



CS23-2003




CS23-2004



CS23-2005



CS23-2101



CS23-2102



CS23-2103



CS23-2104



CS23-2105



CS23-2106



CS23-2201



CS23-2202



CS23-2203



CS23-2204



CS23-2205



CS23-2206



CS23-2207



CS23-2301



CS23-2302



CS23-2303



CS23-2304



CS23-2305



CS23-2306



CS23-2401



CS23-2402



CS23-2403



CS23-2404



CS23-2405



CS23-2501



CS23-2502



CS23-2503



CS23-2504



CS23-2505



CS23-2506



CS23-2507



CS23-2601

Battery Operated Static or Flash

or

 Low Voltage



CS23-2602



CS23-2603



CS23-2604



CS23-2605



CS23-2606



CS23-2607



CS23-2608



Battery Operated Static or Flash

or



Low Voltage

CS23-2701




CS23-2702



CS23-2703



CS23-2704



CS23-2705



CS23-2801




CS23-2802



CS23-2803



CS23-2804



CS23-2805



CS23-2806



CS23-2807



CS23-2808



CS23-2809



CS27-2810




CS23-2811



CS23-2901

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or



Low Voltage



CS23-2902



CS23-2903



CS23-2906



CS23-2904



CS23-2905



CS23-2907



CS23-2908



CS23-2909



CS23-2910



CS23-3001



CS23-3002




CS23-3003



CS23-3004



CS23-3005



CS23-3006



CS23-3007



CS23-3008



CS23-3009



CS23-3101



CS23-3102



CS23-3103



CS23-3105



CS23-3104



CS23-3106



CS23-3107



CS23-3108



CS23-3201



CS23-3202



CS23-3203



CS23-3204



CS23-3205



CS23-3206



CS23-3207



CS23-3208



CS23-3209



CS23-3301



CS23-3302



CS23-3303



CS23-3304



CS23-3305



CS23-3306



CS23-3307



CS23-3401

Battery Operated Static or Flash

or



Low Voltage



CS23-3402



CS23-3403



CS23-3404



CS23-3405



CS23-3406



CS23-3407



CS23-3408




CS23-3409



CS23-4201


Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or



Low Voltage



CS23-4202



CS23-4203



CS23-4204




CS23-4205



CS23-4206



CS23-4207



CS23-4208




CS23-4212



CS23-4209



CS23-4210



CS23-4211



CS23-4301

**Battery or Solar or
Low Voltage
for Your Choice**



CS23-4302



CS23-4303



CS23-4304



CS23-4305




CS23-4306



CS23-4307



CS23-4308




CS23-4309



CS23-4310



CS23-4311



CS23-4312



CS23-4313



CS23-4314




CS23-4315



CS23-4401

**Battery or Solar or
Low Voltage
for Your Choice**



CS23-4402



CS23-4403



CS23-4404



CS23-4405



CS23-4406



**Battery or Solar or
Low Voltage
for Your Choice**

CS23-4501



CS23-4502



CS23-4503



CS23-4504



CS23-4505



CS23-4506



CS23-4507



CS23-4601



CS23-4602

**Battery or Solar or
Low Voltage
for Your Choice**



CS23-4603



CS23-4604



CS23-4605



CS23-4606



CS23-4607



CS23-4608



CS23-4609



CS23-4610



CS23-4611



CS23-4701



CS23-4702



CS23-4703



CS23-4704



CS23-4705



CS23-4706



CS23-4707



CS23-4708



CS23-4709

LED Light Tree



CS23-4801

CS23-4802

CS23-4803



CS23-4804

CS23-4805

CS23-4806

LED Light Tree

Battery Operated or Low Voltage

Different heights are available.

Size: 60~210cm



CS23-4901



CS23-4902



CS23-4903



CS23-4904




CS23-4905



CS23-4906

LED Light Tree



CS23-5001

CS23-5002

CS23-5003



CS23-5004

CS23-5005

CS23-5006

LED Light Tree

Low Voltage
Different heights are available.



CS23-5101



CS23-5102



CS23-5103



CS23-5104



CS23-5105



CS23-5106



CS23-5107

LED Light Tree



CS23-5201



CS23-5202



CS23-5203



CS23-5204



CS23-5205



CS23-5206



CS23-5207



CS23-5208



CS23-5209

Battery Operated or Low Voltage

Different heights are available.

Size: 60~210cm



CS23-5301



CS23-5302



CS23-5303



CS23-5304



CS23-5305



CS23-5306



CS23-5307



CS23-5308



CS23-5309



CS23-5310



CS23-5311



CS23-5312

Low Voltage

Different heights are available.



CS23-5401



CS23-5402



CS23-5403



CS23-5501



CS23-5502



CS23-5503



CS23-5504



CS23-5505



CS23-5506



CS23-5507



CS23-5508



CS23-5509



CS23-5510



CS23-5511



CS23-5512



CS23-5601



CS23-5602

Low Voltage
Different heights are available.



CS23-5603



CS23-5604



CS23-5605



CS23-5606



CS23-5607



CS23-5701

CS23-5702

CS23-5703

CS23-5704

CS23-5705



CS23-5706



CS23-5707



CS23-5708



CS23-5709



CS23-5710



CS23-5711



CS23-5712




CS23-5713



Warm White Light



Glass Lampshade



Switch Button ON/OFF



Powered by 2 AAA Batteries
(not included)

Wood Night Light

Accompany you through every warm night with lights.



CS23-5801



CS23-5802



CS23-5901



CS23-5902

Battery Operated

or

 **Low Voltage**



CS23-5903



CS23-5904



CS23-5905



CS23-5906



CS23-5907



CS23-5908



CS23-5909



CS23-5910



CS23-5911



CS23-5912



CS23-5913



CS23-5914



CS23-5915



CS23-5916



CS23-6001

**Low Voltage
Different shapes
are available.**



CS23-6002



CS23-6003



CS23-6004



CS23-6005



CS23-6006



CS23-6007



CS23-6008



CS23-6009



CS23-6010



CS23-6011




CS23-6101



CS23-6102

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**




CS23-6103



CS23-6104



CS23-6105



CS23-6106



CS23-6107



CS23-6108



CS23-6109



CS23-6110

Basic Light 31V



Warm White LED



Multicolor LED Red LED Purple LED Blue LED



Green LED Yellow LED Pink LED White LED

String Light

Item No.	Description	Function	No. LEDs	Spacing [cm]	Lighted Length [cm]	Lead wire [cm]	Adaptor
ST-100	String Light	Static	100	10	990	500	31V 3.6W
ST-200	String Light	Static	200	10	1990	500	31V 3.6W
ST-300	String Light	Static	300	10	2990	500	31V 6W
ST-500	String Light	Static	500	10	4990	500	31V 6W
ST-1000	String Light	Static	1000	10	9990	500	31V 12W
ST-100F	String Light	8F Twinkle	100	10	990	500	31V 3.6W
ST-200F	String Light	8F Twinkle	200	10	1990	500	31V 3.6W
ST-300F	String Light	8F Twinkle	300	10	2990	500	31V 6W
ST-500F	String Light	8F Twinkle	500	10	4990	500	31V 6W
ST-1000F	String Light	8F Twinkle	1000	10	9990	500	31V 12W

Indoor or outdoor use!


Different LED quantities are available.

Different spacing and lead wire are available.


Different wire colors are available (green / white / transparent / black).



Multicolor LED



White LED Blue & White LED



Warm White LED Pink & White LED

Net Light

Item No.	Description	Function	No. LEDs	Width [cm]	Height [cm]	Lead wire [cm]	Adaptor
NT-100	Net Light	Static	100	200	100	500	31V 3.6W
NT-150	Net Light	Static	150	200	150	500	31V 3.6W
NT-200	Net Light	Static	200	200	200	500	31V 3.6W
NT-100F	Net Light	8F Twinkle	100	200	100	500	31V 3.6W
NT-150F	Net Light	8F Twinkle	150	200	150	500	31V 3.6W
NT-200F	Net Light	8F Twinkle	200	200	200	500	31V 3.6W

Indoor or outdoor use!

Different LED quantities are available.

Different sizes of net are available.

Different LED colors are available.

Different wire colors are available (green / white / transparent / black).



Warm white LED



White LED



Blue LED



Blue & white LED



Pink & white LED

Icicle Light

Item No.	Description	Function	No. LEDs	Size(M)	DETAILS	Lead wire [cm]	Adaptor
IC-80	Icicle Light	Static	80	(W)2 x (H)0.6	2L/4L/6L/4L, 20STRINGS	500	31V 3.6W
IC-128	Icicle Light	Static	128	(W)3.2 x (H)0.6	2L/4L/6L/4L, 32STRINGS	500	31V 3.6W
IC-192	Icicle Light	Static	192	(W)4.8 x (H)0.6	2L/4L/6L/4L, 48STRINGS	500	31V 3.6W
IC-240	Icicle Light	Static	240	(W)6 x (H)0.6	2L/4L/6L/4L, 60STRINGS	500	31V 6W
IC-80F	Icicle Light	8F Twinkle	80	(W)2 x (H)0.6	2L/4L/6L/4L, 20STRINGS	500	31V 3.6W
IC-128F	Icicle Light	8F Twinkle	128	(W)3.2 x (H)0.6	2L/4L/6L/4L, 32STRINGS	500	31V 3.6W
IC-192F	Icicle Light	8F Twinkle	192	(W)4.8 x (H)0.6	2L/4L/6L/4L, 48STRINGS	500	31V 3.6W
IC-240F	Icicle Light	8F Twinkle	240	(W)6 x (H)0.6	2L/4L/6L/4L, 60STRINGS	500	31V 6W

Indoor or outdoor use!

Different LED quantities are available.

Different sizes of icicle are available.

Different LED colors are available.

Different wire colors are available (green / white / transparent / black).



White LED

Curtain Light

Item No.	Description	Function	No. LEDs	Size(M)	DETAILS	Lead wire [cm]	Adaptor
CT-100	Curtain Light	Static	100	(W)1.5 x (H)1.2	10L/STRING*10STRINGS	500	31V 3.6W
CT-120	Curtain Light	Static	120	(W)2 x (H)1	10L/STRING*12STRINGS	500	31V 3.6W
CT-150	Curtain Light	Static	150	(W)2 x (H)1.5	10L/STRING*15STRINGS	500	31V 3.6W
CT-240	Curtain Light	Static	240	(W)2 x (H)2	20L/STRING*12STRINGS	500	31V 6W
CT-100F	Curtain Light	8F Twinkle	100	(W)1.5 x (H)1.2	10L/STRING*10STRINGS	500	31V 3.6W
CT-120F	Curtain Light	8F Twinkle	120	(W)2 x (H)1	10L/STRING*12STRINGS	500	31V 3.6W
CT-150F	Curtain Light	8F Twinkle	150	(W)2 x (H)1.5	10L/STRING*15STRINGS	500	31V 3.6W
CT-240F	Curtain Light	8F Twinkle	240	(W)2 x (H)2	20L/STRING*12STRINGS	500	31V 6W

Indoor or outdoor use!

Different LED quantities are available.

Different sizes of curtain are available.

Different LED colors are available.

Different wire colors are available (green / white / transparent / black).



Warm White LED

Cluster Light

Item No.	Description	Function	No. LEDs	Lighted Length [cm]	lead wire [cm]	Adaptor
CL-200	Cluster Light	Static	200	200	500	31V 3.6W
CL-200F	Cluster Light	8F Twinkle	200	200	500	31V 3.6W

Indoor or outdoor use!

Different LED quantities are available.

Different sizes of cluster are available.

Different LED colors are available.


Different wire colors are available (green / white / transparent / black).

Maximum number of LEDs that can be powered:

Electronic transformer
 31V 3.6W = 200 LEDs
 31V 6W = 500 LEDs
 31V 7.2W = 700 LEDs
 31V 12W = 1200 LEDs


or

AC transformer
 24V 1500mA = 600 LEDs
 24V 3000mA = 1200 LEDs
 24V 7500mA = 2400 LEDs




String Light

Item No.	Description	Function	No. LEDs	Spacing [cm]	Lighted Length [cm]
STC-60	String Light	Static	60	10	590
STC-80	String Light	Static	80	10	790
STC-100	String Light	Static	100	10	990




Net Light

Item No.	Description	Function	No. LEDs	Width [cm]	Height [cm]
NTC-100	Net Light	Static	100	200	100
NTC-150	Net Light	Static	150	200	150
NTC-200	Net Light	Static	200	200	200



Icicle Light

Item No.	Description	Function	No. LEDs	Size(M)	DETAILS
ICC-80	Icicle Light	Static	80	(W)2 x (H)0.6	2L/4L/6L/4L,20STRINGS
ICC-128	Icicle Light	Static	128	(W)3.2 x (H)0.6	2L/4L/6L/4L,32STRINGS
ICC-192	Icicle Light	Static	192	(W)4.8 x (H)0.6	2L/4L/6L/4L,48STRINGS
ICC-240	Icicle Light	Static	240	(W)6 x (H)0.6	2L/4L/6L/4L,60STRINGS



Curtain Light

Item No.	Description	Function	No. LEDs	Size(M)	DETAILS
CTC-100	Curtain Light	Static	100	(W)1.5 x (H)1.2	10L/STRING*10STRINGS
CTC-120	Curtain Light	Static	120	(W)2 x (H)1	10L/STRING*12STRINGS
CTC-150	Curtain Light	Static	150	(W)2 x (H)1.5	10L/STRING*15STRINGS
CTC-240	Curtain Light	Static	240	(W)2 x (H)2	20L/STRING*12STRINGS



Cluster Light

Item No.	Description	Function	No. LEDs	Lighted Length [cm]
CLC-200	Cluster Light	Static	200	200

Getting Started



Connect lead cable to your lighting product or accessory



3
Connect as many lights or accessories as required



Secure end cap to finish the light chain



3M WATERFALL STARS

LOW VOLTAGE INDOOR OUTDOOR VARIOUS SPEEDS + STEADY LED LIGHTS: 200



CS23-6501




CS23-6502



CS23-6503



CS23-6504



CS23-6601

 **Low Voltage**

Magic: multi functions are available---each pole lighting one by one and with different speed, same as the pinwheel




CS23-6602



CS23-6603



CS23-6604



CS23-6605



CS23-6606




CS23-6607



CS23-6701

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or



Low Voltage



CS23-6702



CS23-6703



CS23-6704



CS23-6705



CS23-6706



CS23-6707



CS23-6708



CS23-6709



CS23-6710



CS23-6711



CS23-6712




CS23-6713



CS23-6801

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**


or



Low Voltage



CS23-6802



CS23-6803



CS23-6804



CS23-6805



CS23-6806



CS23-6807



CS23-6808



CS23-6809



CS23-6810



CS23-6811



CS23-6812




CS23-6813



CS23-6901

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or



Low Voltage



CS23-6902



CS23-6903



CS23-6904



CS23-6905



CS23-6906



CS23-6907



CS23-6908



CS23-6909



CS23-6910



CS23-6911



CS23-6912




CS23-6913



CS23-7001

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or



Low Voltage




CS23-7002



CS23-7004



CS23-7003



CS23-7005




CS23-7007



CS23-7006



Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or

 **Low Voltage**

CS23-7101





Battery Operated Static or Flash
2 x AA or 3 x AA batteries

or

Low Voltage

CS23-7201



001



002



003



004



005



006



007



008



009



010



011



012



013



014



015



016



017



018




019




020



021



025



026



022



023



024



CS23-7301



CS23-7302



CS23-7303



CS23-7304



CS23-7305



CS23-7306



CS23-7307



CS23-7401



CS23-7402



CS23-7403



CS23-7404



CS23-7405



CS23-7406



CS23-7407



CS23-7408



CS23-7409




CS23-7501

Battery Operated Static or Flash
 2 x AA or 3 x AA batteries

or

Low Voltage





CS23-7601



CS23-7602




CS23-7603



CS23-7604



CS23-7605



CS23-7606



CS23-7607



CS23-7608



CS23-7609



CS23-7610



CS23-7611



CS23-7612





CS23-7801



CS23-7802

CS23-7803



CS23-7804



CS23-7805



CS23-7806



CS23-7807



CS23-7808




CS23-7809



CS23-7901

Battery Operated Static or Flash

 **2 x AA or 3 x AA batteries**

or



Low Voltage

Length: 1.8m



CS23-7902



CS23-7903



CS23-7904



CS23-7905



CS23-7906



CS23-8001



CS23-8002



CS23-8003



CS23-8004



CS23-8005



CS23-8006



CS23-8007



CS23-8008



CS23-8009



CS23-8101



Smart LED



CS23-8102



USB powered, with remote controller





CS23-8201



CS23-8202



CS23-8203



CS23-8204



CS23-8205



CS23-8206



CS23-8207



CS23-8208



CS23-8209



CS23-8210



CS23-8301



CS23-8302



CS23-8303



CS23-8304



CS23-8305



CS23-8306



CS23-8307




CS23-8308










Smart LED Light

Smart LED Curtain Light


APP Control
Different sizes are available.
Different patterns are available.



CS23-8401



LED Snowfall Lights Projector



Features

- Item no.: CS23-8501
- Shell material: ABS,PC
- 4pcs 1W LED,with IP44 transformer
- Snowfall effect
- Projection distance: 5m
- 1x Ground base
- 1x Ground stake
- Indoor and Outdoor use




Laser Light



Features

- Item no.: CS23-8502
- Shell material: ABS
- Laser module: red/green
- Laser level: class II
- Functions: different lighting modes and ON/OFF function
- With IP44 transformer
- Projection coverage: 5-10m
- Remote control: exclude
- 1x Ground stake

LIGHT COLOR: Red & Green



Decoration for garden,grassland,building external wall, commercial plaza and stage background and so on.

Replaceable LED Projector Light



Outdoor Stake

Indoor Base



Irreplaceable LED Projector Light



Indoor Base

Outdoor Stake



Features

- Item no.: CS23-8601
- Shell material: ABS
- 4pcs 1W led,with IP44 transformer
- Pattern can be chosen,with 6pcs replaceable films
- Best distance for clear pattern: 5m
- 1x Ground base
- 1x Ground stake
- Indoor and Outdoor use

Features

- Item no.: CS23-8602
- Shell material: ABS
- 4pcs 1W led,with IP44 transformer
- With 1pc film,different patterns are available.
- Best distance for clear pattern: 5m
- 1x Ground base
- 1x Ground stake
- Indoor and Outdoor use

Different patterns are available



LED BATTERY OPERATED PROJECTOR CANDLE

**Continuous Moving Ceiling
Projection**

Requires 3 X AAA Batteries

**Indoor Use Only
Different patterns are available.**



CS23-8701



CS23-8702



CS23-8703



CS23-8704

Battery Operated



CS23-8801



CS23-8802



CS23-8803

**Different heights are available.
Different LED colors are available.
Different functions of LEDs are available.**



CS23-8901



CS23-9001

Low Voltage
Different heights are available.
Size: 60cm, 90cm, 120cm,
150cm, 180cm



CS23-9002



CS23-9003



CS23-9004



CS23-9005



CS23-9006

Different heights are available.
Size: 120cm, 150cm, 180cm



CS23-9101



CS23-9102



CS23-9103



CS23-9104



CS23-9105



CS23-9106



CS23-9107



CS23-9108



CS23-9109



Configuration parameters:

- Solar Panel: Polysilicon 140*90mm 5V1.5W or 200.5*90mm 5V2.5W
- Battery: LI-ION 18650 3.7V(Optional 1200MAH, 1500MAH, 2000MAH one section or two sections)
- Light Source: 60*0.5W or 180*0.5W high-brightness LED can choose cold white or warm white

Functions:

- The control part is divided into open key and function key. After opening the switch, function key is used to switch the function.
- This product is controlled by solar energy. After turning on the switch, the solar energy will automatically control the light after dark.
- The function is divided into three levels, the first gear lights up for 20 seconds, the second gear light slightly, and lights up for 20 seconds, the third gear light half on in the dark.
- Induction Angle 120°.
- Optional wireless remote control, 360° no dead Angle, 15 meters can be operated.