

RC HomeDecor

Home at its best!

Monitors & All-in-One PCs

By Chasryan LLC



RC HomeDecor
By Chasryan LLC

Contact:
Ryan Sankar
832-518-8942
Chasryanllc@gmail.com
<https://rc-homedecor.com/>

PARTENERS



Monitor



OCEANVIEW-270LED



OCEANVIEW-AZ



OCEANVIEW-S



OCEANVIEW-K



OCEANVIEW-T



OCEANVIEW-F



OCEANVIEW-H



OCEANVIEW-MA



OCEANVIEW-MC



OCEANVIEW-NZ238F



OCEANVIEW-G



SERIES OF UZ 34/40/49 (NEW)



OCEANVIEW-CZ



OCEANVIEW-C



OCEANVIEW-AO270Q240



OLED series



Screen Size	27"
Resolution	2560*1440@240Hz
Brightness	450cd/m ²
Contrast ratio	≥ 150000:1(OLED Model)
Viewing Angle	178°/178
Response time	0.1ms(OLED Model)
VESA Wall mount	100*100 (mm)
Interface	HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-AZ270F
 OCEANVIEW-AZ270Q
 OCEANVIEW-AZ270U
 OCEANVIEW-AZ315F
 OCEANVIEW-AZ315Q
 OCEANVIEW-AZ315U



OCEANVIEW-S215F
 OCEANVIEW-S236F
 OCEANVIEW-S238F
 OCEANVIEW-S238Q
 OCEANVIEW-S270F
 OCEANVIEW-S270Q
 OCEANVIEW-S270U
 OCEANVIEW-S315F
 OCEANVIEW-S315Q
 OCEANVIEW-S315U



NEW
4K ULTRA HD **2K** QUARTER (144Hz) **IPS** **VA** **AMD** **NVIDIA G-SYNC** **HDR** **INTERNAL POWER SUPPLY**

Screen Size	27" 31.5"
Resolution	1920*1080@200Hz 1920*1080@240Hz 2560*1440@165Hz 2560*1440@Q180Hz 3840*2160@60Hz 3840*2160@144Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming) 7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	USB+HDMI+DP,DVI,HDMI+HDMI-DP 2HDMI+2DP 2HDMI+2DP+TPC HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2



NEW
4K ULTRA HD **2K** QUARTER **IPS** **VA** **AMD** **NVIDIA G-SYNC** **HDR** **HDMI** **INTERNAL POWER SUPPLY**

Screen Size	21.5" 23.6" 23.8" 27" 31.5"
Resolution	1920*1080@75Hz 1920*1080@180Hz 1920*1080@180Hz 1920*1080@200Hz 1920*1080@240Hz 2560*1440@75Hz 2560*1440@Q165Hz 3840*2160@60Hz 3840*2160@144Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming) 7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI+VGA+DVI+DP+VGA+HDMI+DP+VGA+HDMI+TPC USB+HDMI+DP,DVI,HDMI+HDMI-DP 2HDMI+2DP+USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2 2HDMI+2DP+TPC



OCEANVIEW-K236F
 OCEANVIEW-K238F
 OCEANVIEW-K238Q
 OCEANVIEW-K270F
 OCEANVIEW-K270Q
 OCEANVIEW-K270U
 OCEANVIEW-K315F
 OCEANVIEW-K315Q
 OCEANVIEW-K315U



IIPS VA AMD PRECISION G-SYNC NVIDIA HDR 144Hz Eye Care

Screen Size	23.6" 23.8" 27" 31.5"
Resolution	1920*1080@75Hz 1920*1080@100Hz 1920*1080@180Hz 1920*1080@200Hz 1920*1080@240Hz 2560*1440@75Hz 2560*1440@Q165Hz 3840*2160@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming) 7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100(mm)
Interface	VGA+HDMI, VGA+DVI+DP, VGA+HDMI+DP, VGA+HDMI+TPC USB+HDMI+DP, DVI+HDMI+HDMI+DP 2HDMI+2DP, USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2



OCEANVIEW-T215F
 OCEANVIEW-T236F
 OCEANVIEW-T238F
 OCEANVIEW-T238Q
 OCEANVIEW-T270F
 OCEANVIEW-T270Q



2K QUANTER IIPS VA AMD PRECISION G-SYNC NVIDIA HDMI INTERNAL POWER SUPPLY Eye Care

Screen Size	21.5" 23.6" 23.8" 27"
Resolution	1920*1080@75Hz 1920*1080@100Hz 1920*1080@180Hz 1920*1080@200Hz 1920*1080@240Hz 2560*1440@75Hz 2560*1440@Q165Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming) 7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100(mm)
Interface	VGA+HDMI, VGA+DVI+DP, VGA+HDMI+DP, VGA+HDMI+TPC USB+HDMI+DP, DVI+HDMI+HDMI+DP 2HDMI+2DP, USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-F238F
 OCEANVIEW-F238Q
 OCEANVIEW-F270F
 OCEANVIEW-F270Q
 OCEANVIEW-F270U



4K ULTRAHD **2K** QUARTER **IPS** **VA** **AMD** FREE SYNC **NVIDIA** G-SYNC **INTERNAL** POWER SUPPLY **1ms** **Eye**

Screen Size	23.8" 27"
Resolution	1920*1080@75Hz 1920*1080@100Hz 1920*1080@180Hz 1920*1080@200Hz 1920*1080@240Hz 2560*1440@75Hz 2560*1440@165Hz 3840*2160@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178
Response time	1ms(With OD for gaming) 7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI,VGA+DVI+DP,VGA+HDMI+DP,VGA+HDMI+TPC USB+HDMI+DP,DVI/HDMI+HDMI+DP 2HDMI+2DP,USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-H215F
 OCEANVIEW-H236F
 OCEANVIEW-H238F
 OCEANVIEW-H238Q
 OCEANVIEW-H270F
 OCEANVIEW-H270Q



2K QUARTER **IPS** **VA** **AMD** FREE SYNC **NVIDIA** G-SYNC **HDMI** **Eye**

Screen Size	21.5" 23.6" 23.8" 27"
Resolution	1920*1080@75Hz 1920*1080@100Hz 1920*1080@180Hz 1920*1080@200Hz 1920*1080@240Hz 2560*1440@75Hz 2560*1440@165Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178
Response time	1ms(With OD for gaming) 7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI,VGA+DVI+DP,VGA+HDMI+DP,VGA+HDMI+TPC USB+HDMI+DP,DVI/HDMI+HDMI+DP 2HDMI+2DP,USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2



OCEANVIEW-MA238F
 OCEANVIEW-MA238Q
 OCEANVIEW-MA270F
 OCEANVIEW-MA270Q



2K QUARTER IPS VA INTERNAL POWER SUPPLY HDMI

Screen Size	23.8" 27"
Resolution	1920*1080@75Hz 1920*1080@100Hz 2560*1440@75Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI+VGA+HDMI+DP+VGA+HDMI+DP+VGA+HDMI+TPC USB+HDMI+DP HDMI+BP+TPC+USB(2.0)In+USB(2.0)Out*2



OCEANVIEW-MC238F
 OCEANVIEW-MC238Q
 OCEANVIEW-MC270F
 OCEANVIEW-MC270Q



2K QUARTER IPS VA HDMI INTERNAL POWER SUPPLY

Screen Size	23.8" 27"
Resolution	1920*1080@75Hz 1920*1080@100Hz 2560*1440@75Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI+VGA+HDMI+DP+VGA+HDMI+DP+VGA+HDMI+TPC USB+HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-NZ238F



IPS VA HDMI

Screen Size	23.8"
Resolution	1920*1080@75Hz 1920*1080@100Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI_VGA+DVI+DP,VGA+HDMI+DP,VGA+HDMI+TPC

OCEANVIEW-G245F
OCEANVIEW-G315F
OCEANVIEW-G315Q



2K QUARTER 240Hz HDMI AMD G-SYNC HDR

Screen Size	24.5" 31.5"
Resolution	1920*1080@200Hz 1920*1080@240Hz 2560*1440@165Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming)
VESA Wall mount	100*100 (mm)
Interface	DVI/HDMI+HDMI+DP 2HDMI+2DP+USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-UZ340WQ
 OCEANVIEW-UZ400WU
 OCEANVIEW-UZ490DQ



NEW



32:9
21:9

4K ULTRAHD 5K ULTRAHD IPS AMD PRESTIGE NVIDIA G-SYNC HDR High Dynamic Range

Eye Care Eye Protection Flicker Free

Screen Size	34" 40" 49"
Resolution	3440*1440@60Hz 3440*1440@165Hz 5120*1440@60Hz 5120*2160@60Hz
Brightness	300cd/m ²
Contrast ratio	≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	2HDMI+2DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-CZ236F
 OCEANVIEW-C2238F
 OCEANVIEW-C2238Q
 OCEANVIEW-CZ270F
 OCEANVIEW-CZ270Q
 OCEANVIEW-CZ315F
 OCEANVIEW-CZ315Q



R1500 IPS VA AMD PRESTIGE NVIDIA G-SYNC HDR High Dynamic Range

Eye Care Eye Protection Flicker Free

Screen Size	23.6" 23.8" 27" 31.5"
Resolution	1920*1080@75Hz 1920*1080@100Hz 1920*1080@180Hz 1920*1080@200Hz 1920*1080@240Hz 2560*1440@75Hz 2560*1440@Q165Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model)
Viewing Angle	178°/178°
Response time	1ms(With OD for gaming) 7ms(VA Model)
VESA Wall mount	100*100 (mm)
Interface	VGA+HDMI,VGA+DVIk,DP,VGA+HDMI+DP,VGA+HDMI+TPC USB+HDMI+DP,DVI/HDMI+HDMI+DP 2HDMI+2DP,USB+2HDMI+DP HDMI+DP+TPC+USB(2.0)In+USB(2.0)Out*2

OCEANVIEW-C270F
 OCEANVIEW-C270Q
 OCEANVIEW-C315F
 OCEANVIEW-C315Q



Screen Size	27" 31.5"
Resolution	1920*1080@200Hz 1920*1080@240Hz 2560*1440@165Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥ 3000:1
Viewing Angle	178°/178°
Response time	1ms(With ODD)
VESA Wall mount	100*100 (mm)
Interface	DVI/HDMI+HDMI+DP,USB+HDMI+DP 2HDMI+DP HDMI+DP+TPC+USB(2.0) n+USB(2.0)Out*2

Smart monitor



OCEANVIEW-PA(Smart monitor)



OCEANVIEW-S270(Smart monitor)



OCEANVIEW-PA215F(Smart monitor)
 OCEANVIEW-PA238F(Smart monitor)
 OCEANVIEW-PA238Q(Smart monitor)



VA



Screen Size	21.5" 23.8"
Resolution	1920*1080@60Hz 2560*1440@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	>3000 (VA Model) ≥1000:1 (IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	HDMI+RJ45+Audio out+USB2.0*4+USB3.0*1
MAIN CHIP	RK3566
OS	Android 11.0
CPU	4 Core ARM Cortex-A55
GPU	Mali-G52 1-Core-2EE
RAM	2GB(default),4GB
ROM	16GB(default),8GB,32GB,64GB
Wifi	2.4G/5G
Bluetooth	5.0
Internet	100M

OCEANVIEW-S270(Smart monitor)



IPS

VA



Screen Size	23.8" 27"
Resolution	1920*1080@60Hz 2560*1440@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	>3000:1 (VA Model) ≥1000:1 (IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100 (mm)
Interface	HDMI+RJ45+Audio out+USB2.0*4+USB3.0*1
MAIN CHIP	RK3566
OS	Android 11.0
CPU	4 Core ARM Cortex-A55
GPU	Mali-G52 1-Core-2EE
RAM	2GB(default),4GB
ROM	16GB(default),8GB,32GB,64GB
Wifi	2.4G/5G
Bluetooth	5.0
Internet	100M

All-In-One



OCEANVIEW-PZ(All in one)



OCEANVIEW-A(All in one)



OCEANVIEW-661F(All in one)



OCEANVIEW-PZ238F(All in one)
 OCEANVIEW-PZ238Q(All in one)
 OCEANVIEW-PZ270F(All in one)
 OCEANVIEW-PZ270Q(All in one)



OCEANVIEW
 津华光电

2K QUARTER IPS VA



Screen Size	23.8" 27"
Resolution	1920*1080@60Hz 2560*1440@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100(mm)
Power	100-240V AC (Internal)
Main board size	Support up to 245*205(mm)
Interface	Follow Main board
MAIN CHIP	Follow Main board
OS	Windows
CPU	Follow Main board
GPU	Follow CPU(No support for independence)
DDR	Follow Main board
HDD/SSD	2.5inch
Wifi	Follow Main board
Internet	Follow Main board



OCEANVIEW-A5(All in one)
OCEANVIEW-A6(All in one)



IPS VA 

Screen Size	21.5" 23.8"
Resolution	1920*1080@60Hz 2560*1440@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100(mm)
Power	Adapter (Spec Follow Main board)
Main board size	170*170(mm)
Interface	Follow Main board
MAIN CHIP	Follow Main board
OS	Windows
CPU	Follow Main board
GPU	Follow CPU(No support for independence)
DDR	Follow Main board
HDD/SSD	2.5inch
Wifi	Follow Main board
Internet	Follow Main board



OCEANVIEW-661F(All in one)
OCEANVIEW-660F(All in one)



IPS VA 

Screen Size	21.5" 23.8"
Resolution	1920*1080@60Hz
Brightness	250cd/m ² 300cd/m ²
Contrast ratio	≥3000:1(VA Model) ≥1000:1(IPS Model)
Viewing Angle	178°/178°
Response time	7ms(VA Model) 14ms(IPS Model)
VESA Wall mount	100*100(mm)
Power	100-240V AC (Internal)
Main board size	Support up to 245*205(mm)
Interface	Follow Main board
MAIN CHIP	Follow Main board
OS	Windows
CPU	Follow Main board
GPU	Follow CPU(No support for independence)
DDR	Follow Main board
HDD/SSD	2.5inch
Wifi	Follow Main board
Internet	Follow Main board