

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **RESTFUL LAVENDER**  
Alternative number(s) 2208-0075

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

SOHUM CANDLES INC.  
1501 HOWARD AVENUE, UNIT 1501  
WINDSOR, ON  
N8X 3T5

EMERGENCY PHONE: 519-890-0923  
Info@so-hum.ca

[www.so-hum.ca](http://www.so-hum.ca)

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class       | Category | Hazard class and category | Hazard statement |
|---------|--------------------|----------|---------------------------|------------------|
| A.4S    | skin sensitization | 1        | Skin Sens. 1              | H317             |
| A.10    | aspiration hazard  | 1        | Asp. Tox. 1               | H304             |
| B.6     | flammable liquid   | 4        | Flam. Liq. 4              | H227             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### - Pictograms

GHS07, GHS08



### - Hazard statements

|      |   |
|------|---|
| H227 | Combustible liquid.                           |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction.          |

### - Precautionary statements

|           |   |
|-----------|---|
| P210      | Keep away from heat/sparks/open flames/hot surfaces. No smoking.                |
| P261      | Avoid breathing dust/fume/gas/mist/vapors/spray.                                |
| P272      | Contaminated work clothing must not be allowed out of the workplace.            |
| P280      | Wear protective gloves/eye protection/face protection.                          |
| P301+P310 | If swallowed: Immediately call a poison center/doctor.                          |
| P302+P352 | If on skin: Wash with plenty of water.  |
| P321      | Specific treatment (see on this label).   |
| P331      | Do NOT induce vomiting.   |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.                |
| P363      | Wash contaminated clothing before reuse.  |
| P370+P378 | In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish. |
| P403+P235 | Store in a well-ventilated place. Keep cool.                                    |
| P405      | Store locked up.  |
| P501      | Dispose of contents/container to industrial combustion plant.                   |

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### Description of the mixture

| IUPAC name  | Identifier                        | Wt%       | Classification acc. to GHS                  |
|---|-----------------------------------|-----------|---|
| 3,7-dimethylocta-1,6-dien-3-yl acetate  | CAS No<br>115-95-7                | 25 - < 50 | Flam. Liq. 4 / H227                         |
| 3,7-dimethylocta-1,6-dien-3-ol  | CAS No<br>78-70-6                 | 25 - < 50 | Skin Sens. 1B / H317<br>Flam. Liq. 4 / H227 |
| Lavender, <i>Lavandula hybrida</i> , ext.   | CAS No<br>8022-15-9               | 10 - < 25 | Skin Sens. 1A / H317<br>Asp. Tox. 1 / H304  |
| 1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane; 1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene; 2,6,6-trimethylbicyclo[3.1.1]hept-2-ene | CAS No<br>8000-48-4<br>84625-32-1 | 1 - < 5   | Flam. Liq. 3 / H226                         |
| 1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane   | CAS No<br>470-82-6                | 1 - < 5   | Flam. Liq. 3 / H226                         |

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |   |         |            |           |                          |            |                           |                 |                                |           |                  |
|--|---|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|-----------|------------------|
| Country  | Name of substance                         | CAS No  | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation  | Source           |
| US   | 1,7,7-trimethylbicyclo[2.2.1]heptan-2-one | 76-22-2 | PEL (CA)   |           | 2                        |            |                           |                 |                                | synthetic | Cal/OSHA PEL     |
| US   | 1,7,7-trimethylbicyclo[2.2.1]heptan-2-one | 76-22-2 | REL        |           | 2 (10 h)                 |            |                           |                 |                                | synthetic | NIOSH REL        |
| US   | 1,7,7-trimethylbicyclo[2.2.1]heptan-2-one | 76-22-2 | TLV®       | 2         |                          | 3          |                           |                 |                                | synthetic | ACGIH® 2022      |
| US   | 1,7,7-trimethylbicyclo[2.2.1]heptan-2-one | 76-22-2 | PEL        |           | 2                        |            |                           |                 |                                | synthetic | 29 CFR 1910.1000 |

#### Notation

Ceiling-C  
STEL

ceiling value is a limit value above which exposure should not occur  
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

synthetic  
TWA

synthetic  
time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                |                        |
|----------------|------------------------|
| Physical state | liquid                 |
| Color          | clear                  |
| Particle       | not relevant (liquid)  |
| Odor           | Comparable to standard |

#### Other safety parameters

|   |                      |
|---|----------------------|
| pH (value)                              | not determined       |
| Melting point/freezing point            | not determined       |
| Initial boiling point and boiling range | ≥307.4 °F at 101 kPa |
| Flash point                             | 175 °F               |
| Evaporation rate                        | Not determined       |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

|                             |  |
|-----------------------------|--|
| Flammability (solid, gas)   | not relevant, (fluid)                                  |
| Vapor pressure              | 122 Pa at 20 °C  |
| Density                     | 0.8901 g/ml at 25 °C                                   |
| Vapor density               | this information is not available                      |
| Solubility(ies)             | not determined   |
| Partition coefficient       |  |
| - n-octanol/water (log KOW) | this information is not available                      |
| Auto-ignition temperature   | 500 °F (auto-ignition temperature (liquids and gases)) |
| Viscosity                   | not determined   |
| Explosive properties        | none   |
| Oxidizing properties        | none   |

### 9.2 Other information

|  |   |
|--|---|
| Liquid content                           | 95.77 %   |
| Solid content                            | 4.226 %   |
| Temperature class (USA, acc. to NEC 500) | T2C (maximum permissible surface temperature on the equipment: 230°C) |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

- |  |   |
|--|---|
| <b>14.1 UN number</b>                                      | not subject to transport regulations                                  |
| <b>14.2 UN proper shipping name</b>                        | not relevant  |
| <b>14.3 Transport hazard class(es)</b>                     | none  |
| <b>14.4 Packing group</b>                                  | not assigned  |
| <b>14.5 Environmental hazards</b>                          | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>                   | There is no additional information.                                   |
| <b>14.7 Transport in bulk according to IMO instruments</b> | The cargo is not intended to be carried in bulk.                      |

### Information for each of the UN Model Regulations

#### **Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

Not subject to transport regulations.

#### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Not subject to IMDG.

#### **International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Not subject to ICAO-IATA.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance              | CAS No  | Functionality | Authoritative Lists    |
|--------------------------------|---------|---------------|------------------------|
| 3,7-dimethylocta-1,6-dien-3-ol | 78-70-6 |               | EU Fragrance Allergens |

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

##### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

##### Industry or sector specific available guidance(s)

##### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category     | Rating | Description  |
|--------------|--------|--|
| Chronic      | /      | none   |
| Health       | 2      | temporary or minor injury may occur  |
| Flammability | 2      | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

| Category            | Rating | Description  |
|---------------------|--------|--|
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |  |

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category       | Degree of hazard | Description  |
|----------------|------------------|--|
| Flammability   | 2                | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Health         | 2                | material that, under emergency conditions, can cause temporary incapacitation or residual injury                     |
| Instability    | 0                | material that is normally stable, even under fire conditions   |
| Special hazard |                  |  |

### National inventories

| Country | Inventory | Status                     |
|---------|-----------|----------------------------|
| US      | TSCA      | all ingredients are listed |

#### Legend

TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

| Abbr.            | Descriptions of used abbreviations  |
|------------------|---|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) |
| 49 CFR US DOT    | 49 CFR U.S. Department of Transportation  |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

| Abbr.          | Descriptions of used abbreviations   |
|----------------|--|
| ACGIH® 2022    | From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a> |
| Asp. Tox.      | Aspiration hazard  |
| Cal/OSHA PEL   | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)   |
| CAS            | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C      | Ceiling value  |
| DGR            | Dangerous Goods Regulations (see IATA/DGR)   |
| Flam. Liq.     | Flammable liquid   |
| GHS            | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA           | International Air Transport Association  |
| IATA/DGR       | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO           | International Civil Aviation Organization  |
| IMDG           | International Maritime Dangerous Goods Code  |
| IUPAC          | International Union of Pure and Applied Chemistry  |
| NIOSH REL      | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)  |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition  |
| OSHA           | Occupational Safety and Health Administration (United States)  |
| PBT            | Persistent, Bioaccumulative and Toxic  |
| PEL            | Permissible exposure limit   |
| ppm            | Parts per million  |
| RTECS          | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)  |
| Skin Sens.     | Skin sensitization   |
| STEL           | Short-term exposure limit  |
| TLV®           | Threshold Limit Values   |
| TWA            | Time-weighted average  |
| vPvB           | Very Persistent and very Bioaccumulative   |

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



## RESTFUL LAVENDER

Version number: GHS 1.0

Date of compilation: 2023-05-30

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text  |
|------|---|
| H226 | Flammable liquid and vapor.                   |
| H227 | Combustible liquid.                           |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction.          |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.