

V206501 Bostik BladeCote Revision Date 28-Apr-2015 Supersedes Date: No information available

Version 1.01

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name Bostik BladeCote

Product Code V206501

Product(s) Covered

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Lubricants, greases, release products.

Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332

Outside U.S.) 1-703-527-3887

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Carcinogenicity	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosol	Category 1

2.2. Label Elements

EMERGENCY OVERVIEW

DANGER

Hazard Statements

Causes skin irritation

Causes serious eye irritation

Suspected of causing cancer

Suspected of damaging fertility or the unborn child

May cause drowsiness or dizziness

V206501 Bostik BladeCote Revision Date 28-Apr-2015 Supersedes Date: No information available

Version 1.01

May be fatal if swallowed and enters airways Extremely flammable aerosol



Appearance No information available

Physical State Gas

Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid measures on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not Applicable

Unknown Toxicity

4.48% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Not Applicable

V206501 Revision Date 28-Apr-2015
Bostik BladeCote Supersedes Date: No information available

Version 1.01

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	30 - 60
2,2,4-Trimethylpentane	540-84-1	10 - 30
Ethylbenzene	100-41-4	0.1 - 1
Tricresyl phosphate	1330-78-5	0.1 - 1
Ethyl alcohol	64-17-5	0.1 - 1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First Aid Measures

4.1. Description of First Aid Measures

General Advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Consult a physician if necessary. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. Wash off immediately with plenty of water. If skin irritation persists, call a physician.

Immediate medical attention is not required.

Inhalation Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer

artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. Move to fresh air in case of

accidental inhalation of vapors. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a

physician. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

Self-protection of the First Aider Use personal protective equipment as required.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection

SECTION 11: Toxicological Information

SECTION 5: Fire Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

V206501 Revision Date 28-Apr-2015
Bostik BladeCote Supersedes Date: No information available
Version 1.01

VCISION 1.01

Caution: Use of water spray when fighting fire may be inefficient.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

EXTREMELY FLAMMABLE.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Remove all possible sources of ignition in the surrounding area. Ensure adequate

ventilation, especially in confined areas.

6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Pick up and transfer to properly labeled containers. Cover liquid spill with sand, earth or

other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to

minimize spreading. Soak up with inert absorbent material. Dam up.

6.4. References to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection

SECTION 7: Handling and Storage SECTION 13: Disposal Considerations

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Advice on Safe Handling Ensure adequate ventilation, especially in confined areas. Use only in well-ventilated areas.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized

container: Do not pierce or burn, even after use.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Do not expose to temperatures exceeding 50 °C/122 °F. Recommended storage

temperature. 10 - 35 °C. Observe local regulations / instructions for storage of pressurized

containers.

V206501 Revision Date 28-Apr-2015
Bostik BladeCote Supersedes Date: No information available

Version 1.01

Incompatible Materials None known based on information supplied.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections SECTION 13: Disposal Considerations

SECTION 10: Stability and Reactivity

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m³	TWA: 1000 ppm TWA: 2400 mg/m ³	TWA: 1000 ppm TWA: 2400 mg/m³ STEL: 1260 ppm STEL: 3000 mg/m³
2,2,4-Trimethylpentane 540-84-1	TWA: 300 ppm	-	-	-
Ethylbenzene 100-41-4	TWA: 20 ppm	IDLH: 800 ppm TWA: 100 ppm TWA: 435 mg/m³ STEL: 125 ppm STEL: 545 mg/m³	TWA: 100 ppm TWA: 435 mg/m³	TWA: 100 ppm TWA: 435 mg/m³ STEL: 125 ppm STEL: 545 mg/m³
Ethyl alcohol 64-17-5	STEL: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Acetone	TWA: 500 ppm	TWA: 780 ppm	TWA: 600 ppm	STEL: 750 ppm
67-64-1	STEL: 750 ppm	TWA: 1870 mg/m ³	TWA: 1424 mg/m ³	TWA: 500 ppm
2,2,4-Trimethylpentane 540-84-1	TWA: 300 ppm	-	-	-
Ethylbenzene	TWA: 100 ppm	TWA: 78 ppm	TWA: 80 ppm	Skin
100-41-4	STEL: 125 ppm	TWA: 340 mg/m ³	TWA: 348 mg/m ³	STEL: 125 ppm
				TWA: 100 ppm
Ethyl alcohol	TWA: 1000 ppm	TWA: 780 ppm	TWA: 800 ppm	TWA: 1000 ppm
64-17-5		TWA: 1480 mg/m ³	TWA: 1500 mg/m ³	

8.2. Exposure Controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment [PPE]

Respiratory Protection

Eye/Face Protection Tight sealing safety goggles. Face protection shield.

Skin and Body Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

V206501 Revision Date 28-Apr-2015 **Bostik BladeCote** Supersedes Date: No information available

Version 1.01

cleaning of equipment, work area and clothing is recommended.

Remarks • Method

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Gas Color White Odor Solvent

Odor Threshold No information available

Property Values

No information available pН **Melting Point/Freezing Point** No information available **Boiling Point** No information available -50 °C / -58 °F **Flash Point** No information available **Evaporation Rate** Flammability (solid, gas) No information available

Flammability Limits in Air **Upper Flammability Limits**

No information available **Lower Flammability Limit** No information available **Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity** No information available **Water Solubility** No information available Solubility in Other Solvents No information available No information available **Partition Coefficient** No information available **Autoignition Temperature Decomposition Temperature** No information available No information available **Kinematic Viscosity Dynamic Viscosity** No information available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other Information

Softening Point No information available **Molecular Weight** No information available **Solvent Content (%)** No information available

Solid Content (%) 6.8 **Density** .820 g/ml 18.8 % VOC

SECTION 10: Stability and Reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Heating causes rise in pressure with risk of bursting.

10.5. Incompatible Materials

V206501 Revision Date 28-Apr-2015
Bostik BladeCote Supersedes Date: No information available

Version 1.01

None known based on information supplied.

10.6. Hazardous Decomposition Products

None known based on information supplied.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Product InformationNo data availableInhalationNo data availableEye ContactNo data availableSkin ContactNo data availableIngestionNo data available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 50100 mg/m ³ (Rat) 8 h
2,2,4-Trimethylpentane 540-84-1	> 2500 mg/kg (Rat)	-	= 47.4 mg/L (Rat) 1 h
Ethylbenzene 100-41-4	= 3500 mg/kg (Rat)	= 15400 mg/kg (Rabbit)	= 1432 mg/L (Rat) 4 h
Tricresyl phosphate 1330-78-5	= 3 g/kg (Rat)	-	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available. **Symptoms** Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. No information available. Irritation No information available. Corrosivity Sensitization No information available. No information available. **Germ Cell Mutagenicity Reproductive Toxicity** No information available. **Developmental Toxicity** No information available. No information available. **Teratogenicity STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available.

Chronic Toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when

consumed as alcoholic beverage. Avoid repeated exposure. Central nervous system, Eyes, Respiratory system, Skin.

Target Organ EffectsCentral nervous system, EyeAspiration HazardNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylbenzene 100-41-4	А3	Group 2B	-	Х
Ethyl alcohol 64-17-5	А3	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Confirmed animal carcinogen with unknown relevance to humans

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

V206501 Bostik BladeCote Revision Date 28-Apr-2015 Supersedes Date: No information available

Version 1.01

Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)
Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

SECTION 12: Ecological Information

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Acetone		LC50 96 h 4.74 - 6.33 mL/L	EC50 = 14500 mg/L 15 min	EC50 48 h 10294 - 17704
67-64-1		(Oncorhynchus mykiss)		mg/L (Daphnia magna
		LC50 96 h 6210 - 8120		Static) EC50 48 h 12600 -
		mg/L (Pimephales promelas		12700 mg/L (Daphnia
		static) LC50 96 h = 8300		magna)
		mg/L (Lepomis macrochirus		
)		
Ethylbenzene	EC50 72 h = 4.6 mg/L	LC50 96 h 11.0 - 18.0 mg/L		EC50 48 h 1.8 - 2.4 mg/L
100-41-4	(Pseudokirchneriella	(Oncorhynchus mykiss	EC50 = 96 mg/L 24 h	(Daphnia magna)
	subcapitata) EC50 96 h >	static) LC50 96 h = 4.2 mg/L		
	438 mg/L	(Oncorhynchus mykiss		
	(Pseudokirchneriella	semi-static) LC50 96 h 7.55		
	subcapitata) EC50 72 h 2.6	- 11 mg/L (Pimephales		
	- 11.3 mg/L	promelas flow-through)		
	(Pseudokirchneriella	LC50 96 h = 32 mg/L		
		(Lepomis macrochirus static)		
	- 7.6 mg/L	LC50 96 h 9.1 - 15.6 mg/L		
	(Pseudokirchneriella	(Pimephales promelas		
	subcapitata)	static) LC50 96 h = 9.6 mg/L		
		(Poecilia reticulata static)		
Tricresyl phosphate		LC50 96 h 0.21 - 0.32 mg/L		
1330-78-5		(Oncorhynchus mykiss		
		flow-through) LC50 96 h 3.3		
		- 6.2 mg/L (Oncorhynchus		
		mykiss static) LC50 96 h 0.1		
		- 0.22 mg/L (Lepomis		
		macrochirus flow-through)		
		LC50 96 h 20.4 - 41.2 mg/L		
		(Lepomis macrochirus static)		
		LC50 96 h 3.2 - 10 mg/L		
		(Oryzias latipes semi-static)		
		LC50 96 h 4.8 - 6.4 mg/L		
		(Poecilia reticulata		
		semi-static)		
Ethyl alcohol		LC50 96 h 12.0 - 16.0 mL/L	EC50 = 34634 mg/L 30 min	LC50 48 h 9268 - 14221
64-17-5		(Oncorhynchus mykiss	EC50 = 35470 mg/L 5 min	mg/L (Daphnia magna)
		static) LC50 96 h > 100 mg/L	_	EC50 48 h = 2 mg/L
		(Pimephales promelas		(Daphnia magna Static)
		static) LC50 96 h 13400 -		EC50 24 h = 10800 mg/L
		15100 mg/L (Pimephales		(Daphnia magna)
		promelas flow-through)		

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

V206501 Revision Date 28-Apr-2015
Bostik BladeCote Supersedes Date: No information available

Version 1.01

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

SECTION 14: Transport Information

Note: Per 49 CFR 173.306(a)(3), our aerosol product is considered a Limited Quantity for all

modes of transportation and ORM-D no longer applies to the product

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Special Provisions N82

Description UN1950, Aerosols, 2.1,

Emergency Response Guide 126

Number

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class2.1ERG Code10L

Special Provisions A145, A167

Description UN1950, Aerosols, flammable, 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2
EmS-No F-D, S-U

 Special Provisions
 190, 277, 327, 344, 63, 959

 Description
 UN1950, Aerosols, 2

SECTION 15: Regulatory Information

Global Inventories

TSCA	Listed
DSL	Listed

V206501 Bostik BladeCote Revision Date 28-Apr-2015 Supersedes Date: No information available

Version 1.01

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A - Very toxic materials B5 - Flammable aerosol A - Compressed gases



SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No
Ethylbenzene	100-41-4

California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. % Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical Name	CAS No
Ethylbenzene	100-41-4
Ethyl alcohol	64-17-5
Methanol	67-56-1

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain a substance(s) on the SVHC as proposed by ECHA above a concentration of 0.1 wt. %

SECTION 16: Other Information

HMIS Health Hazards 2* Flammability 4 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

V206501 Revision Date 28-Apr-2015
Bostik BladeCote Supersedes Date: No information available

Version 1.01

Prepared By Product Safety & Regulatory Affairs

Revision Date 28-Apr-2015

Revision Note Not Applicable.

Training Advice No information available

Further Information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet