Page: 1/11

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

#### 1 Identification

· Product identifier

· Trade name: <u>H2OLOX - Gloss</u> · Product code: TB 2000

· Other means of identification: WATERLOX WATERBASED SEALER/FINISH

· Recommended use and restriction on use

· Recommended use: Paint / Coatings

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Waterlox Coatings Corporation 9808 Meech Avenue CLEVELAND, OH 44105 (216) 641-4877

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

#### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated

exposure. Route of exposure: Inhalation.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS07 GHS08

· Signal word: Danger

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements:

P201 Obtain special instructions before use.

(Cont'd. on page 2)

Page: 2/11

### Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

DOOO	Do not bondle with all cofety accounting boys boss good and wednesded	(Cont'd. of page 1)
P202	Do not handle until all safety precautions have been read and understood.	
P260	Do not breathe mist/vapors/spray.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection.	
	If on skin: Wash with plenty of soap and water.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P314	Get medical advice/attention if you feel unwell.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
 P501	Dispose of contents/container in accordance with local/regional/nationaregulations.	al/international

· Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

Componen	ts:	
	Trade Secret Emulsifier  Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<10
	Trade Secret Phenolic modified resin  Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317	<10
8052-41-3	Stoddard solvent  Flam. Liq. 3, H226  STOT RE 1, H372; Asp. Tox. 1, H304	<5
64742-47-8	Distillates (petroleum), hydrotreated light  Flam. Liq. 3, H226  Asp. Tox. 1, H304  STOT SE 3, H336	<5
61789-51-3	Naphthenic acids, cobalt salts Carc. 2, H351; Repr. 2, H361 Skin Sens. 1, H317	<1
95-63-6	1,2,4-trimethylbenzene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	<1
8050-09-7	Rosin  Skin Sens. 1, H317	<1
8007-24-7	Cashew Nutshell Oil  Eye Dam. 1, H318  Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317	<1
3164-85-0	Potassium 2-ethylhexanoate  Repr. 2, H361 Eye Dam. 1, H318 Skin Irrit. 2, H315	<1

Page: 3/11

## Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

(Cont'd. of page 2)

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

#### Description of first aid measures

#### After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

#### · After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

#### · Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Coughing

Allergic reactions

Causes skin irritation.

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

#### · Danger:

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

#### Indication of any immediate medical attention and special treatment needed:

Contains Trade Secret Phenolic modified resin, Cashew Nutshell Oil, Naphthenic acids, cobalt salts, Rosin. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

(Cont'd. on page 4)

Page: 4/11

## Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

(Cont'd. of page 3)

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

(Cont'd. on page 5)

Page: 5/11

### **Safety Data Sheet** Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

**Trade name: H2OLOX - Gloss** 

	(Could of nove to					
8052-41-3 Stod	dard solvent (Cont'd. of page 4)					
PEL (USA)	Long-term value: 2900 mg/m³, 500 ppm					
REL (USA)	Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³ *15-min					
TLV (USA)	Long-term value: 525 mg/m³, 100 ppm					
EL (Canada)	Short-term value: 580 mg/m³ Long-term value: 290 mg/m³					
EV (Canada)	Long-term value: 525 mg/m³					
LMPE (Mexico)	Long-term value: 100 ppm					
64742-47-8 Dis	tillates (petroleum), hydrotreated light					
EL (Canada)	Long-term value: 200 mg/m³ Skin					
95-63-6 1,2,4-tr	imethylbenzene					
REL (USA)	Long-term value: 125 mg/m³, 25 ppm					
TLV (USA)	Long-term value: 123 mg/m³, 25 ppm					
111-84-2 nonar	ne					
REL (USA)	Long-term value: 1050 mg/m³, 200 ppm					
TLV (USA)	Long-term value: 1050 mg/m³, 200 ppm					
EL (Canada)	Long-term value: 200 ppm					
EV (Canada)	Long-term value: 1,050 mg/m³, 200 ppm					
, ,	Long-term value: 200 ppm					
8050-09-7 Rosi						
TLV (USA)	DSEN, RSEN, L					
EL (Canada)	S(D), S(R)					
LMPE (Mexico)	SEN, (L)					
· Ingredients wit	h biological limit values:					
100-41-4 ethylb	100-41-4 ethylbenzene					
Med Time	BEI (USA) 0.7 g/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)					
Time	ium: end-exhaled air e: not critical ameter: Ethyl benzene (semi-quantitative)					

#### · Exposure controls

• General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

(Cont'd. on page 6)

Page: 6/11

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

(Cont'd. of page 5)

Avoid contact with the eyes and skin.

- Engineering controls: No relevant information available.
- Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

Information on basic physical a	and chemical properties
Appearance:	
Form:	Liquid
Color:	Milky white/brown
Odor:	None
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	150 - 199 °C (302-390.2 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive ail vapor mixtures are possible.
Explosion limits	vapor mixtures are possible.
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
	-
Vapor pressure:	Not determined.

Page: 7/11

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

Printing date: March 14, 2019

(Cont'd. of page 6)

· Density:

Relative density: 0.987

**Vapor density:**Evaporation rate:
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined.
Kinematic: Not determined.
VOC content: 170 g/L

• Other information No relevant information available.

#### 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Hydrocarbons

#### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

1.0/1.	<u> </u>		414	malarramt far	£!
· LU/L	しちひV	aiues	tnat are	relevant to	classification:

#### 64742-47-8 Distillates (petroleum), hydrotreated light

 Oral
 LD50
 >5000 mg/kg (rat)

 Dermal
 LD50
 >2000 mg/kg (rabbit)

- Primary irritant effect:
- On the skin: Irritant to skin and mucous membranes.
- On the eye: Slight irritant effect on eyes.
- · Sensitization: Sensitization possible through skin contact.
- Carcinogenic categories

(Cont'd. on page 8)

Page: 8/11

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

	(Cont'd. of page 7)				
· IARC (International Agency for	Research on Cancer):				
100-41-4 Ethylbenzene	2B				
98-82-8 Cumene	2B				
91-20-3 Naphthalene	2B				
61789-51-3 Naphthenic acids, co	obalt salts 2B				
· NTP (National Toxicology Prog	ram):				
98-82-8 Cumene	98-82-8 Cumene R				
91-20-3 Naphthalene R					
· OSHA-Ca (Occupational Safety & Health Administration):					
None of the ingredients are listed.					

· Probable route(s) of exposure:

Ingestion.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer.
- · Reproductive toxicity: Suspected of damaging fertility or the unborn child.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure:

Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity Harmful to aquatic life with long lasting effects.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- General notes: Avoid release to the environment.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

**Uncleaned packagings** 

(Cont'd. on page 9)

Page: 9/11

### **Safety Data Sheet**

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

· Recommendation: Disposal must be made according to official regulations.

(Cont'd. of page 8)

Not regulated.
Not regulated.
Not regulated.
Not regulated.
No
Not applicable.
_

#### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

Section 302	(extremel	y hazaro	lous su	bstances):
-------------	-----------	----------	---------	------------

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Present in trace quantities.

100-41-4	Ethylbenzene
98-82-8	Cumene
91-20-3	Naphthalene

(Cont'd. on page 10)

Page: 10/11

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

	known to cause developmental toxicity for females: race quantities.	(Cont'd. of page 9)			
80-05-7 bis	phenol A				
· Chemicals	known to cause developmental toxicity for males:				
None of the	ingredients are listed.				
· Chemicals	known to cause developmental toxicity:				
None of the	ingredients are listed.				
· EPA (Envir	onmental Protection Agency):				
95-63-6 1,2	95-63-6 1,2,4-trimethylbenzene				
· IARC (Inter	national Agency for Research on Cancer):				
61789-51-3	Naphthenic acids, cobalt salts	2B			
100-41-4	Ethylbenzene	2B			
	Cumene	2B			
91-20-3	Naphthalene	2B			

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 14, 2019 / -

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2 Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 11)

Page: 11/11

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019 Revision: March 14, 2019

Trade name: H2OLOX - Gloss

(Cont'd. of page 10)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com