



97-01 XJ Center Console Mount Installation Instructions

Thank you for purchasing our 97-01 XJ Center Console Mount!

Installation Notes:

- Refer to your factory service manual to remove any factory components.
- This is intended to replace the broken Center Console Mount in a Jeep Cherokee from 1997-2001.

Tools required:

- Philips head screwdriver.

Contents

Bill Of Materials For (BOM Part# and Description)			
QTY	Part Number	Etch Number	Description
2	AV10065	NA	Clip Nut #8
1	B4W075057	057	XJ Center Console Bracket


Step1:

Park the Jeep on a level surface, chock the tires and disconnect the battery. This is done because the console will be easier to remove with the transfer case in the neutral position and the parking brake engaged.




Step2:

Remove the transmission shifter knob and both bezels by pulling them upward. Once removed the lights will also need to be unplugged from the bezel housings.



Step3:

Remove the 4 screws holding the center console in place. One can be found under each bezel and two in the storage compartment under the arm rest.




Step4:

Raise the center console and AC duct by lifting them up and out of the way. Be careful not to bind any components at this point because they can be brittle, easy to break and difficult to replace.




Step5:

Remove the 3 screws holding the broken factory center console mount and its pieces noting its orientation for the replacement.




Step6:

Install the new mount to the chassis with the 3 factory screws and clip nuts provided as shown. Install the rear most screw first loosely and then move forward. Tighten all 3 once they are started.



Step7:

Reinstall the AC duct, center console and bezel assemblies by reversing steps 4 through 1 and the installation is complete. Be sure to completely seat the AC duct in its connector near the dash.



Congratulations! You Have finished the installation of the Barnes4wd 97-01 XJ Center Console Mount

Professional Services Disclaimer:

The content of all pages of this website (collectively, the "Website"), such as text, graphics, images, information and other material (collectively, "Content") is for informational purposes only. Any information furnished on this Website is not intended nor implied to be automotive advice and is not intended to replace personal consultation with a qualified automotive service technician, mechanic, or similar automotive professional.

Barnes 4WD has not examined the Content for accuracy, timeliness, completeness, appropriateness, or helpfulness. Barnes 4WD does not endorse any specific tests, products, procedures, opinions, or other information that may be mentioned on this Website. Your reliance upon information and Content obtained by you at or through this Website is solely at your own risk. IN NO EVENT SHALL BARNES 4WD BE LIABLE OR OTHERWISE RESPONSIBLE FOR ANY DAMAGE OR INJURY (INCLUDING DEATH) TO YOU, OTHER PERSONS, OR PROPERTY ARISING FROM ANY USE OF ANY PRODUCT, INFORMATION, IDEA, OR INSTRUCTION CONTAINED IN THE CONTENT.

BARNES 4WD DOES NOT MAKE ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO ANY PRODUCT FEATURED ON THE WEBSITE, INCLUDING WITHOUT LIMITATION WITH RESPECT TO MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, VALUE, VALIDITY, OR ENFORCEABILITY, AND ANY AND ALL SUCH OTHER REPRESENTATIONS OR WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.