

# 97+ Jeep XJ Fuel Tank Skid Installation Instructions

Thank you for purchasing our 97+ Jeep XJ Fuel Tank Skid!

Installation Notes:

- This fuel tank skid will only fit a Jeep Cherokee from 1997-2001
- This skid will need to be painted or powder coated after test fitment.
- The factory hitch (See image below) is the only hitch tested with this skid; further modifications may be required to work with other hitches.



Tools required:

- 3/4" Socket
- 18mm Socket
- 8mm Socket

- 14mm Socket or Wrench
- Ratchet and Extensions

# **Contents of box**

Bill Of Materials For B4WK12767 97+ Jeep XJ Fuel Tank Skid Welded					
QTY	Part Number	Etch Number	Description		
1	B4W188A36	A36 BW	97+ Jeep XJ Fuel Tank Skid		

ii Aj Nutstrips were purchased.					
Bill Of Materials For B4WK12744 Jeep XJ Rear Nutstrip Kit					
QTY	Part Number	Etch Number	Description		
1	B4W125144P	144 BP	XJ Rear Nutstrip Driver Side		
1	B4W125145P	145 BP	XJ Rear Nutstrip Passenger Side		
10	50NWSAFY	N/A	1/2" SAE Washer		
10	50C150HCS8Y	N/A	1/2"-13 x 1-1/2" Grade 8 Hex Head Bolt		

#### If XJ Nutstrips were purchased:


#### Step 1:

Remove the factory fuel tank skid and hitch (if installed), exhaust hanger, and heat shield from the Jeep.

#### Step 2:

If you are replacing the factory nutstrips or do not have any, remove the rear bumper and install the nutstrips in their corresponding slots in the frame rail.

Driver Side







Using a jack, place the skid underneath the fuel tank and lift it into place.

### Step 4: If you are not installing a hitch, skip to Step 5

With the skid supported by the jack, position the hitch in place and start all bolts on the driver side and the front two on the passenger side. Skip to Step 6.



### Step 5:

With the skid supported by the jack, start all the bolts on the driver side and the first three on the passenger side.



Step 6:

Place the exhaust hanger in it's correct location and start the final two bolts.



Step 7:

Tighten all the hardware.





# Congratulations! You have finished the installation of the Barnes 4WD 97+ Jeep XJ Fuel Tank Skid.

Professional Services Disclaimer:

The content of all pages of this website (collectively, the "Website"), such as text, graphics, images, information and other material (collectively, "Content") is for informational purposes only. Any information furnished on this Website is not intended nor implied to be automotive advice and is not intended to replace personal consultation with a qualified automotive service technician, mechanic, or similar automotive professional.

Barnes 4WD has not examined the Content for accuracy, timeliness, completeness, appropriateness, or helpfulness. Barnes 4WD does not endorse any specific tests, products, procedures, opinions, or other information that may be mentioned on this Website. Your reliance upon information and Content obtained by you at or through this Website is solely at your own risk. IN NO EVENT SHALL BARNES 4WD BE LIABLE OR OTHERWISE RESPONSIBLE FOR ANY DAMAGE OR INJURY (INCLUDING DEATH) TO YOU, OTHER PERSONS, OR PROPERTY ARISING FROM ANY USE OF ANY PRODUCT, INFORMATION, IDEA, OR INSTRUCTION CONTAINED IN THE CONTENT.

BARNES 4WD DOES NOT MAKE ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO ANY PRODUCT FEATURED ON THE WEBSITE, INCLUDING WITHOUT LIMITATION WITH RESPECT TO MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, VALUE, VALIDITY, OR ENFORCEABILITY, AND ANY AND ALL SUCH OTHER REPRESENTATIONS OR WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.