



High Clearance Chopped Fender Support Brackets For JT & JL Rubicon

Thank you for your purchase!

Installation Notes:

- Compatible with 2020 - Current Jeep JT & JL Rubicon multi piece front fender flares.
- No lights or reflectors are included.

Tools required:

- 10MM socket and extension.
- 7/16" Wrench.
- Long narrow needle nose pliers or similar.
- Cutting tool, sanding tool and Drill depending on selected modification.

Contents of box

Bill Of Materials For (B4WK12845 High Clearance Chopped Fender Support Brackets For JT & JL Rubicon)			
QTY	Part Number	Etch Number	Description
1	B4W075085	085	Fender Support Brackets JT & JL Rubicon Driver Side Lower
1	B4W075086	086	Fender Support Brackets JT & JL Rubicon Driver Side Upper
1	B4W075087	087	Fender Support Brackets JT & JL Rubicon Passenger Side Lower
1	B4W075088	088	Fender Support Brackets JT & JL Rubicon Passenger Side Upper
4	25CNNE0Z		1/4"-20 Nylock Nut
4	25C75BCG5Z		1/4-20 X .75" Carriage Bolt Gr 5 Zinc
4	25NWSAFY		1/4" SAE Flat Washer Yellow

Step 1:

Remove the front fender flare according to the factory service manual.


Step 2:

Disassemble the fender flare components as desired. Below is an example, but this can also be done by only removing the light and trimming a small section off the front leaving the inner fender and liner attached.



Step 3:

Install the fender support brackets as shown below reusing the OEM and the provided hardware.



Step 5:

Depending on personal preference fasten the end of the bracket to the fender flare. This can be done with a bolt, or epoxy.



Step 6:

Install desired lights being sure to follow all local laws and requirements. This can be achieved by drilling into the two vertical faces of the bracket, or bolting to the slots on the horizontal upper bracket.



Congratulations! You Have finished the installation.

Professional Services Disclaimer:

The content of all pages of this website (collectively, the "Website"), such as text, graphics, images, information and other material (collectively, "Content") is for informational purposes only. Any information furnished on this Website is not intended nor implied to be automotive advice and is not intended to replace personal consultation with a qualified automotive service technician, mechanic, or similar automotive professional.

Barnes 4WD has not examined the Content for accuracy, timeliness, completeness, appropriateness, or helpfulness. Barnes 4WD does not endorse any specific tests, products, procedures, opinions, or other information that may be mentioned on this Website. Your reliance upon information and Content obtained by you at or through this Website is solely at your own risk. IN NO EVENT SHALL BARNES 4WD BE LIABLE OR OTHERWISE RESPONSIBLE FOR ANY DAMAGE OR INJURY (INCLUDING DEATH) TO YOU, OTHER PERSONS, OR PROPERTY ARISING FROM ANY USE OF ANY PRODUCT, INFORMATION, IDEA, OR INSTRUCTION CONTAINED IN THE CONTENT.

BARNES 4WD DOES NOT MAKE ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO ANY PRODUCT FEATURED ON THE WEBSITE, INCLUDING WITHOUT LIMITATION WITH RESPECT TO MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, VALUE, VALIDITY, OR ENFORCEABILITY, AND ANY AND ALL SUCH OTHER REPRESENTATIONS OR WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.