



## Jeep JT Rear Axle Shock Bracket Skids Installation Instructions

Thank you for purchasing this product!

### Installation Notes:

- Compatible with 2020 - Current Jeep JT
- Refer to the factory service manual to remove any factory components.

### Tools required:

- 21MM Wrench
- 21MM Socket
- Ratchet
- 9/16" socket

## Contents of each box

Bill Of Materials For (B4WK12851)			
QTY	Part Number	Etch Number	Description
2	B4W125210	210 B	3/8" Flag Nut X 3.6"
2	B4W188C15	C15 P	Jeep JT Rubicon Rear Axle Shock Brackets Skid
2	92620A623		3/8-16X 7/8" Hex Bolt Grade 8
2	37NWSAFY		3/8 SAE Washer Yellow Zinc



### Step1:

Remove the lower shock bolt.



### Step2:

Slide the shock bracket skid onto the bracket and install loosely with the provided flag nut and hardware.



### **Step3:**

Reinstall the shock with the OEM hardware and tighten all hardware.



### **Step4:**

Repeat steps 1 through 3 on the other side of the vehicle.

**Congratulations! You Have finished the installation.**

#### Professional Services Disclaimer:

The content of all pages of this website (collectively, the "Website"), such as text, graphics, images, information and other material (collectively, "Content") is for informational purposes only. Any information furnished on this Website is not intended nor implied to be automotive advice and is not intended to replace personal consultation with a qualified automotive service technician, mechanic, or similar automotive professional.

Barnes 4WD has not examined the Content for accuracy, timeliness, completeness, appropriateness, or helpfulness. Barnes 4WD does not endorse any specific tests, products, procedures, opinions, or other information that may be mentioned on this Website. Your reliance upon information and Content obtained by you at or through this Website is solely at your own risk. IN NO EVENT SHALL BARNES 4WD BE LIABLE OR OTHERWISE RESPONSIBLE FOR ANY DAMAGE OR INJURY (INCLUDING DEATH) TO YOU, OTHER PERSONS, OR PROPERTY ARISING FROM ANY USE OF ANY PRODUCT, INFORMATION, IDEA, OR INSTRUCTION CONTAINED IN THE CONTENT.

BARNES 4WD DOES NOT MAKE ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO ANY PRODUCT FEATURED ON THE WEBSITE, INCLUDING WITHOUT LIMITATION WITH RESPECT TO MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, VALUE, VALIDITY, OR ENFORCEABILITY, AND ANY AND ALL SUCH OTHER REPRESENTATIONS OR WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.