



Bronco Rear Window Molle Panel 4 Door Soft Top Installation Instructions

Thank you for purchasing our Bronco rear window molle panel!

Installation Notes:

- These panels are designed to fit a 2021-Current Bronco 4 door with a soft top.
- These panels have only been tested with the factory soft top and may not fit aftermarket tops.
- These panels will not fit a Bronco Sport.
- Refer to your factory service manual for removal of any part.

Tools required:

- 7/16" Wrench
- 5/32" Allen Socket
- 5mm Allen Socket
- 13MM Socket
- T50 Socket
- Ratchet
- Extension

Possible Kit Combinations

Qty	Kit Part Number	Kit Description
1	B4WK12745	Bronco Rear Window Molle Panel Driver 4 Door Soft Top Pre-Pack
1	B4WK12746	Bronco Rear Window Molle Panel Passenger 4 Door Soft Top Pre-Pack

Contents of each Kit

Bill Of Materials for B4WK12745		
QTY	Part Number	Description
1	B4W125172P	Bronco Rear Window Molle Panel Driver Powder Coated
1	B4W125171P	Bronco Rear Window Molle Panel Driver Seatbelt Bracket Powder Coated
1	B4W125167P	Bronco Rear Window Molle Panel Bracket Rear Powder Coated
1	B4W125168P	Bronco Rear Window Molle Panel Bracket Soft Top Powder Coated
4	25C62KBC3	1/4"-20 X 5/8 Button Head Cap Screw Stainless
4	25CNNES	1/4-20 Nylock Stainless
1	.80C250KBC/A27380	M8-1.25X25 Button Socket Cap Screw Stainless

Bill Of Materials for B4WK12746		
QTY	Part Number	Description
1	B4W125166P	Bronco Rear Window Molle Panel Passenger Powder Coated
1	B4W125170P	Bronco Rear Window Molle Panel Passenger Seatbelt Bracket Powder Coated
1	B4W125167P	Bronco Rear Window Molle Panel Bracket Rear Powder Coated
1	B4W125168P	Bronco Rear Window Molle Panel Bracket Soft Top Powder Coated
4	25C62KBC3	1/4"-20 X 5/8 Button Head Cap Screw Stainless
4	25CNNES	1/4-20 Nylock Stainless
1	.80C250KBC/A27380	M8-1.25X25 Button Socket Cap Screw Stainless

Step 1:

Remove the rear panel cover and the cover on the rear seat belt as shown in the pictures below.



Step 2:

Remove the 2 bolts holding the soft top frame, and install the bracket as shown below leave, loose until the last step.



Step 3:

Remove the seat belt bolt, the push nut on the back of the bolt will need to be removed as shown below. A pair of diagonal cutting pliers works best to remove the push nut by splitting it.



Step 4:

Install the seat belt bracket onto the bolt in between the spacer and the seat belt as shown below and reinstall the bolt.



Step 5:

Install the rear bracket to the molle panel as shown below.




Step 6:

Install the molle panel to the brackets as shown below.



Step 7:

Install the supplied hardware into the factory hole on the roll bar as shown below.



Step 8:

Tighten all hardware and reinstall the 2 covers removed in step 1.

Congratulations! You Have finished the installation of the Barnes4wd Bronco Rear Window Molle Panel

Professional Services Disclaimer:

The content of all pages of this website (collectively, the "Website"), such as text, graphics, images, information and other material (collectively, "Content") is for informational purposes only. Any information furnished on this Website is not intended nor implied to be automotive advice and is not intended to replace personal consultation with a qualified automotive service technician, mechanic, or similar automotive professional.

Barnes 4WD has not examined the Content for accuracy, timeliness, completeness, appropriateness, or helpfulness. Barnes 4WD does not endorse any specific tests, products, procedures, opinions, or other information that may be mentioned on this Website. Your reliance upon information and Content obtained by you at or through this Website is solely at your own risk. IN NO EVENT SHALL BARNES 4WD BE LIABLE OR OTHERWISE RESPONSIBLE FOR ANY DAMAGE OR INJURY (INCLUDING DEATH) TO YOU, OTHER PERSONS, OR PROPERTY ARISING FROM ANY USE OF ANY PRODUCT, INFORMATION, IDEA, OR INSTRUCTION CONTAINED IN THE CONTENT.

BARNES 4WD DOES NOT MAKE ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO ANY PRODUCT FEATURED ON THE WEBSITE, INCLUDING WITHOUT LIMITATION WITH RESPECT TO MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, VALUE, VALIDITY, OR ENFORCEABILITY, AND ANY AND ALL SUCH OTHER REPRESENTATIONS OR WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.