

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**Bay Area Compliance Laboratory Corp.
1274 Anvilwood Avenue
Sunnyvale, CA 94089**

**Date of Grant: 05/14/2018
Application Dated: 05/14/2018**

**Quanshun Communication Technology Co., Ltd
Quanshun Bldg., Daxiamei, Nan'an,
Quanzhou, Fujian,,
China**

Attention: Roger Chen , Manager

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2ADQZTPN4X
Name of Grantee: Quanshun Communication Technology Co., Ltd
Equipment Class: PCS Licensed Transmitter held to face
Notes: PTT Network Radio

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 848.8	1.202	2.5 PM	241KGXW
	22H	824.2 - 848.8	0.417	2.5 PM	246KG7W
	22H	826.4 - 846.6	0.468	2.5 PM	4M17F9W
	24E	1850.2 - 1909.8	0.603	2.5 PM	244KGXW
	24E	1850.2 - 1909.8	0.251	2.5 PM	245KG7W
	24E	1852.4 - 1907.6	0.141	2.5 PM	4M15F9W

Output power listed is ERP for Part 22 and EIRP for Part 24. The antenna(s) used for this transmitter must not be co-located with any other transmitters except in accordance with FCC multi-transmitter product procedures. RF exposure compliance is limited to the specific belt-clip and accessory configurations as documented in this filing. For hand held, the separation distance between user and the device shall be at least 2.5 cm. End-users must be informed of the hand held and body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR values for Head and Body-worn accessories exposure conditions are 0.24 W/kg and 0.97 W/kg, respectively.

This device also contains functions that are not operational in U.S. Territories. This filing is only applicable for US operations.

