

APPENDIX A OF TYPE EXAMINATION CERTIFICATE

Product Characteristics

TX Frequency:	WCDMA: 1920-1980 MHz (B1), 880-915 MHz (B8) LTE: 1920-1980 MHz (B1), 1710-1785 MHz (B3), 2500-2570 MHz (B7) 880-915 MHz (B8), 832-862 MHz (B20), 2570-2620 MHz (B38) 2300-2400 MHz (B40)
RX Frequency:	WCDMA: 2110-2170 MHz (B1), 925-960 MHz (B8) LTE: 2110-2170 MHz (B1), 1805-1880 MHz (B3), 2620-2690 MHz (B7) 925-960 MHz (B8), 791-821 MHz (B20), 2570-2620 MHz (B38) 2300-2400 MHz (B40) GPS: 1575.42 MHz
ITU Designation:	F9W, G7W, D7W
Output Power:	WCDMA 2100: 22.65dBm; WCDMA 900: 23.78dBm LTE: 23.32dBm(B1), 23.01dBm(B3), 22.24dBm(B7), 24.02dBm(B8) 23.36dBm(B20), 21.89dBm(B38), 21.35dBm(B40)
Modulation:	WCDMA: BPSK, QPSK, 16QAM, 64QAM LTE: QPSK, 16QAM GPS: BPSK
Antenna:	External Antenna: 2dBi(WCDMA/LTE) Chip Antenna: 0dBi(GPS)

Conformity Details

Requirement	Standard, Test Report Number, Date & Laboratory
Radio Spectrum	EN 303 413 V1.1.1 (2017-06) Test Report RXM190410051-22C issued on 2019-05-13 by BACL, Dongguan EN 301 908-1 V11.1.1 (2016-07) EN 301 908-2 V11.1.2 (2017-08) Test Report RXM190410051-22A issued on 2019-05-13 by BACL, Dongguan EN 301 908-1 V11.1.1 (2016-07) EN 301 908-13 V11.1.2 (2017-07) Test Report RXM190410051-22B issued on 2019-05-13 by BACL, Dongguan
EMC	EN 301 489-1 V2.2.1 (2019-03) EN 301 489-19 V2.1.1 (2019-04) EN 301 489-52 V1.1.0 (2016-11) Test Report RXM190410051-02 issued on 2019-05-13 by BACL, Dongguan
Safety	EN 62368-1: 2014 + A11: 2017 Test Report RXM190410051-SF issued on 2019-06-04 by BACL, Dongguan
Health	EN 50566:2017 Test Report RXM190410051-20 issued on 2019-05-15 by BACL, Dongguan

***** End of Appendix *****

