

Page 1 of 11

SECTION 1: IDENTIFICATION

1.1 Product identifier

Product name Ortho Model resin

Recommended use and restrictions on use

Recommended use For use in Phrozen 3D-printers

Restrictions on use Do not use in the situation that easily generate aerosol, steam.

1.2 Name, address and phone of manufacturer, importers or supplier

Manufacturer Phrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,

Hsinchu City 30091, TAIWAN(R.O.C)

Phone +886-3621-0505

Emergency phone / Fax +886-3621-0505 / +886-3539-6591

SECTION 2: HAZARD IDENTIFICATION

2.1 Hazard classification

Skin corrosion/irritation Category 2 ,Serious eye damage/eye irritation Category 2B ,

Skin sensitization Category 1, Reproductive toxicity Category 1B,

Specific target organ toxicity – single exposure, Category 3

2.2 Signal statement

Corrosion, Exclamation mark, Health hazard



2.3 Pictograms

2.4 Signal word Danger

2.5 Hazard statements

Causes serious eye irritation

May cause an allergic skin reaction

May damage fertility. May damage the unborn child

May cause respiratory irritation

Toxic to aquatic life with long lasting effects.

Page 2 of 11

2.6 Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Obtain special instructions before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, If present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point.

2.7 Other hazard

None

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances

Not relevant (mixture)

3.2. Mixtures

Components	CAS number	Weight %	Classification acc. to GHS
2-Propenoic acid, 2-hydroxyethyl ester, polymer with 1,1'-methylenebis(4-is ocyanatocyclohexane) and .alpha.,.alpha.',.alpha.''-1,2,3	73324-00-2	50– 70%	Skin Irrit. 2 / H315 Eye Irrit. 1 /H319 STOT SE 3 / H335
4-(1-oxo-2-propenyl)- morpholine	5117-12-4	10 – 30%	Acute Tox. 4 (oral) /H302 Eye Dam./Irrit. 1 /H318 Skin Sens. 1/ H317 STOT RE 2 /H373
(2,4,6-trioxo-1,3,5-triazine1,3, 5(2H, 4H,6H)-triyl)tri-2,1-etha nediyl triacrylate	40220-08-4	1-10%	Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411



Page 3 of 11

Additives1	Trade Secret	<2%	-
Additives2	Trade Secret	<1%	Repr. 1B / H360FD
Additives3	Trade Secret	< 0.01%	-

SECTION 4: FIRST AID MEASURES

4.1. First-aid advice and recommendations for different routes of exposure

4.1.1 Inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Incase of respiratory tract irritation, consult a physician. Provide fresh air.

4.1.2 Skin Contact

Wash with plenty of soap and water.

4.1.3 Eyes Contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, freshwater for at least 10 minutes, holding the eyelids apart.

4.1.4 Ingestion

Clean with water and drink plenty of water. Do NOT induce vomiting. Keep individual calm. Obtainmedical attention.

4.2. Most important symptoms and hazardous effecects

Nausea and irritating.

4.3. Protection of First-aid personnel

Wear impervious gloves. Avoid contacting the pollutant.

4.4. Note for physician

Do not induce vomiting. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Applicable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

5.2 Specific hazards confronted during fire fighting

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Specific fire-fighting procedure



Page 4 of 11

Move to the safe area.

5.4 Specific protecttive equipments for fire-fighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precations

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Clean the floor to prevent from slipping and falling.

6.2. Environmental precations

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur(dia tomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7: SAFETY HANDLING AND STORAGE

7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

7.2. Storage

Storage at the area of cool, dry.

Keep away from heat, direct sunlight, rainy and rapid temperature.

Page 5 of 11

Storage temperature between 15°C/59°C to 35°C/95°F.

Close the lid tightly when not in use.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

8.2. Control Parameters

Component	TWA	STEL	CEILING	BEI s
Carbon black	3.5mg / m ³	7 mg/m³	-	-

8.3. Personal protective equipment

8.3.1 Respiratory protection

In case of inadequate ventilation wear respiratory protection.

8.3.2 Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374.

8.3.3 Eye protection

Use safety goggles.

8.3.4 Skin protection

Use clothing that provides complete protection to the skin.

8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Apperance and color	Grey viscous liquid	Odor	Typical acrylate
Odor threshold	N/A	Melting point	N/A
pH value	7	Boiling point	>250℃



Page 6 of 11

Flammable	N/A	Flash point	>113℃
Decomposition Temp	N/A	Testing method	Closed-up
Natural Temp	N/A	Explosive limit	N/A
Vapor pressure	N/A	Vapor density	N/A
Density	1.18 g /cm³	Solubility	N/A
Octanol/water distrib ution coefficient (log Kow)	N/A	Evaporaion rate	N/A

SECTION 10: STABILITY AND REACTIVITY

10.1. Stability

Stable under normal condition.

10.2. Possible hazardous reation under specific conditions

None

10.3. Must avoid condition

UV-radiation/sunlight.

10.4. Must avoid substances

Oxidisers, Reducing agents

10.5. Hazardous decomposted product

Carbon monoxide

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Test data are not available for the complete mixture.

11.1. Exposure paths

None

11.2. Symptoms

Page 7 of 11

None

11.3. Acute toxicity

Components	route	Species	End point	Value
4-(1-oxo-2-propenyl)-	Oral	Rat	LD50	588 mg/kg
morpholine	Dermal	Rat	LD50	> 2,000 mg/kg
Diphenyl(2,4,6-trimethyl	Oral	Rat	LD50	> 5,000 mg/kg
benzoyl)	Dermal	Rat	LD50	> 2,000 mg/kg
phosphine oxide				
Silicon dioxide	Oral	Rat	LD50	>5000 mg/kg
	Dermal	Rabbit	LD50	>5000 mg/kg
	Ingestion	Rat	LC50	>5.01 mg/l/4h
Carbon black	Oral	Rat	LD50	>8000mg/kg
	Dermal	Rabbit	LD50	>3000mg/kg

11.4. Chronic toxicity

None

11.5. Reproductive and/or Developmental Effects

Components	route	Species	End point	Value
Diphenyl(2,4,6-trim	Ingestion	Rat	NOAEL	200 mg/kg/day
ethyl benzoyl)			premating into	
phosphine oxide			lactation for female	

SECTION 12: ECOLOGICAL INFORMATION

The product has not been tested. The statement has been derived from the properties of the individual components.

12.1. Ecological toxicity

Ad	Aquatic toxicity (acute) of components of the mixture				
Components	End point	End point Value Species Exposure t			
4-(1-oxo-2-prop	LC50	>220mg/l	fish	24h	
enyl)-	EL50	230mg/l	aquatic invertebrates	24h	
mor-pholine	EC50	>120mg/l	algae	72h	
(2,4,6-trioxo-1,3,5	LC50	9.43mg/l	fish	96 h	
-triazine1,3,5(2H,	EC50	158.3mg/l	aquatic invertebrates	48 h	
4H,6H)-triyl)	ErC50	25.7mg/l	algae	72h	
tri-2,1-ethanediyl					

Page 8 of 11

triacrylate				
Silicon dioxide	LC50	>5000mg/l	fish	96 h
	EC50	>5000mg/l	aquatic invertebrates	48 h
	ErC50	173.1mg/l	algae	72h
Carbon black	LC50	>1000mg/l	fish	96 h
	ErC50	10000mg/l	algae	72h
diphenyl(2,4,6- tri	LC50	1.4mg/l	fish	96 h
methylbenzoyl)	EC50	3.53mg/l	aquatic invertebrates	48 h
phosphine oxid	ErC50	>2.01mg/l	algae	72h
Aq	uatic toxicity	(chronic) of co	omponents of the mixt	ure
Components	End point	Value	Species	Exposure time
Diphenyl(2,4,6-tri	EC50	>1,000 mg/l	microorganisms	180 min
methyl benzoyl)				
phosphine oxide				

12.2. Per sistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
Diphenyl(2,4,6-trimet	oxygen	0 -10%	28 d	ECHA
hyl benzoyl)	deple-tion			
phosphine oxide				

12.3. Bio-accumulative potential

Components	BCF	Log kow	BOD/COD
Diphenyl(2,4,6-trimet	47 – 55	3.1 (pH value: 6.4, 23 °C)	-
hyl benzoyl)			
phosphine oxide			

12.4. Mobility in soil

None

12.5. Other adverse effects

None

Page 9 of 11

13.1. Waste disposal methods

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

13.3. Contaminated Packaging disposal method

Handle contaminated packages in the same way as the substance itself.

SECTION 14: TRANSPORT INFORMATION

Land transport USDOT	Not classified as dangerous goods under transport regulations.
Sea transport IMDG	Not classified as dangerous goods under transport regulations.
Air transport IATA/ICAO	Not classified as dangerous goods under transport regulations.
Further information	N/A
Other requirements	N/A

Additional information for IMDG CODE 3.4.1:

According to the general provisions 2.10.2.7, if the volume of the product is less than 5L or the mass is less than 5kg when transported, and the packaging complies with the general provisions in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, the product is not regarded as dangerous goods transportation.

Page 10 of 11

- **15.1.** List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list None of the ingredients are listed
- 15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed

15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed

15.4. Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.5. National inventories

Country	Inventory	Status
AU	AU AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CA	NDSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals	
DSL	Domestic Substances List (DSL)	
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China	
EU	EC Substance Inventory (EINECS, ELINCS, NLP)	
EU	REACH registered substances	
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)	
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)	

Page 11 of 11

NZIoC	New Zealand Inventory of Chemicals
CICR	Chemical Inventory and Control Regulation
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

SECTION 16: OTHER INFORMATION

Reference	US OSHA HCS 29 CFR 1910.1200,ECHA,OECD	
Table formulation	Name: Phrozen Tech. Co. Ltd	
unit	Address / Phone: 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091,	
	TAIWAN(R.O.C) /+ 886-3-6210505	
Table formulator	Job title : Occupational Safety & Health manager	
	Name : Chun-Yao, Kuo	
Table formulation	2023.12.29	
Date		
Remarks	In the above described information, the symbol "N/A" means no	
	relevant information currently.	

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

END OF SAFETY DATASHEET