

336PC SUMO SERIES

1070(W) x 480(D) x 1090(H)

- 1/4", 3/8" & 1/2"dr sockets & acc. Quad Drive ROE
- spanners
   Assorted screwdrivers & Hex Keys
- Pliers, cutters & ShifterPin punch setBit Driver set

- + MUCH MORE



SP50620NZBK

SP50625NZBK

HOT

BUILT-IN РОШЕК



RIIIIT-IN POWER BOARD

QUAD DRIVE SPANNERS

**FULL EXTENSION DRAWERS** 

**HEAVY DUTY** DRAWER SLIDES













 Professional compact and lightweight cordless soldering iron with 3 interchangeable







- Heavy duty hardened jaws for increased gripping power
   Ergonomical non-slip rubber

- Knurled adjuster nut
   Easy quick-release lever
   Includes heavy duty canvas pouch with hanging hooks

















### > OFF-ROAD SERIES













## SPANNER SETS

### **30PC METRIC/SAE QUAD DRIVE ROE COMBINATION SPANNER**

• METRIC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 & 24mm

• SAE:1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"

DUAL FLAT DRIVE TECHNOLOGY The dual flat ring end design allows for maximum contact between the tool and fastener. The extra contact means the applied torque can be increased and risk of damage to the fastener is decreased.

Small head profile designed for working in confined spaces.
 Chrome Vanadium Steel (Cr-V) for high durability.



#### 3/8"DR FLEX CROWFOOT NUT SOCKET RAIL

10pc METRIC • 10 - 19mm SP20574

7pc SAE
• 3/8 to 3/4" SP20594



17PC METRIC **OUAD DRIVE ROE COMBINATION** SPANNER SET

15° OFFSET

SP10017



SP Tools patented QUAD DRIVE open end offers 4 times the gripping power of a standard ROE spanner by wrapping around the fastener and maximising the contact on the flat sides of the

fastener head, not the points.





DRI



**QUAD DRIVE ROE COMBINATION SPANNER SETS** 

11pc METRIC 8 to 22mm

SP10011

11pc SAE • 1/4 to 7/8 SP10061

SP20210

0° OFFSET

**GEAR DRIVE ROE QUAD DRIVE SPANNER SETS** 

12pc METRIC

• 8 to 19mm SP10212

12pc SAE • 5/16 to 1

SP10262



GEAR DRIVE ROE QUAD DRIVE SPANNER SETS

11pc METRIC

• 8, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm SP10111

#### 16PC E-TORX 3/8"DR SOCKET & SPANNER SET

• 4pc E Torx Spanners:

E6xE8, E10xE12, E14xE16, E18xE20 • 12pc E TORX Sockets:





**DOUBLE BOX RING EXTRA LONG SPANNER SET** 

6pc METRIC • 8 to 24mm

SP10236

4pc SAE
• 3/8 to 1-1/6" SP10284







## 1/2"DR STD & DEEP **IMPACT SOCKET SETS**

METRIC & SAE AVAILABLE

**COLOUR CODED** 

**METRIC - 40PC** 

STD: 8 to 24, 26, 27 & 30mm

SAE - 34PC

• STD: 5/16 to 1-1/4 • DEEP: 5/16 to 1-1/4

TRADE TOUGH

#### SP TOOLS IMPACT SOCKETS AND ACCESSORIES

**SOCKET SETS** 

MANUFACTURED FROM HIGH GRADE CHROME MOLYBDENUM STEEL AND EXCEED INTERNATIONAL DIN STANDARDS. DESIGNED TO WITHSTAND THE RIGOURS OF INDUSTRIAL AND TRADE USE.

5PC 1/2"DR WHEEL **NUT IMPACT SOCKET RAIL SET** 

• 14, 17, 19, 21 & 22mm

SP20390



#### 12PC 3/8"DR IMPACTTWIST SOCKET SE

SP20327

#### EFFORTLESS REMOVAL OF ROUNDED BOLTS OR LUG NUTS

Twisted teeth dig in to rounded bolts/lug nuts to provide extreme grip for easy removal.





- METRIC: 8, 10 to 19mm + Pin punch
- · Twisted teeth dig in to rounded bolts/lug nuts to provide extreme grip for easy removal.



3/4"DR IMPACT SOCKET SETS AVAILABLE IN STANDARD & DEEP

**STANDARD** 

**8PC METRIC** • 24 - 46mm

**8PC SAE** • 1 - 1-1/2"

<sup>\$</sup>239 EACH DEEP

**8PC METRIC** • 24 - 46mm

**8PC SAE** • 1 - 1-1/2"

**299** EACH



## FLAT DRIVE **ECHNOLOGY**

FLAT DRIVE TECHNOLOGY MAXIMISES CONTACT ON THE FLAT SIDES OF THE BOLT OR NUT, NOT THE POINTS.









#### 23PC 1/4"DR METRIC/SAE SOCKET SET

- METRIC: 4 to 13mm
- SAF: 3/16 to 1/2"
- 45T Ratchet Flex Handle

Extension Bar



## METRIC: 6 to 22mm • SAE: 1/4 to 7/8' Spark Plug Sockets • 45T Ratchet Flex Handle • Extension Bar

Universal Joint

SP20202





#### 26PC 1/2"DR METRIC/SAE SOCKET SET IN X CASE

- METRIC: 10 to
- 19mm
- SAE: 7/16 to 1" 45T Ratchet
- Flex Handle Wobble Extension
- Bars
   Spark Plug Sockets

SP20306



#### 39PC 1/2"DR METRIC/SAE SOCKET SET

- 12pt 8 to 32mm • 12pt - 3/8 to 1-1/4"
- Spark plug sockets
- Ratchet Flex handle Extension bars
- T820300

# HOT DEAL

32PC 3/8"DR METRIC/SAE SOCKET SET

#### 26PC 3/4"DR METRIC/SAE SOCKET SET

• METRIC: 22, 24, 27, 30, 32, 36, 38, 41, 46 & 50mm SAE: 7/8, 15/16, 1, 1-1/8, 1-3/16, 1-5/16, 1-3/8, 1-7/16, 1-5/8, 1-3/4, 1-7/8 & 2"

T820400



# HAND TOO

## SCREWDRIVERS & BIT SETS

#### **37PC BIT SET PROFESSIONAL**

INCLUDES Hex, Spline, Torx

- & Ribe Bits
- Extension Bit Holder
- 3/8" Dr Bit Adaptor 1/2" Dr Bit Adapto





**MULTIDRIVE** METRIC/SAE



1/4", 3/8" & 1/2"DR **HEX & TORX SOCKET BIT SET** 

- Specialised range of bit types and lengths
- Chrome Vanadium Steel

SP39625



#### 12PC PREMIUM **SCREWDRIVER SET IN X-CASE**

- High quality SVCM
- steel shafts Magnetic tips
- Durable ergonomic handles, featuring antislip dual texture grip
- 6 x Slotted 6 x Phillips



SP34012 DEAL



#### **8PC GO-THRU SCREWDRIVER SET IN X-CASE**

- Go-thru with steel strike cap for use with a hammer to loosen stubborn screws
- Hex shafts and hex bolster collars
- 4 x Slotted 4 x Phillips



SP34020



#### **8PC TORX SCREWDRIVER SET IN X-CASE**

- T8, T10, T15, T20, T25, T27, T30 & T40
- Essential in the removal of Torx Tamper proof safety screws



SP34050



## PLIERS & CUTTERS

### 4-IN-1 SNAP RING PLIER SET 160mm

- 4x INTERCHANGEABLE HEADS
- Internal straight
- Internal bent
   External straight
- External bent
- 160mm long plier with 4x interchangeable heads
   Compact, lightweight and portable
- Ergonomic design

4 INTERCHANGEABLE HEADS



4PC CIRCLIP PLIER SET 175mm (7")

 Suitable for installing and removing external and internal retaining clips Slim jaws for optimum

access
Chrome Vanadium Steel (Cr-V) for high durability Spring loaded ergonomic

handles with non-slip cushion grips

HOT SP32932 DEAL

#### DIAGONAL CUTTERS **FLUSH CUT**

Steel blades

• Forged chrome Vanadium (Cr-V)

PRICE SP32203 125mm \$19 \$25 SP32204 150mm

**BALL DRIVE** 

ON METRIC &

SAE SETS

FROM

**HIGH LEVERAGE COMBINATION PLIERS** PRICE SP32007 175mm \$29 SP32008 200mm

**HIGH LEVERAGE** LONG NOSE PLIERS

AVAILABLE IN 150 & 200mm

SIZE PRICE SP32106 150mm (6") SP32108 200mm (8") \$27

• Chrome vanadium steel Induction hardened

cutting edges

 Ergonomical and comfortable

**HEX ENDS** 

SP34710

#### **HIGH LEVERAGE MULTIGRIPS**

 Multiple jaw positions for varied gripping applications

LOCK BARS Finger guard lock bar

SP32400 165mm 250mm SP32402

\$30 \$**35** SP32403 300mm



#### **9PC KEY SETS - MAGNETIC**

**AVAILABLE IN METRIC, SAE & TORX** 

METRIC SP34511

• 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10mm

SAE SP34512 • 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8"

• T10, T15, T20, T25, T27, T30, T40, T45 & T50

**8PC SLIDING** T-HANDLE **KEY SET** 3 SIDED

METRIC: 2.5, 3, 4, 5, 6, 7, 8 & 10mm

T-Handle design with hex key fittings on all three ends for quick and easy operation

#### 13PC KEY SETS **JUMBO MAGENTIC**

**AVAILABLE IN METRIC & SAE** 

METRIC SP34528

• 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17 & 19mm

SAE SP34529

• 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8 & 3/4"



BALL DRIVE ON

EACH

6



## **NUT RIVETER SET LEVER TYPE**

- Sets 3, 4, 5, 6, 8 & 10mm rivet nuts
  12 interchangeable riveter nozzles and mandrels

- nozzles and mandrels

   Quick release mandrel system

   Heavy duty long lever type

  design reduces physical

  strength required to pop
- strength required to pop rivets, in-turn reducing energy fatigue

  Comfortable ergonomic soft grip handles for extended use

  Kit housed in heavy duty case and premium EVA foam tray

## **NUTSERT GUN LEVER TYPE** Easy change mandrels Single or two hand operation • 250mm long • Sets 3, 4, 5 & 6mm rivet nuts Light weight cast aluminium construction



FIBREGLASS HANDLE Hardened and tempered carbon steel striking heads

MODEL	SIZE	PRICE
SP30163	340g/12oz/.75lbs	<i>\$17</i>
SP30167	454g/16oz/1lbs	\$1 <b>9</b>
SP30175	680g/24oz/1.5lbs	<i>\$22</i>
SP30183	907g/32oz/2lbs	\$25

#### **CLUB HAMMERS ONE PIECE - ANTIVIBRATION**

- Dual striking faces, antivibration head and shaft design
- One piece hardened and tempered carbon

steel hammer

	MOI
0	SP30
	SP30

MODEL	SIZE	PRICE
SP30333	907g / 32oz / 2lbs	\$ <b>35</b>
SP30349	1360g / 48oz / 3lbs	\$45
SP30365	1814g / 64oz / 4lbs	\$ <b>5</b> 5

#### **SLEDGE HAMMERS** FIBREGLASS HANDLE

- · Heat treated head with overstrike protector
- Durable nanofiber handle for unrivalled strength and shock reduction
- Non-slip rubber grip

MODEL	SIZE	PRICE
SP30372	3.6kg / 128oz / 8lbs	\$65
SP30374	4.5kg / 160oz / 10lbs	<sup>\$</sup> 75
SD30376	5.4kg / 192oz / 12lbs	\$ <b>8</b> 5





MODEL	SIZE	PRICE
SP30216	454g/16oz	\$25
SP30232	907g/32oz	\$ <b>30</b>
SP30237	1247g/44oz	\$35
SP30248	1361g/48oz	\$40
	The state of the s	

#### **RUBBER MALLET BLACK OR WHITE**

 Multi-purpose & heavy duty Ideal for applications where softer blows are required





#### **3PC STEP DRILL BIT SET**

MADE FROM HIGH QUALITY HIGH SPEED STEEL (HSS)
OFFERING THE BEST COMBINATION OF STRENGTH, HEAT & WEAR RESISTANCE

- Industrial grade extremely sharp,
- Industrial grade extremely sharp, strong and durable
   Two flute design provides faster, smoother and cleaner cuts
   Automatically deburrs hole as you drill
- Self-starting
- · Each step is clearly labelled with depth diameters

  • Suitable for steel, brass, plastic
- boow &

#### METRIC

- 6 to 30mm (13-step bit)
- 4 to 20mm (9-step bit)
- 4 to 12mm (9-step bit) SP31398
- 3/16" to 3/4'
- (10-step bit) 1/8" to 1/2 (13-step bit) • 1/4" to 1-1/4"
- (17-step bit)

SP31399



**FACEBOOK** 

sptoolsnz



- · Lightweight folding lock-back design with easy push-button opening and closing

Integrated string and wire cutting notch
Rapid tool free push-button blade change

HACKSAW - 12" Quick blade change • 95mm throat • 90°/45° blade settings

SP35100

INSTAGRAM

@sptoolsnz

HOT

DEAL





- Push switch control with 5 brightness
- settings: low/medium/high & extreme

   Water/splash resistant IPX4, Impact resistant
- High quality aluminium body with tactile
- head for breaking glass in emergency situations
   Rechargeable Li-ion battery 4000mAH

SP81432

TORCH/WORK

LIGHT SMD LED

MAGBASE

230° WIDE ANGLE LED

- Ultra lightweight, sleek, slim, low profile
   Iluminates your entire field of view
   Smart on/off motion sensor





SP81491





crevices from

as a power bank.

Rechargeable

• USB output - Can be used

Li-ion battery - 4000mAh

### **SLIMLINE COB LED WORK LIGHT & TORCH**

- Ultra bright COB LED work light
- High power LED torch/top light
- Adjustable dimmer
- 120° Pivoting slimline head
- 360° fold out hook
- Strong magnetic base Water/splash resistant - IP54
- Impact resistant IK07
- Rechargeable Lithium-ion
- Charging time: 4 Hours
- Battery level and charge indicator USB C charging system



SP81446

#### **SLIMLINE LED** PEN TORCH/ **WORK LIGHT**

- High power COB LED
- Magnetic pocket clip
   Rechargeable
- Weight: 35g









SP81456









#### **LED PEN MAGBASE** TORCH/WORK LIGHT Compact lightweight

- Strong magnetic clip
- Rechargeable Lithium Ion
   Overall Length: 180mm
- Width: 20mm











#### **WIRELESS CHARGE WORKLIGHT & TORCH**

- Adjustable dimmer worklight
   Flexible magnetic base 180° fold out hook
   Magnetic zone holds light while charging

CHARGING PAD ALSO WIRELESSLY CHARGES ALL QI ENABLED DEVICES

















FOR FULL PRODUCT DETAILS ON THE SP TOOLS RANGE, VISIT

SPTOOLSNZ.COM









# > BATTERY ESSENTIALS

## 12V/24V **4300A** PEAK AMPS JUMP STARTER

and power bank, capable of supplying a huge amount of power in a very short time to start all 12V petrol engines, 12v diesel engines up to 10 litres and 24V diesel engines up to 6 litres.

• Large capacity onboard Lithium-ion power bank allows you to power or charge your low voltage smartphones, **USB** devices on

JUMP START



### **JUMP START**

Jump start all 12V petrol engines, 12v diesel engines up to 10L and 24V diesel engines up to 6 L

#### LIGHT STRIP

Five light modes, including emergency strobe and SOS

#### **POWER BANK**

smartphones, tablets and imilar USB devices on the go.

# NEW 12V JUMP STARTERS

TWO MODELS AVAILABLE

**2V 2000A** 

- Jump start dead batteries on cars, SUV's, trucks and boats in seconds
- Onboard powerful Lithium-Ion battery holds charge longer
- Doubles up as a portable powerbank, allowing you to charge or power smart phones, tablets and any similar 5v devices on the go
- High power LED flashlight with strobe & SOS flash patterns
- Back-lit LCD screen for poorly lit areas and late night use
- Built in battery management system Reverse polarity & low voltage protection
- Built-in over charge/discharge
- circuit protection
- Includes heavy duty storage case

FROM



## SOS

MODEL **PRICE** \$299 SP61093 71 Petrol 51 Diesel 20004 \$399 SP61095 9L Petrol 7L Diesel 3000A

**HOUSED IN** HEAVY DUTY **STORAGE** CASE



## **SMART BATTERY CHARGERS**

#### LEAD ACID • GEL • AGM • LITHIUM

- Zero volt minimum start can charge a completely flat battery
   Built-in microchip charging control and monitoring system

**8 STAGE MULTI-VOLT** 

#### **4 OPTIONS AVAILABLE**

MODEL	CURRENT OUTPUT	OUTPUT VOLTAGE (Nom)	PRICE
SP61075	3.5 Amp	6 & 12 Volt	\$99
SP61078	6 Amp	6 & 12 Volt	\$139
SP61084	15 Amp	6, 12 & 24 Volt	\$249
SP61086	26 Amp	6, 12 & 24 Volt	\$319



## **MEASURING DIGITAL TORQUE WRENCHES** clockwise and clockwise torque ld & track mode zzer & LED indicator for TORQUE TARGET ALARM DIGITAL DISPLAY

### **DIGITAL FLEX HEAD TORQUE WRENCHES**

#### ONE-STEP TORQUE-ANGLE

- Flex Head Ratchet The ultimate in
- confined space convenience
   Range selection: Nm, in-lb, ft-lb, kg-cm, " "
- kg-cm, " " "

  Calibrated for both Clockwise and Anti-Clockwise use

  Warning LED's and audible alarm sounds within 10% of
- target value
  Automatic torque value
  compensation for flex head
  angle deviation
  Selectable Torque
  Functions: Peak mode &

- Tracking mode
  Angle function: 0° to 360° (+/- 2% accuracy)
  Able to measure the undo torque

REVERSIBLE Ratchet Head

SP35155

SP35255

SP35355

SP35356

of fasteners

FLEX HEAD DIGITAL DISPLAY

REVERSIBLE

TORQUE TARGET ALARM Visual and Audio

3/8" 6.8 to 135Nm 425mm

10 to 200Nm 535mm

1/2"

1/2" 17 to 340Nm 655mm

RATCHET HEAD

SP35256

SP35357

SP35358

## MICROMETER **TORQUE WRENCHES**

- Click type signal alerts user when the required torque is reached
   Reversible ratchet (clock wise torque
- Scale Adjuster accurate & easy
- adjustment
  Adjuster lock will hold required
  setting during use
  Easy readable scale convex lens
  enlarges well defined, bold scale
  numbering. (Nm scale only)
  Quick release mechanism

REVERSIBLE RATCHET HEAD

TORQUE TARGET ALARM Audible click for when torque target is reached

**EASY TO READ** 

MODEL	DRIVE	LENGTH	RANGE	PRICE
SP35152	1/4"	323mm	5-25Nm	\$1 <b>69</b>
SP35252	3/8"	400mm	20-100Nm	\$199
SP35352	1/2"	517mm	40-200Nm	\$209
SP35353	1/2"	517mm	60-340Nm	\$229
SP35463	3/4"	918mm	110-550Nm	\$ <b>849</b>
SP35473	3/4"	1200mm	150-750Nm	\$ <b>949</b>
SP35573	1"	517mm	60-340Nm	\$1199

#### **8 METRE MEASURING TAPE**

1/4" STUBBY

3/8" STUBBY 🍣

1 to 20Nm 216mm

4.2 to 85Nm 290mm

1/2"

530mm

1/2"

10 to 200Nm

17 to 340Nm 650mm



#### 150MM/6" VERNIER **CALIPERS**

- Graduation 0.02mm/0.0001"
- 4-way measurement Inside, outside, step & depth
   Slider provides smooth, stable and comfortable operation
- Metric & SAF measurement
- Upper locking screw
   Hardened stainless steel

**FROM** 

#### **AVAILABLE IN 2 SIZES**

MODEL	SIZE	PRICE
SP35607	150mm/6"	\$ <b>59</b>
SP35608	200mm/8"	\$79

#### 150MM/6" DIGITAL **VERNIER CALIPERS**

- Graduation 0.01mm/0.0005"
- 4-way measurement Inside, outside, step & depth



 Easy to read LCD screen
 Metric & SAE measurement Thumb lock adjustment.

Hardened stainless steel

**AVAILABLE IN 2 SIZES** 

MODEL SIZE SP35631 150mm/6" SP35632 200mm/8" \$169





**CLIP PLIERS - 225MM FLAT BAND** 

Special "-" slot and "o" slot

**CLIP PLIERS - 225MM** Ideal for replacing lower radiator

**SWIVEL JAW** 

Special "v" slot and cross slot jaws



PLASTIC & RUBBER Compound ratchet action • 42mm

**HOSE CUTTER** 

**COOLING SYSTEM FLUSHING GUN** 



#### **COOLING SYSTEM PRESSURE TEST** KIT - 21 PIECE

- Relief valve easy pressure release and self-locking quick connect components
- Finds internal and external cooling system leaks



#### **COOLING SYSTEM PRESSURE TESTER DELUXE**

- The patented inflatable bladder attaches to radiator or header tanks for system testing
- Fliminates the need for adapters to pressure test the
- cooling system

  Identifies cooling system pressure leaks
- Includes 6 double end radiator cap testers





#### **VACUUM BRAKE BLEEDER KIT**

SET INCLUDES BRAKE FLUID RESERVOIR RE-FILLER & BRAKE BLEED BOTTLE

VACUUM BRAKE BLEEDER - 800ml

- Quick release locking trigger
- 700mm bleeder hose
- Universal rubber bleed screw fitting

#### **BRAKE FLUID RESERVOIR** RE-FILLER - 600ml

- Automatically refills brake fluid reservoir during brake bleeding
- Retaining clip provides positive clamping to all master cylinder reservoir types

ONE PERSON OPERATION



MANUAL BRAKE **BLEEDER KIT** 

SET INCLUDES BRAKE FLUID RESERVIOIR RE-FILLER & **BRAKE BLEED BOTTLE** 

#### BRAKE FLUID RESERVOIR

- RE-FILLER 600ml

   Automatically refills brake fluid reservoir during
- brake bleeding
  Retaining clip provides positive clamping to all
  master cylinder reservoir types
- Height adjustment maintains correct fluid level;
   prevents running brake fluid reservoir dry
- BRAKE BLEED BOTTLE
- Large collection bottle
   Universal rubber fitting holds
- securely on brake bleed screw

  Internal submersed tube prevents air
  drawback during brake bleeding
- Hanging hook for hands free use

SP70858



VACUUM BRAKE
BLEEDER KIT 4 LITRE

- Large 4L capacity collection container
   Quickly dispose of waste fluid via small remote cap

- Storage point for bleeder fitting prevents fluid leakage from hose when not in use
  High quality quick-release coupler
  Overflow shut-off valve

## CALIPE

#### **DISC BRAKE DIGITAL CALIPERS** • 0-100/0.4" Disc brake

- digital calipers Double
- point jaw Power On/Off

Graduation 0.01mm/ 0.0005"





- SP35642 • 0-60mm Disc Brake
- Calipers
  Graduation 0.1mm
- Locking Screw
   Length of Jaw

## LINE CLAMPS

#### **3PC MULTI SIZE LINE CLAMP SET** STRAIGHT JAW

 Handy pack of 3 clamps containing small, medium and large clamps to cover hose



#### **BRAKE SPRING WASHER TOOL**

- For removal & replacement of brake shoe retaining washers

  • Head designed to
- fit most vehicles
- Knurled outer cone grip



#### **8PC BRAKE GAUGE SET**

 Accurate measurement of the amount of brake lining that is left without guess work



#### SP63006

- COLOUR CODED Red: 2mm, 3mn (Pads must be replaced)
- Yellow: 4mm, 5mm, 6mm (Replacement suggested)
- Green: 8mm, 10mm, 12mm

#### **BRAKE PIPE BENDING TOOL**

bend options for accurate and safe shaping of automotive brake pipes, up to 5mm in



suitable for one-handed operation in tight confined

#### REAR DISC BRAKE TOOL

 A universal tool for winding back rear brake pistons on most vehicles



#### **BRAKE PISTON REWIND KIT** (RH-LH) **18 PIECE**

Aids in the rewinding of the pistons in brake calipers without damaging the piston gaskets/seals when replacing brake pads.

SP63005



#### **DOUBLE FLARING** TOOL KIT

Aluminium alloy casting tube cutter from 3-30mm
 Steel casing, yoke

SP63016

SP63015 METRIC

SUITS PIPE SIZES
• 3/16, 1/4, 5/16, 3/8, 7/16, 1/2 & 5/8"

SAE



# **DIAGNOSTICS**



**OFFICIAL TOOL PARTNER OF** THE MATT STONE RACING TEAM



#### **TACHOMETER** DIGITAL

- Laser target LCD display with
- backlight
   Range: 100-30000rpm,
  1.7-500rps
- Protective cover &
- carrying case Auto power off

• Accuracy: +/-0.1%

SP62032



#### MINI INFRARED THERMOMETER

- LCD Display with
- Backlight

   Single Dot Laser
- Single Dot Laser Targeting
  Low battery Indication
  Auto Power Off
  -20°C/ 270°C Range (-4°F 518°F)

SP62022



#### **7PC SENSOR** SOCKET SET

- Socket windows allow wires on the sensors to be bypassed
- Applications include: Mitsubishi, Nissan, GM and the Volkswagen **Audi Group**
- For heated & nonheated lambda sensors

SP64065

#### OFFSET OXYGEN SENSOR SOCKET

 Window in socket allows the wires attached to the sensors to be bypassed Applications include

Mitsubishi. Nissan, GM and the Volkswagon Audi Group

SP64061 3/8"dr x 22mm

3/8"DR OXYGEN SENSOR SOCKET

• 3/8"Dr x 22mm (6pt) Applications include: Mitsubishi, Nissan, GM

and the Volkswagen Audi Group

• For heated & non-heated lambda sensors

**VIDEO BORESCOPE** 

CRIMPERS & STRIPP

### **WIRE CUTTERS** & STRIPPERS Strips and cuts cable or wire 10, 12, 14, 16. 18 & 22 AWG • ISO 5.5, 4.0, 2.5, 1.5, 1.0, 0.75mm

#### RATCHET CRIMPER

- AWG: 10-22 (0.5-6mm²) 220mm (8.5") hand ratchet crimper for
- pre-insulated terminals Ouick release action
- Crimping range:
- Quad-point

0.5 - 6mm<sup>2</sup> Crimping type: crimping

## TIMING LIGHT

**ADJUSTABLE** ADVANCE **TIMING**  Quickly LIGHT tune-up cars, trucks marine and recreational vehicles Works on conventional and computer controlled ignition systems Works on adjustable, non adjustable timing systems Testing range 0-10,000rpm Advance degrees 0º to 609 SP62040

## TIMING LIGHT **PROFESSIONAL**

 Four functions digital readout & easy to read backlit LCD Tachometer: 249 to 9,990RPM (+/- 1% Accuracy) nce degrees (2 & 4 cycle DIS and Conventional):

0° to 90° (+/-.5° Accuracy) • Dwell: 0° to 180° / 2-12 cylinders (+/-1% Accuracy)

• Voltage: 10 to 16 volts DC

(+/- 1% Accuracy)

SP62042

**6MM CAMERA** SP70935 HIGH RESOLUTION • 3.2" colour TFT LCD screen
• 1m long flexible, waterproof gooseneck imager head that easily

## SPARK PLUG MAINTENANCE

#### **SPARK PLUG TESTER** • Checks high tension

spark potential at spark plug

#### 14/18MM SPARK **PLUG HOLE** RETHREADER • Cleans & repairs

damaged spark plug threds

SP31300





performs visual inspections in hard to

reach areas

SP61030



## **MULTI-FUNCTION**

## SMART TOOL WITH WIFI & BUILT-IN PRINTER

SUPPORTS THE FULL SYSTEM AND FULL FUNCTION DIAGNOSIS OF MORE THAN 100 CAR BRANDS AROUND THE WORLD

The SP Smart Tool is a multi-function Android tablet based scan tool with an easy to use and understand user interface, capable of running sophisticated whole system diagnosis on more than 100 car brands from Europe, America, Asia and China and offers support to more than 20 common maintenance special functions, CAN FD, DoIP and various diagnosis protocols. Combining multiple professional tools into one, this SP Smart Tool is an essential tool for any modern professional workshop. The built-in printer allows technicians to print out hard copies of test reports on the go and the massive 64GB of on-board storage allows users to save test reports for later viewing and comparison.



- > TYRE PRESSURE MONITORING SYSTEM (TPMS)
- > DIAGNOSE VEHICLE ELECTRONIC CONTROL UNITS
- > VEHICLE MAINTENANCE
- > OPTIONAL VIDEOSCOPE

Videoscope not included, available as SP61173









IN-CAR BATTERY TESTING



EMAIL OR PRINT RESULTS







## MULTIMETER

#### **DIGITAL AUTOMOTIVE** MULTIMETER

- RPM measurement for 2-10 cylinder automotive engines using the inductive pick-up
- 14 functions

Check SPTOOLS. COM for a full list of features and applications

SP62011





#### DIGITAL MULTIMETER

- CAT II 600V Resistance Continuity
   Back Light
  - Diode Test
     Transistor
- Data Hold Test
- AC/DC
- Voltage
   DC Current

CIRCUI

SP62012

#### **DIGITAL MULTIMETER**

#### WITH TEMP GAUGE

- 2000 counts digital display
  Safety Design
- Cat 3 600v
- Non-contact **ACV** detection
- Type K
- input Continuity
- test, resistance SP62015





### **CODE READER**

#### CAN OBDII/EOBD SCANNER **CODE READER**

READS & CLEARS GENERIC & MANUFACTURER SPECIFIC DIAGNOSTIC TROUBLE CODES (DTC'S) & TURNS OFF CHECK ENGINE LIGHT.

Covers all OBDII compliant vehicles: Made in USA from 1996 on; Made in Europe petrol 2001 on & diesel 2004 on; Made in Australia or New Zealand from 2006 on.



AKE SURE YOUR VEHICLE
IS CAN OBDII/EOBD
COMPLIANT BEFORE

#### **CIRCUIT TESTER COMPUTER-SAFE**

#### 3 TO 15V

Safely tests standard primary automotive circuits and onboard computer controlled electrical systems without damaging the micro-processor

SP61020

#### **AUTO RANGING CIRCUIT TESTER**

## VOLTS, OHMS & CONTINUITY

- Auto ranging DC Volt Meter
- Auto ranging Ohms (resistance)

Meter



#### **CURRENT TES**

SP61150





#### **2 SIZE OPTIONS AVAILABLE**

STANDARD BLADE SP62008 MINI BLADE SP62009

- Tests Circuit Current up to 30 Amps
- Maintains fuse protection while connected

## **CIRCUIT TESTER**

### 6 TO 24V

- Light for testing low voltage DC electrical circuits
- **Check series** parallel switches and solenoids
- Crocodile clip Transparent handle Steel probe
- 1.2m cord



#### **CIRCUIT TESTER** HYBRID CARS 12 TO 42V

 Safely tests standard primary automotive circuits and on-board computer controlled electrical systems without damaging the microprocessor





















SP81147











**HEAVY DUTY** 

**PADDED** 

**BALL BEARING** SLIDE DRAWERS

> **SWIVEL** CASTORS

### **HEAVY DUTY MECHANICS CREEPER**

- Heavy duty steel frame
- 6 heavy duty wheels
- Padded body & head rest
- 1030mm x 440mm

SPR-44



### **SUMO WIDE SERIES CREEPER**

- Ideal for bigger/taller blokes
- 6 heavy duty castors
- Padded body & head rest
- Capacity: 150kg
- 1030mm x 540mm

SPR-48



- Ultra stable three wheel configuration
- 3" twin axis sealed bearing control caster
- 7" dual bearing all





 Heavy duty nylon Easy slip-on design Protects seats against oil, grease nd water



#### **PROTECTIVE** KNEELING PAD 550 x 320 x 22mm Reduces

knee and lower back kneeling on hard surfaces



#### **EAR PROTECTION**

• Class 5 32db protection for high noise applications





15

## COMMERCIAL WET & DRY VACUUM/BLOWERS

A CLEAN WORKSHOP IS A SAFE AND EFFICIENT ON 1250W

- 40L stainless steel container

- Wet and dry vacuum cleaner
   Built-in easy drainage system
   Swivel castors and large
   rear wheels provide ease of
   movement in any direction
   3m Hose (38mm Ø)
- 20L Stainless steel container Easily converts to power blower
   Swivelling castors provide convenient multi-direction

movement
• Lightweight and compact
• 1.5m Hose (32mm Ø)

- Floor Nozzle Gulper Nozzle











#### **90W LI-ION CORDLESS SOLDERING IRON KIT**

#### + HEAT SHRINK FUNCTION

- Professional rechargeable li-ion cordless soldering iron with 3 interchangeable tips to suit most soldering applications
- Ideal for various applications in automotive repairs, electrical/electronic circuit repair and jewellery industries.

#### KIT INCLUDES:

- Soldering Iron
   Cone Soldering Tip
- Chisel Soldering Tip
   Heat Shrink Attachment
- Cleaning Ball & 15g Solder

SP32295



# TECHNOLOGY

New rapid heat technology generates a working temperature of 700° in under 10 seconds and bosts a 50 minute continuous use run time

90W

8.4V





700° (1292°F) 50 MINUTE

IN UNDER 10 SECONDS CONTINUOUS RUN TIME

#### S AVAILABLE SEPERATELY

HOT KNIFE TIP



HOT BLADE DECAL REMOVER


SERVICE TROLLEY



#### 7 DRAWER ROLL CAB

745(W) x 480(D) x 1030(H)

- Stainless steel worktop Heavy duty castors 2x lockable รูง รพivel
- Paper towel holder
- Side storage compartment/bin











 Adjustable middle tray 2x Fixed &

2x lockable swivel heavy duty castors • 150kg Load

Cap.

COLOUR OPTIONS SP40019 SP40019G

SP40019BL SP40019BK





#### **DIAGNOSTIC TROLLEY** 4 DRAWER

964w x 414d x 964h (mm)

- Internal locking system for
- extra security
- Heavy duty ball bearing drawer slides
- Robust wall construction
   Double powder coating
- resists scratching
- Full drawer extension capabilities
- 4x swivel (2x lockable) heavy

WORK SURFACE WITH STORAGE COMPARTMENT UNDERNEATH NEW

ALL BLACK





#### **TOOL TROLLEY** 2 DRAWER

900w x 490d x 890h (mm)

- Screwdriver slots on
- both sides of trolley
  2x Swivel lockable
- heavy duty castors
   2x Fixed heavy duty
- castors Internal locking system for extra
- security Heavy duty ball bearing drawer

slides



ALL BLACK

SP40107BK