













TOOL KIT

INCLUDES

QUAD DRIVE



730(W) x 480(D) x 507(H)

SP52280DXNZ

TECH SERIES ROLL CAB METRIC 230PGE \$ 2195 SP52525DX

SP52245DXNZ

CUSTOM SERIES KITS

SP50132DX

SP50120BK











305PC

METRIC ONLY

METRIC ONLY

668(W) x 316(D) x 461(H)

730(W) x 480(D) x 507(H)

TECH SERIES KITS









STEEL FRAME















accessories

• Quad Drive & flare

nut spanners
• Screwdrivers, hex

FACEBOOK sptoolsnz

Hacksaw, tape measure & mini

brush set

+ MUCH MORE



SP50114BKB



measure & mini brush set + MUCH MORE

> YOUTUBE sptools

SP50112BKB

Hacksaw, tape measure & mini

+ MUCH MORE

accessories
• Quad Drive & flare

nut spanners
• Screwdrivers, hex

SP50106BK





VITAL EQUIPMENT FOR ANY ELECTRICIAN'S KIT

CERTIFIED FOR USE ON ELECTRICAL CIRCUITS UP TO 1000V AC OR 1500V DC

- VDE Insulated Sockets, Spanners, Screwdrivers, Hex Keys, Pliers, Cutters, Multigrips & Ratchet **Driver - All housed in Eva Foam Trays**
- Safe for applications up to 1000 V AC / 1500V DC
- Hand Tools crafted from high quality Chrome Vanadium Steel (Cr-V)

STORAGE

KIT INCLUDES

- Digital Insulation Tester
- Digital Automotive Multimeter
- 8pc Screwdriver Set
- Pliers & Cutters
- 8pc Screwdriver Set
- 10pc Spanners Set
- 10pc Socket Set • 4pc Hex Sockets
- 5pc Hex Keys Ratchet Driver
- Extension Bars
- 2 Drawer Tool Trolley



VDE INSULATED SCREWDRIVER SET 8 PIECE

- VDE Insulated handle & blade Safe for applications up to 1000VAC /1500VDC
- Magnetic tip for greater fastener control
 Chrome Vanadium Steel (Cr-V) shaft

INCLLIDES

- 4.0 x 100mm, 5.5 x
- 125mm & 6.5x150mm 4 x Phillips #0 x 75mm,
- #1 x 75mm, #2 x 100mm & #3 x 150mm



VDE INSULATED MICROMETER TORQUE WRENCH

SP34041

SCREWDRIVER SET **VDE INSULATED** 2 PIECE

- VDE Insulated handle
- Safe for applications up to 1000 V AC / 1500V DC INCLUDES
- Phillips 2x100mm
 Slotted 4x100mm



SP34043

200mm (8")

20-100Nm

INCLUDES

Long Nose Pliers 200mm (8") Diagonal Cutters

PLIER/CUTTER SET

VDE INSULATED

Chrome Vanadium

Induction hardened

(Cr-V) blades

cutting edges Insulated grip handles
 1000V VDE

3 PIECE

180mm (7")


3/8"DR MICROMETER TORQUE WRENCH

- Designed to protect from electrical shock
 50 Teeth ratchet provides high strength short
- reversing movement and easy access

 Durable ergonomic handle with anti-slip grip

SP95252

SP32909



SPANNERS, SOCKETS, HEX KEYS, HEX SOCKETS, RATCHET & EXTENSION BAR KIT

- 10pc Spanners Set 8, 10, 12, 13,
- 14, 15, 17, 18 & 19mm • 10pc Socket Set - 8, 10, 12, 13, 14, 15, 16, 17, 18 & 19mm
- 4. 5. 6 & 8mm
- Ratchet Driver

SP55900

SCREWDRIVER & PLIERS KIT

- 8pc Screwdriver Set Combination Pliers 200mm (8")
- Long Nose Pliers 200mm (8")
 Diagonal Cutters 180mm (7")
- Multigrip Pliers





NON-CONTACT AC VOLTAGE

Detects and indicates live current in wire, even if no load is being drawn

LARGE DIGITAL

DISPLAY

DELUXE DIGITAL AUTOMOTIVE MULTIMETER

• Measures DC/AC voltage, DC/AC current (max 10A), resistance, capacitance, frequency (electrical & electronic), continuity & diode check

SP62016

- True-RMS measurements
 Large 6000 count digital
- LCD display
- Auto ranging

Hold function



- Test voltage ranges: 125V, 250V, 500V, 1000V
- Measures: Voltage up to 1000V DC, 750V AC and resistance up to 4000M Ω
- Min/Max record mode
- Live circuit detection prevents insulation tests if voltage >30V

 • Auto null of test lead resistance



AUTO POWER OFF









SOCKET SETS

42PC 1/4" & 3/8"DR 12PT **SOCKET SET** IN X-CASE

1/4"Dr Sockets: • 4 to 10mm & 3/16 to 3/8" 3/8"Dr Sockets:

• 10 to 19mm & 3/8 to 3/4"



SP20601



METRIC/SAE SOCKET SET

- 1/4": 4 to 22mm & 1/4 to 1/2"
- 3/8": 13 to 19mm & 9/16 to 3/4"
- 1/2": 21, 22, 24, 27, 30 & 32mm
- 13/16 1-1/4" Spark Plug Sockets
- Inhex 45T Ratchets
- Flex Handle Extension Bars



SP20280



3/4"DR **SOCKET SET**

METRIC/SAE 32 PIECE

- METRIC 19, 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 & 55mm • SAE - 3/4, 13/16, 7/8, 15/16, 1, 1-1/16,
- 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8 & 1-7/8"
- 24T Ratchet Flex Handle 450mm
- Universal Joint
- Extension Bars 200 & 400mm
 Extendable Handle 450 to 750mm





22PC 3/8"DR METRIC/SAE SOCKET SET

LOW PROFILE DESIGN

- METRIC 8 to 19mm
- SAE 1/4 to 3/4"
- Low Profile Ratchet



43PC 1/4"DR SOCKET SET

- 12pt 4 to 13mm
- 12pt 3/16 to 1/2'
- Deep 6pt 4 to 13mm • Deep 6pt - 3/16 to 1/2"
- 72T Ratchet
- Flex Handle
- Extension Bars
- Universal Joint

SP20101



51PC 3/8"DR SOCKET SET

- 10 to 26, 27, 30 & 32mm
- 3/8 to 1-1/4" Spark Plug Sockets
- 45T Ratchet Flex Handle
- Extension Bars Universal Joint

SP20201



41PC 1/2"DR SOCKET SET

- 10 to 26, 27, 30 & 32mm
- 3/8 to 1-1/4" Spark Plug Sockets
- 45T Ratchet Flex Handle
- Extension Bars Universal Joint

SP20300



1/4" & 3/8"DR TORX SOCKET RAIL SET

• 1/4"Dr - T10 to T25 • 3/8"Dr - T27 to T55



SP20440



1/2"DR TORX SOCKET RAIL SET

10pc TORX

T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 Short (55mm) Sockets





TORX

1/4" TORX SOCKET RAIL SET

• T8, T9, T10, T15, T20, T25, T27, T30 & T40 Sockets (37mm Long)



TORX

9pc TORX PLUS





3/8" TORX SOCKET RAIL SET

• T10, T15, T20, T25, T27, T30, T40, T45 & T50 Sockets (48mm Long)

SP20548



10pc TORX

• T10, T15, T20, T25, T27, T30, T40, T45 & T50 Sockets (100mm Long)

D SP20455



3/8" TORX PLUS SOCKET RAIL SET

T10, T15, T20, T25, T27, T30, T40, T45 & T50 Sockets (48mm Long)





FACEBOOK sptoolsnz





WWW.SPTOOLSNZ.COM



- Tough triple chrome, high polish finish
- Chrome Vanadium Steel (Cr-V)

JUMBO GEARDRIVE

WATCH THE RANGE INFO VIDEO

CHECK OUT OUR YOUTUBE CHANNEL FOR HELPFUL VIDEOS





SCAN ME

SCAN THE QR CODE USING THE **CAMERA ON YOUR SMART DEVICE**





GEAR DRIVE ROE OUAD

METRIC & SAE SET AVAILABLE

8PC METRIC SP10118 20, 21, 22, 24, 26, 27, 30

7PC SAE SP10167 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



REVERSIBLE

0° OFFSET

GEAR DRIVE ROE QUAD DRIVE SPANNER SETS

11pc METRIC • 8 to 19mm SP10131

8pc SAE • 5/16 to 3/4" SP10188



R DRIVE ROE QUAD DRIVE SPANNER SETS

9pc METRIC • 8 to 19mm SP10109

8pc SAE • 5/16 to 3/4" SP10158



DRIVE DOUBLE RING SPANNER SET

12pc METRIC • 8 to 19mm SP10412

8pc SAE • 5/16 to 3/4" SP10468



HEAD GEAR DRIVE ROE QUAD DRIVE

14pc METRIC • 6 to 19mm SP10334

9pc SAE • 1/4 to 3/4" SP10389



FLEX HEAD GEAR DRIVE ROE QUAD DRIVE

11pc METRIC 8 to 19mm SP10311

8pc SAE • 5/16 to 3/4" SP10358



FLEX HEAD GEAR DRIVE ROE QUAD DRIVE

• 20 to 32mm SP10318

7pc SAE • 13/16 to 1-1/4" **\$369**



QUAD DRIVE ROE COMBINATION SPANNER SETS

11pc METRIC

• 8 to 19mm SP10027

8pc SAE • 5/16 to 3/4" SP10077



QUAD DRIVE ROE COMBO SPANNER SET

14pc METRIC

• 6 to 19mm SP10014

13pc SAE • 1/4 to 1" SP10063



QUAD DRIVE ROE COMBINATION SPANNER SETS

METRIC & SAE SET AVAILABLE

9pc METRIC • 19 to 36mm SP10019

9pc SAE • 3/4 to 1-1/2" SP10069











DESIGN

93мм НЕАД INCLUDING ANVIL

- Bolt Busting Torque: 970Nm
- Ideal for mechanical workshops
- Single dog hammer 3 torque settings

WRENCH Bolt Busting Torque: 1140Nm 4 torque settings

SP-1140EX

SP-1140EXL ALSO AVAILABLE

WITH LONG ANVIL



SP-1146







10MM BELT SANDER SP-2370 • RPM: 16.000 • Cap: 10x330mm • Length: 275mm Adjustable sanding arm INCLUDES • 1x 80 grit belt • 1x 120 grit belt

IMPACT SOCKET SETS



1/2"DR IMPACT SOCKET SETS

15PC METRIC • 10 to 19, 21, 22 & 24mm

14PC SAE • 3/8 to 1'



AVAILABLE IN 3 OPTIONS

1/2"DR INHEX OR TORX IMPACT SOCKET SETS

MODEL	TYPE	SIZES INCLUDED
SP20370	9pc METRIC	• 4 - 17mm
SP20375	9pc SAE	• 3/16 - 5/8"
SP20380	9pc TORX	• T20 - T70

• Flat drive technology offers maximum contact and grip • Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability

1"DR IMPACT SOCKET SETS

9PC METRIC

9PC SAE 27, 30, 32, 34, 36, 38, 41,

• 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2" 46 & 50mm

SP TOOLS

6 PT



3/8"DR S NIVEL IMPACT SOCKET RAIL SETS

SP20266



1/2"DR SWIVEL IMPACT SOCKET RAIL SETS

• 10 to 24mm SP20356

• 3/8 to 7/8 SP20366

3/4"DR DOUBLE SQUARE IMPACT **SOCKET SET**

3pc METRIC • 17, 19 & 21mm

SP20470



HAND TOOLS

) BIT SETS & HEX KEYS

71PC 1/4"DR **BIT SET**

SET INCLUDES: Hexagon, Phillips, Pozidrive, Square Slotted, Spanner, Torx Star, Tamper Torx, Torx Plus. Spline Bits. Universal Bit Holder and Adaptors





13PC IMPACT DRIVER BIT SET

- Impact drive handle loosens rusted or seized screws, nuts and bolts with ease
- Set includes Phillins
- Hardened and tempered
- Impact Driver
- 4 x Slotted Bits 5 to 9mm 4 x Phillips Bits #1 to #4
- 4 x Inhex Bits 4 to 6 & 8mm

SP34030



60PC **PROFESSIONAL** BIT SET

- SET INCLUDES: • 30mm(L) Inhex,
- Spline & Torx
- 75mm(L) Inhex Spline, Torx & Ribe
- Inhex Bit Adapters • 1/2"Dr x 14mm Bit
- Adapter Inhex Buffer

Adapte SP39620



T-HANDLE KEY SETS IN EVA FOAM TRAYS **8 PIECE**

EACH


METRIC SP34705

• 2, 2.5, 3, 4, 5, 6, 8 & 10mi

SAE SP34706 5/64", 3/32", 1/8", 5/32" 3/16", 1/4", 5/16" & 3/8

TORX SP34708

• T8, T10, T15, T20, T25, T30, T40 & T50





LOCKING PLIERS

- Powerful non-slip locking grip
- Large, high clearance jaws for greater versatility
 Chrome Molybdenum steel for strength and durability
- Heavy duty knurled fine adjuster nut Soft grip coated quick-release trigger

HIGH CLEARANCE **JAWS**

POWERFUL NON-SLIP GRIP

MODEL SIZE SP32650 SP32651 275mm

PRICE \$25 \$35 SP32653 450mm \$55 275mm 450mm

275mm

C-CLAMP LOCKING PLIERS - STANDARD JAW & SWIVEL PADS AVAILABLE

450mm

Swivel Pads on clamp tips for uneven surfaces and odd angles

SWIVEL PAD

MODEL SIZE PRICE \$29 SP32655 150mm SP32656 \$39 \$49 SP32657 380mm SP32658 \$59

SHEET METAL 200MM (8")

- Wide jaws for extra grip
- Heavy duty knurled adjuster nut
- Easy quick-release lever

WELDING CLAMP 230MM (9")

- Heavy duty non-slip jaws
- · Heavy duty knurled adjuster nut • Easy quick-release

LOCKING PLIERS LONG NOSE

- Non-slip jaws
- Heavy duty hardened jawsChrome Molybdenum
- Steel (Cr-Mo)
- Heavy duty knurled adjuster nut

Easy quick-release lever with non-slip rubber coating

SP32621 150mm/7" \$21 SP32623 225mm/9" \$25 STRAIGHT JAW **LOCKING PLIERS FROM**

 Heavy duty hardened gripping power

SP32612 175mm/7" **\$21** SP32613 250mm/10" \$25







> CUTTING

UTILITY KNIFE RETRACTABLE

- Lightweight & durable



SP30851

DEBRRING TOOL SET - 4PC

- 4 Various extra fine deburring tools for a smooth finish
- Remove burrs from plastic, copper. aluminium & ferrous metal
- pipesPocket clip

SP31340

DRILL BIT SETS HIGH SPEED STEEL

- Made from high quality high speed steel (HSS)
- Industrial grade extremely sharp, strong and durable
- Drills perfectly round holes in steel, brass, plastic, wood etc.

19PC

• 1-10mm (0.5 Increments)

SP31390

25PC

• 1-13mm (0.5 Increments)

SP31391

5PC FILE SET 254MM (10")

- Premium grade steel for long lasting durability
- Ideal for sharpening, shaping and de-burring metals and polymers
- Includes a rugged, compact storage

SP36035



CHISELS & PUNCHES

PUNCH & **CHISEL SET 10 PIECE**

SET INCLUDES

- Pin punches: 2, 3, 4, 5, 6, 8 & 10mm
- Cold chisels: 12, 20 & 24mm

SP30841



7PC PIN PUNCH SET

INCLUDES

- 2, 3, 4, 5, 6, 8 & 10mm
- Designed to drive out pins and rivets



5PC COLD **CHISEL SET**

SET INCLUDES

- 12, 16, 20, 24 & 29mm
- Suitable for cutting and scoring steel



7PC TAPER PUNCH SET

- SET INCLUDES • 1, 2, 3, 4, 5,
- 6, & 8mm
 For driving out rivets/pins,
- free frozen nuts and remove bearings

SP30921



CENTRE PUNCH SET **4 PIECE**

SET INCLUDES • 3, 4, 5 & 6mm

- Designed to make an indentation in metal, plastic or wood prior to drilling to prevent the bit skating off target
 • (Cr-Mo) alloy steel for
- strength & durability

 Single piece construction
- Hexagonal shank for additional durability
- Heat tempered



HOLLOW PUNCH SET 9 PIECE



- SET INCLUDES 2.5, 3, 4, 5, 6, 7, 8, 9 & 10mm
- Ideal for punching holes in leather, gasket material, rubber sheet.
- cardboard & soft plastic (Cr-Mo) alloy steel for strength & durability

 • Precision ground
- flute and cutting edge for clean accurate cutting

SP30950

FASTENING





aluminium, steel & stainless steel

• Comes with 4



• Metric: 2.4, 3.2, 4.0 & 4.8mm • SAE: 3/32", 1/8", 5/32" & 3/16"



90PC NUT RIVETER SET-LEVER TYPE

- Sets 3, 4, 5 & 6mm rivet nuts (20 of each inc.)
- 8 interchangeable riveter nozzles and mandrels · Quick release mandrel
- system Kit housed in heavy duty

case and premium EVA foam tray

SP69011



FACEBOOK sptoolsnz





sptools

> ELECTRICAL & DIAGNOSTIC **700A LI+ POWER BANK JUMP STARTER**

THE PORTABLE POWER SUPPLY FOR ANY JOB.
JUMP STARTS ANY CAR, TRUCK OR MOTORCYCLE.
POWER OR CHARGE 12V ACCESSORIES AND ANY USB 5V ELECTRONICS.

- 12v 250 700AMP Jump start (Petrol engines up to 5L V8 & Diesel up to 3L) (approx. double normal laptop battery life) 12v Port for powering or charging 12v accessories

- 5v USB Port for charging mobile phones, tablets & cameras (approx. 4 full mobile phone charges per charge)



CRIMPING TOOLS /

AUTOMATIC WIRE STRIPPERS

- Insulated: AWG: 10-22 (0.5-6mm²) Non Insulated: AWG:
- 12-10, 16-14, 22-18 (4-6, 1.5-2.5, 0.5-1mm²)
- 200mm (8")
- Crimper features
- Strips and cuts cable or wire 24-10 AWG (0.2 to 6.0mm)

SP32278

BUILT-IN

INSULATED CRIMPING TOOL AND WIRE STRIPPERS

- 225mm (8.8") Automatic wire stripper with crimper features
- 4.0mm Insulated & Open Barrel
- Terminal Crimper
 Wire cutter: 1.25, 2.0 & 5.5mm
- ISO: M2.6, M3, M3.5, M4, M5, Wire stripper: 0.75, 0.9, 1.25, 2.0, 3.5, 5.5mm

OUICK CHANGE RATCHET CRIMPER KIT - 4 PIECE Kit comes with dies to suit insulated terminals, non-insulated terminals & spark plug connectors.

- Dies guickly slide in and slide out
- Quick release action
- · Ideal for any crimping Job

SP32287



SP32282



- Auto-saving function ensures the latest test results are automatically saved for reviewing
 Tests batteries & charging/
- starting systems
 Easily adjustable date/
 time printing mode
 Simple interface

- Circuit protection
 Reverse polarity connection protection



SMART CHARGERS



8 STAGE MULTI-VOLT

LEAD ACID • GEL • AGM • LITHIUM

MODEL	CURRENT OUTPUT	OUTPUT VOLTAGE (Nom)	PRICE
SP61075	3.5 Amp	6 & 12 Volt	\$ 99
SP61078	6 Amp	6 & 12 Volt	\$1 39
SP61084	15 Amp	6, 12 & 24 Volt	\$24 9



8 STAGE - 26 AMP **MULTI VOLT - 6, 12 & 24V**

LEAD ACID, GEL, AGM & LITHIUM

RAMP GAUGE

SPARK PLUG RAMP GAUGE

- Quick easy method to set spark plug gap
 Suits any size from 0.020 to 0.100 (0.6 -



SP64041

MECHANICS STETHOSCOPE

 An essential diagnostic tool engines and engine bays, under-body, transmissions, differentials



BATTERY TERMINAL SPREADER & REAMER PLIERS

 Heavy duty quality spreader

Suitable for cleaning and spreading battery cable terminals

Insulated ergonomically designed handles

CIRCUIT TESTER CORDLESS

3 TO 30V

- No earth Lead Touch ground to complete circuit
- Dual colour LED indicates: Red for power, green for ground on 6V, 12V and 24V systems





SP61003









for fault finding in vehicle & bearings



DELUXE ENGINE OIL PRESSURE TESTER

CHECKS BOTH CARS & TRUCKS

- Dual gauge readings: 0 to 300psi (0 to 21 Bar)
- Oil proof hose: 24" (600mm)
- Includes 1/4"NPT, 3/8"NPT, 1/2BSP, M10x1.0, M12x1.5, M14x1.5, elbow adaptors & 50mm nipple & coupling

SP66070



DELUXE PETROL COMPRESSION TESTER

- Checks cylinder compression from 0-300psi (0 to 21kg/cm2)
 Assembles to form either
- push in or screw in type
- Screw in adaptors include: M10 x 1.0, M12 x 1.25, M14 x 1.25 & M18 x 1.5

SP66030



DIESEL COMPRESSION TESTER SET AUTOMOTIVE

- 0-100ps and 0-70 Bar Adaptors for GM, Ford, Audi, Mercedes Benz, Peugeot, VW & Volvo

SP66037



SEAL TOOL KIT - 24PC

- Ideal for easy removal and installation of camshaft and crankshaft seals
- Suits seals from 21.5 to 64mm

SP70960



NOID LIGHT KIT - 6PC

 Check fuel injector signal faults fast
 Compatible with: GM PFI. FORD TBI. GEO TBI, BOSCH PFI, GM TBI, GM SCPI SP71050



CYLINDER LEAK **DETECTOR & CRANK STOPPER**

- Crank stopper locks engine in place to facilitate installation of timing belts & removal of harmonic balance pulleys
- Gauges show % of cylinder leakage & cylinder

SP66027



VACUUM/FUEL PUMP **TESTER KIT**

- Check for leaking or defective parts in vacuum systems & mechanical fuel pumps
 • Thick rubber bump guard
- Clear and easy to read gauge design




STRETCH BELT TOOL

- · Aids in the quick removal/installation of stretch fit belts Compact, one piece tool
- can be used on the front or back of pulley



SP70991



FUEL LINE DISCONNECT TOOL

- Fits E-3/8" & F-5/16" fuel lines
- Release locking coupling on 5/16" & 3/8" fuel lines

SP64051

FEELER GAUGE SET 25 PIECE

- 0.04-1.00mm Marked with metric sizes
- Hardened spring steel straight blades

 Straight blades 75 (L) x 13mm (W)

FEELER GAUGE SET 32 PIECE

- 0.0015" 0.035" Marked with metric sizes
- Straight blades 85mm(L) x 13mm(W)



3 ARM ENGINE CYLINDER HONE

Versatile hone for 50mm -



COMPRESSION TESTER

PETROL 2.5" gauge with dual scale

- 0-300psi, 0-21kg/cm2, 0-300psi

 Pressure relief valve allows repeated on-vehicle test
- Includes multiple adaptors to fit most applications







\$18 \$20

\$25

SP31504

SP31401 32mm

SP31402 57mm

SP31403 82mm

SP31505





PULLERS

SLIDE HAMMER PULLER KIT

• Designed for removing front and rear axles, stubborn oil seals, bearing races and other press fit parts





SP67048

14PC GEAR PULLER & **BEARING SPLITTER SET**

- · Aids in the removal of pulleys, gears and steering wheels
- Hardened and tempered, precision machined steel holts
- Drop-forged, heat treated steel attachments
- Chrome plated and black ovide finishes
- Separates ball bearings

SP67050

STEERING & SUSPENSION

Restores any diameter damaged left or right-hand

• Includes easy slip-on PVC grip

external threads

INTERNAL & EXTERNAL THREAD FILES - INDIVIDUAL

10PC BEARING RACE & SEAL DRIVER SET

- Designed to allow operator to install bearing cases & seals without damage Ideal for installing wheel
- bearing outer races
 Knurled aluminium handle

INCLUDES

SLIP-ON GRIP



SP31305 0.75, 1, 1.25, 1.50, 1.75, 2, 2.50, 3

SP31306 11, 12, 13, 14, 16, 18, 20 & 24 TPI

SP31307 9, 10, 12, 16, 20, 27, 28 & 32 TPI

LOCKNUT **SOCKETS**

\$65

\$**65**

- For use on front wheel adjusting nuts
- Suits most popular
 4WD hub nuts • 1/2" drive
- 6pt hex

EACH

SIZES

SP67254 54mm NISSAN SP67255 55mm TOYOTA



COIL SPRING COMPRESSOR SET

- Wrap over coil claws for extra safety Uses twin prongs
- and works at a pressure up to 1100kgs

 Maximum iaw opening: 230mm

SP67025

5PC BALL JOINT EXTRACTOR SET

KIT INCLUDES

- Three forks & two handles
- 24mm Ball-joint separator
 28.5mm Pitman-arm wedge
- 18mm Tie-rod spreader
- 8" manual knurled grip handle 8" air-tool compatible

handle with chuck collar

SP67024



2PC MACPHERSON STRUT SPRING COMPRESSOR SET

- Compresses external coil springs on conventional MacPherson style struts to replace shock absorbers, spring sets and repair bent struts and damaged spindles
- Works on and off your car Acme thread • Detent pins

SP67027



2PC STRUT NUT BIT SOCKET SET

• 3/8"Dr x 45mm Long • 5x7mm & 5.5mm x 8.2mm Pry Bit (Double "D") Sockets are used on semi-strut clamp castings fitted to Audi, VW, BMW, Citroën, Ford, Seat, Skoda, Peugeot, Renault and Japanese vehicl

SP67250



BEARING PACKER CUP STYLE

• Packs 50-60 bearings without refilling Transparent. impact resistant cup allows

grease level check



UNIVERSAL BEARING PACKER

• For use with grease guns, the design incorporates grease nipple at one end which easily adapts to the grease gun coupler



(0

 Built in cutter & allows banding to be tightened and cut

CV BOOT CLAMP BANDING TOOL WITH CUTTER Installs band style clamps that require the tensions to be maintained while the band is locked into place winding mechanism

SP67150

SP30818

INSTAGRAM



WWW.SPTOOLSNZ.COM









SP81451



SMD LED Worklight: 500 Lumen
LED Torch: 150 Lumen
Adjustable Dimmer Worklight:

COMPACT WORKLIGHT/TORCH



LIGHT & TORCH TWIN PACK

WIRELESS CHARGE SMD LED WORK



COB LED HEADLAMPS

DUAL LIGHT COB LED SLIMLINE HEADLAMP

MOTION SENSE ON/OFF

SP81491

230° WIDE ANGLE LED **BEAM BAND LIGHT**

EXCELLENT FOR CAMPING & OUTDOOR ACTIVITIES

SMART ON/OFF MOTION SENSOR

Easily turn the headlamp on and off by simply swip a downward motion in front of the motion sensor. quickly turn on the light when you need it and off v

SMD LED Worklight: 300 Lumen LED Torch: 100 Lumen Adjustable Dimmer Worklight: 300 to 30 Lumen Flexible Magnetic Base 180° Fold Out Hook

WORKLIGHT/TORCH

500 to 75 Lumens
• Flexible Magnetic Base
• 180° Fold Out Hook

500

SP81499







DUAL ZONE CHARGING PAD

Dual charging zones
 Magnetic zones holds lights firmly in place while charging

100







PREMIUM UNDER BONNET CORDLESS LED WORKLIGHT

Extendable for applications between 1150 and 1800mm
 Brightness control - 2 settings
 360° Swivel light for flexible light positioning

Ultra bright, ultra wide 5w COB LED Floodlight with 2 brightness settings Includes a High power Cree LED side beam spot light with 2 brightness settings Ultra lightweight, sleek, slim, low profile design (weighs 72 grams)

IPX4 waterproof rating suitable for all-weather use and can

withstand heavy rain, splashes and sweat

- Diffused lens for softer lighting and reduced shadow
 Wide 120° light spread

SMART ON/OFF MOTION SENSOR















EXTENDABLE

Easily adjusts to suit

bonnet sizes up to

1800mm





FACEBOOK

INSTAGRAM @sptoolsnz



YOUTUBE sptools

TYRE SERVICE

TYRE INFLATOR WITH DEFLATOR

- 600mm hose with
- clip-on chuck
 Calibrated: 10-170 PSI in 2lb Increments 70-1200 kPa in 10 kPa increments
- Gauge diameter: 80mm
- Highly accurate Large dial
- Gauge fitted with heavy rubber bumper

CLIP-ON AIR HOSE CHUCKS

STRAIGHT

- Open 1/4 BSP
- High quality solid brass clip-on air chuck

SP65530

ANGLE

- Open 1/4 BSP
- High quality solid brass clip-on air chuck

TYRE INFLATOR WITH **DEFLATOR**

DUAL HEAD

DIGITAL DISPLAY

- Heavy duty aluminium body Pressure measuring range: 0-160 PSI (+/- 2% @25C)
- Automatic shut-off
- 390mm Spiral protected flexible rubber hose
- Rubber impact protection

DIAL TYRE PRESSURE GAUGE

- L shape design allows for increased flexibility
- 360° rotating chuck
- Gauge: 2.5

REST 4X4 TYRE GAUGE AND DEFLATOR ON THE MARKET

SPRING GEAR

OIL PUMP - 20 LITRE • Ideal for transferring noncorrosive fluids of light to



> FLUID TRANSFER

MULTIPURPOSE PUMP 1 LITRE



SP65155

GEAR OIL PUMP 20 LITRE

• Ideal for transferring non-corrosive fluids of light to medium viscosity, such as engine oil, gear oil, transmission fluid, machine oil, etc.

Flow: 60ml / stroke

SP65157

OIL SUCTION PUMP

- Perfect for removing or replacing oil in: engines, transmissions, differentials, gearbox
- sumps & crankcases
 Enables easy access
 to awkward locations
 & ideal for vehicle & machinery use
- No priming necessary
 10" Flexible hose
- 500ml capacity

SP65120

medium viscosity, such as engine oil, gear oil, transmission fluid, machine oil, etc.

SP65160

> LUBRICATION

and home

COUPLER & ACCESSORY KIT

- Quick release grease coupler 74mm
 Quick release grease coupler 130mm
- Needle nose grease dispenser
 Seal-off grease dispenser



GREASE COUPLER SP65137

OUICK-RELEASE LONG

RIGHT ANGLE COUPLER SP65132

OUICK-RELEASE GREASE

SP65136

QUICK-RELEASE SWIVEL



GREASE COUPLER

SP65135



FACEBOOK sptoolsnz





WWW.SPTOOLSNZ.COM





HEIGHT SETTINGS

> MOTORSPORT TOOLS NZ 33 EMPIRE STREET CAMBRIDGE

SALES@MOTORSPORTTOOLS.CO.NZ 027 216 5999