

CERTIFICATE OF ANALYSIS

Prepared for:

EliteCS

 211 Versaw Ct Unit A
 Berthoud, CO USA 80513

040422-SG-75mg-D2404-T

Batch ID or Lot Number: SG75-040120	Test: Potency	Reported: 07Apr2022	USDA License: N/A
Matrix: Unit	Test ID: T000201169	Started: 06Apr2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD): Potency – Standard Cannabinoid Analysis	Received: 04Apr2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.084	0.306	0.122*	0.19*	
Cannabichromenic Acid (CBCA)	0.077	0.280	ND	ND	
Cannabidiol (CBD)	0.248	0.745	72.515	110.65	
Cannabidiolic Acid (CBDA)	0.254	0.764	ND	ND	
Cannabidivarin (CBDV)	0.059	0.176	0.196	0.30	
Cannabidivarinic Acid (CBDVA)	0.106	0.319	ND	ND	
Cannabigerol (CBG)	0.048	0.174	0.460	0.70	
Cannabigerolic Acid (CBGA)	0.199	0.727	ND	ND	
Cannabinol (CBN)	0.062	0.227	0.099*	0.15*	
Cannabinolic Acid (CBNA)	0.136	0.496	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.237	0.866	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.215	0.787	1.315	2.01	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.191	0.697	ND	ND	
Tetrahydrocannabivarin (THCV)	0.043	0.158	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.168	0.615	ND	ND	
Total Cannabinoids			74.707	114.00	
Total Potential THC			1.315	2.01	
Total Potential CBD			72.515	110.65	

Final Approval


 Hannah Wright
 07Apr2022
 03:04:00 PM MDT

PREPARED BY / DATE



 Karen Winternheimer
 07Apr2022
 03:07:00 PM MDT

APPROVED BY / DATE


<https://results.botanacor.com/api/v1/coas/uuid/4faf61e7-db46-4ac7-9881-75a463e012db>
Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
 Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential
 Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cert #4329.02

CDPHE Certified

[4faf61e7db464ac7988175a463e012db.1](https://results.botanacor.com/api/v1/coas/uuid/4faf61e7-db46-4ac7-9881-75a463e012db)

CERTIFICATE OF ANALYSIS

Prepared for:

EliteCS


 211 Versaw Ct Unit A
 Berthoud, CO USA 80513

030122-SG-75mg-D2404-T

Batch ID or Lot Number: SG75-040120	Test: Microbial Contaminants	Reported: 07Mar2022	USDA License: N/A
Matrix: Finished Product	Test ID: T000195802	Started: 02Mar2022	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 01Mar2022	Status: N/A

Microbial
Contaminants

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


 Brianne Maillot
 05Mar2022
 02:09:00 PM MST

PREPARED BY / DATE



 Eden Thompson-Wright
 07Mar2022
 09:12:00 AM MST

APPROVED BY / DATE


<https://results.botanacor.com/api/v1/coas/uuid/4b6f5ea4-3409-434b-a2cf-8cc1a27bb8d8>
Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
 CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
 ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
 STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cert #4329.02

CDPHE Certified

4b6f5ea43409434ba2cf8cc1a27bb8d8.1