

# QUARRY MINING

& CONSTRUCTION EQUIPMENT PTY LTD

QUALITY

EXPERTISE

COMMITMENT

## TOP HAMMER & DRILLING CONSUMABLES



EXPERTISE YOU CAN DEPEND ON

[WWW.QUARRYMINING.COM](http://WWW.QUARRYMINING.COM)



# EXPERTISE. QUALITY. COMMITMENT.

**QUARRY MINING** has been setting the industry standard for almost 40 years in the design and manufacture of quality, custom made drilling consumables.

Over that time we have grown to become a preferred supplier to some of the biggest names in the Australian Mining, Construction and Tunnelling industries as well as exporting our equipment into Asia, South America and New Zealand.

We manufacture a wide range of products to meet all your hard rock and soft rock drilling challenges. Our products are made using the latest technology and the highest quality materials available, including Tungsten Carbide, Poly Crystalline Diamond and high grade steels to ensure you get the best results across a range of drilling conditions.

We work together with you to ensure you always get the exact part needed to get the job done efficiently and cost effectively. Our technical team is available to go on site and customise drilling equipment to meet the specific requirements of the job, to maximise the productivity and the cost effectiveness of your project.

## ON SITE PARTNERS



## TUNNELLING

## CIVIL INFRASTRUCTURE



**NEW SOUTH WALES**

9/14 Yangan Drive,  
 Beresfield NSW 2322

ph: +61 (0)2 4966 5028

e: orders@quarrymining.com

**Distribution Warehouse - Sydney**

Unit 1, No.1 Bearing Road,  
 Seven Hills NSW 2147

ph: 0499 707 553

e: orders@quarrymining.com

**QUEENSLAND**

5/35 Iridium Drive,  
 Mackay QLD 4740

ph: +61 (0)7 4998 5295

e: ordersqld@quarrymining.com



QMS Certification Services



QMS Certification Services



QMS Certification Services

**CONTENTS**

General Information .....4

Drill Bit Configurations .....6

Drill Rods & Adaptors .....7

Rods & Couplings – R25 .....8

Drill Bits– R25 .....9

Rods & Couplings – R32 .....10

Drill Bits – R32 .....11

Rods & Couplings – T38 .....12

Drill Bits – T38 .....13

Rods, Couplings & Adapters – T45 .....14

Drill Bits - T45 .....15

Rods, Couplings and Tubes – T51 .....16

Drill Bits – T51 .....17

Drifter Rods .....18

Shank Adaptors, Jumbo Dollies, Recovery Tools .....19

Custom Manufacture Reamer Plates ..... 20

# GENERAL INFORMATION

## EXPERTISE YOU CAN DEPEND ON.

Quarry Mining has been providing a wide range of quality products, service and support to the construction and mining industry for 30 years. We are committed to delivering ongoing solutions including on-site support, product trialling and procedures training.


We have a diverse range of product lines to help you, whatever your field...

### CORING

### TOP HAMMER (HARD ROCK)

### ROTARY (SOFT ROCK)

### INDUSTRIAL ACCESSORIES



## BIT SHARPENING

**QUARRY MINING** offers an in house button bit sharpening service, available for the purpose of providing significant cost savings on top hammer and DTH button bits.

- Modern facility
- Semi-automatic machines utilising diamond impregnated grinding pins
- Reverse Electrolysis in a Salt Water solution to erode the steel
- Does not affect the Tungsten carbide
- Restores Tungsten Carbide buttons back to "as new" condition
- Recirculating coolant system suppresses any dust whilst cooling the carbide and grinding pin
- Process can be repeated 5-6 times for each drill bit, which equates to significant cost savings for our customers
- Pick up and drop off services are also available



## ADDITIONAL SERVICES

**QUARRY MINING** also offers an extensive range of products and services to compliment our drilling consumables, including:

- Pneumatic Equipment - sales, hire, service, consumables
- Industrial Accessories - hoses, valves, fittings
- Lubricants - oils, grease
- Training - on site, customised packages
- Technical Advice - customised solutions to suit specific requirements and environmental conditions






# DRILL BIT CONFIGURATIONS

## DRILL BIT CONFIGURATIONS

Drill bits available in various configurations to suit conditions.

- Body Style - Standard, Retrac
- Face Design - Flat Face, Drop Centre
- Button Style - Ballistic, Hemispherical
- Cross



# DRILL RODS & ADAPTORS

## DRILL RODS & ADAPTORS

Drill rods and adaptors are available in all lengths and configurations on request.

Drifter Rod - Male / Male



Drill Rod - Male / Female (speed rod)



Drill Rod - Male / Male



All Thread Bar



Adaptor - Female / Male



Coupling - Female / Female



Jumbo Dolly



# RODS & COUPLINGS – R25

## R25 DRILL RODS

Type	Thread	Length	Coupling OD	QM Part Number
M-F	R25	600	36	MF-R25-0600
M-F	R25	900	36	MF-R25-0900
M-F	R25	1200	36	MF-R25-1200
M-F	R25	1800	36	MF-R25-1800
M-F	R25	2100	36	MF-R25-2100
M-M	R25	900	N/A	MM-R25-0900
M-M	R25	1200	N/A	MM-R25-1200
M-M	R25	1500	N/A	MM-R25-1500
M-M	R25	1800	N/A	MM-R25-1800
M-M	R25	2400	N/A	MM-R25-2400
M-M	R25	3100	N/A	MM-R25-3100
M-M	R25	3700	N/A	MM-R25-3700
M-M	R25	4300	N/A	MM-R25-4300

## COUPLINGS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-F	R25	R25	44	CP-R25F-R25F
F-F	R25	R32	44	CP-R25F-R32F
F-F	R25	T38	57	R25F-T38

## CROSSOVER ADAPTORS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-M	R25	R32	-	BA-LH-R25F-R32M

## SHANK RODS

Type	Thread	QM Part Number
22x108	R25	SR-22H-R25M-0250
		SR-22H-R25M-0600
		SR-22H-R25M-0900
		SR-22H-R25M-1200
		SR-22H-R25M-1500
		SR-22H-R25M-1800
		SR-22H-R25M-2100
		SR-22H-R25M-2400
		SR-22H-R25M-3100
		SR-22H-R25M-3600





## R25 DRILL BITS

Diameter	Body Style	Button Style	QM Part Number
33	STD	Ballistic	BB-R25-33-B
33	STD	Hemispherical	BB-R25-33-H
35	STD	Ballistic	BB-R25-35-B
35	STD	Hemispherical	BB-R25-35-H
38	STD	Ballistic	BB-R25-38-B
38	STD	Hemispherical	BB-R25-38-H
41	STD	Ballistic	BB-R25-41-B
41	STD	Hemispherical	BB-R25-41-H
43	STD	Ballistic	BB-R25-43-B
43	STD	Hemispherical	BB-R25-43-H
45	STD	Ballistic	BB-R25-45-B
45	STD	Hemispherical	BB-R25-45-H
48	STD	Ballistic	BB-R25-48-B
48	STD	Hemispherical	BB-R25-48-H
51	STD	Ballistic	BB-R25-51-B
51	STD	Hemispherical	BB-R25-51-H
55	STD	Ballistic	BB-R25-55-B
55	STD	Hemispherical	BB-R25-55-H
57	STD	Ballistic	BB-R25-57-B
57	STD	Hemispherical	BB-R25-57-H

Diameter	Body Style	Style	QM Part Number
33	STD	Cross	XB-R25-33
35	STD	Cross	XB-R25-35
38	STD	Cross	XB-R25-38
41	STD	Cross	XB-R25-41
43	STD	Cross	XB-R25-43
45	STD	Cross	XB-R25-45
51	STD	Cross	XB-R25-51
57	STD	Cross	XB-R25-57

# RODS & COUPLINGS – R32

## R32 DRILL RODS

Type	Thread	Length	Coupling OD	QM Part Number
M-F	R32	900	44	MF-R32-0900
M-F	R32	1200	44	MF-R32-1200
M-F	R32	1800	44	MF-R32-1800
M-F	R32	2400	44	MF-R32-2400
M-F	R32	3660	44	MF-R32-3660
M-F	R32	4300	44	MF-R32-4300
M-F	R32	4900	44	MF-R32-4900
M-F	R32	5500	44	MF-R32-5500

## COUPLINGS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-F	R32	R32	44	CP-R32F-R32F
F-F	R32	T38	55	CP-R32F-T38F

## CROSSOVER ADAPTORS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-M	R32	T38	-	BA-LH-R32F-T38M
F-M	R32	R25	-	BA-LH-R32F-R25M

## SHANK RODS

Type	Thread	QM Part Number
22x108	R32	SR-22H-R32M-0300



## R32 DRILL BITS

Diameter	Body Style	Face Design	Button Style	QM Part Number
41	STD	Drop Centre	Ballistic	BB-R32-41-B
41	STD	Flat Face	Hemispherical	BB-R32-41-H
43	STD	Flat Face	Ballistic	BB-R32-43-B
43	STD	Flat Face	Hemispherical	BB-R32-43-H
45	STD	Flat Face	Ballistic	BB-R32-45-B
45	STD	Flat Face	Hemispherical	BB-R32-45-H
48	STD	Drop Centre	Ballistic	BB-R32-48-B
48	STD	Flat Face	Hemispherical	BB-R32-48-H
51	STD	Drop Centre	Ballistic	BB-R32-51-B
51	STD	Flat Face	Hemispherical	BB-R32-51-H
51	Retrac	Flat Face	Ballistic	RTB-R32-51-B-FF
51	Retrac	Flat Face	Hemispherical	RTB-R32-51-H-FF
57	STD	Drop Centre	Ballistic	BB-R32-57-B
57	STD	Drop Centre	Hemispherical	BB-R32-57-H
57	Retrac	Flat Face	Ballistic	RTB-R32-57-B-FF
57	Retrac	Drop Centre	Ballistic	RTB-R32-57-B-DC
57	Retrac	Flat Face	Hemispherical	RTB-R32-57-H-FF
64	STD	Flat Face	Ballistic	BB-R32-64-B-FF
64	STD	Flat Face	Hemispherical	BB-R32-64-H-FF
64	Retrac	Drop Centre	Ballistic	RTB-R32-31-B-DC
64	Retrac	Flat Face	Ballistic	RTB-R32-64-B-FF
64	Retrac	Drop Centre	Hemispherical	RTB-R32-64-H-DC
76	STD	Drop Centre	Hemispherical	BB-R32-76-H-DC
76	STD	Flat Face	Hemispherical	BB-R32-76-H-FF
76	Retrac	Drop Centre	Hemispherical	RTB-R32-76-H-DC

Diameter	Body Style	Style	QM Part Number
41	STD	Cross	XB-R32-41
43	STD	Cross	XB-R32-43
45	STD	Cross	XB-R32-45
48	STD	Cross	XB-R32-48
51	STD	Cross	XB-R32-51
57	STD	Cross	XB-R32-57
64	STD	Cross	XB-R32-64



# RODS & COUPLINGS – T38

## T38 DRILL RODS

Type	Thread	Length	Coupling OD	QM Part Number
M-F	T38	900	57	MF-T38-0900
M-F	T38	1200	57	MF-T38-1200
M-F	T38	1800	57	MF-T38-1800
M-F	T38	2400	57	MF-T38-2400
M-F	T38	3660	57	MF-T38-3600
M-F	T38	4300	57	MF-T38-4300
M-F	T38	4900	57	MF-T38-4900

## COUPLINGS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-F	T38	T38	52	CP-T38F-T38F
F-F	T38	T38	52	CP-T38F-T38F-FB
F-F	R32	T38	55	CP-R32F-T38F
F-F	T38	T45	65	CP-T38F-T45F

## CROSSOVER ADAPTORS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-M	T38	R32	-	BA-LH-T38F-R32M
F-M	T38	T45	-	BA-LH-T38F-T45M



# DRILL BITS – T38

## T38 DRILL BITS

Diameter	Body Style	Face Design	Button Style	QM Part Number
64	STD	Drop Centre	Ballistic	BB-T38-64-B-DC
64	STD	Drop Centre	Hemispherical	BB-T38-64-H-DC
64	STD	Flat Face	Ballistic	BB-T38-64-B-FF
64	STD	Flat Face	Hemispherical	BB-T38-64-H-FF
64	Retrac	Drop Centre	Ballistic	RTB-T38-64-B-DC
64	Retrac	Drop Centre	Hemispherical	RTB-T38-64-H-DC
64	Retrac	Flat Face	Ballistic	RTB-T38-64-B-FF
64	Retrac	Flat Face	Hemispherical	RTB-T38-64-H-FF
64	STD	Cross		XB-T38-64
70	STD	Drop Centre	Hemispherical	BB-T38-70-H-DC
76	STD	Drop Centre	Ballistic	BB-T38-76-B-DC
76	STD	Drop Centre	Hemispherical	BB-T38-76-H-DC
76	STD	Flat Face	Ballistic	BB-T38-76-B-FF
76	STD	Flat Face	Hemispherical	BB-T38-76-H-FF
76	Retrac	Drop Centre	Ballistic	RTB-T38-76-B-DC
76	Retrac	Drop Centre	Hemispherical	RTB-T38-76-H-DC
76	Retrac	Flat Face	Ballistic	RTB-T38-76-B-FF
76	Retrac	Flat Face	Hemispherical	RTB-T38-76-H-FF
89	STD	Drop Centre	Ballistic	BB-T38-89-B-DC
89	STD	Drop Centre	Hemispherical	BB-T38-89-H-DC
89	STD	Flat Face	Ballistic	BB-T38-89-B-FF
89	STD	Flat Face	Hemispherical	BB-T38-89-H-FF
89	Retrac	Drop Centre	Ballistic	RTB-T38-89-B-DC
89	Retrac	Drop Centre	Hemispherical	RTB-T38-89-H-DC
89	Retrac	Flat Face	Ballistic	RTB-T38-89-B-FF
89	Retrac	Flat Face	Hemispherical	RTB-T38-89-H-FF
102	STD	Drop Centre	Ballistic	BB-T38-102-B-DC
102	STD	Drop Centre	Hemispherical	BB-T38-102-H-DC
102	STD	Flat Face	Ballistic	BB-T38-102-B-FF
102	STD	Flat Face	Hemispherical	BB-T38-102-H-FF
102	Retrac	Drop Centre	Ballistic	RTB-T38-102-B-DC
102	Retrac	Drop Centre	Hemispherical	RTB-T38-102-H-DC
102	Retrac	Flat Face	Ballistic	RTB-T38-102-B-FF
102	Retrac	Flat Face	Hemispherical	RTB-T38-102-H-FF

# RODS, COUPLINGS AND ADAPTORS – T45

RODS, COUPLINGS AND ADAPTORS – T45

## T45 DRILL RODS

Type	Thread	Length	Coupling OD	QM Part Number
M-F	T45	1500	65	MF-T45-1500
M-F	T45	1800	65	MF-T45-1800
M-F	T45	3100	65	MF-T45-3100
M-F	T45	3660	65	MF-T45-3600
M-F	T45	4300	65	MF-T45-4300
M-F	T45	4800	65	MF-T45-4800
M-M	T45	3100	-	MM-T45-3100
M-M	T45	3600	-	MM-T45-3600

## GUIDE TUBES

Type	Thread	Length	Diameter	QM Part Number
M/F	T45	1830	65	GT-T45-1800-MF
M/F	T45	3660	65	GT-T45-3700-MF

## COUPLINGS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-F	T45	T45	63	CP-T45F-T45F
F-F	T38	T45	63	CP-T38F-T45F
F-F	T45	T51	72	CP-T45F-T51F

## CROSSOVER ADAPTORS

Type	Thread	Thread	Outer Diameter	QM Part Number
F-M	T38	T45	-	BA-LH-T38F-T45M
F-M	T45	T51	-	BA-LH-T45F-T51M





# DRILL BITS – T45

## T45 DRILL BITS

Diam.	Body Style	Face Design	Button Style	Buttons x Diameter		Flushing Hole x Diameter		QM Part Number
				Face	Gauge	Face	Side	
70	STD	Drop Centre	Hemispherical	4 x 9.5	6 x 11	3 x 8	-	BB-T45-70-H-DC
76	STD	Flat Face	Hemispherical	4 x 11	8 x 12	2 x 12	-	BB-T45-76-H-FF
76	STD	Flat Face	Ballistic	4 x 11	8 x 12	2 x 12	-	BB-T45-76-B-FF
76	Retrac	Flat Face	Hemispherical	4 x 12	8 x 12	2 x 10	-	RTB-T45-76-H-FF
76	Retrac	Drop Centre	Hemispherical	5 x 11	8 x 12	4 x 9	-	RTB-T45-76-H-DC
89	STD	Flat Face	Hemispherical	5 x 12	8 x 13	4 x 10	-	BB-T45-89-H-FF
89	STD	Drop Centre	Hemispherical	6 x 12	8 x 13	4 x 9	-	BB-T45-89-H-DC
89	Retrac	Flat Face	Hemispherical	5 x 12	8 x 13	4 x 10	-	RTB-T45-89-H-FF
89	Retrac	Drop Centre	Hemispherical	6 x 12	8 x 13	4 x 10	-	RTB-T45-89-H-DC
102	STD	Flat Face	Hemispherical	6 x 13	8 x 14	4 x 11	-	BB-T45-102-H-FF
102	STD	Flat Face	Ballistic	6 x 13	8 x 14	4 x 11	-	BB-T45-102-B-FF
102	Retrac	Drop Centre	Hemispherical	6 x 13	8 x 14	4 x 11	-	RTB-T51-102-H-DC
102	Retrac	Flat Face	Hemispherical	6 x 13	8 x 14	4 x 11	-	RTB-T51-102-H-FF

NB: Please see page 17 for recovery tools.

# RODS, COUPLINGS AND ADAPTERS - T51

## DRILL RODS

Type	Thread	Length	Coupling	QM Part Number
M-F	T51	1830	72	MF-T51-1800
M-F	T51	3660	72	MF-T51-3600
M-F	T51	4270	72	MF-T51-4300
M-M	T51	900	-	MM-T51-0900
M-M	T51	3660	-	MM-T51-3600
M-M	T51	4270	-	MM-T51-4300
M-M	T51	6095	-	MM-T51-6000

## COUPLINGS

Thread	Diameter	Length	QM Part Number
T51	72	235	CP-T51F-T51F
T51	76	235	CP-T51F-T51F-HD

## CROSSOVER ADAPTERS

Type	Thread	Thread	Diameter	QM Part Number
F-F	T38	T51	72	CP-T38F-T51F
F-F	T45	T51	72	CP-T45F-T51F
F-M	T45 FEM	T51 MALE	64	BA-LH-T45F-T51M
F-M	T51 FEM	T45 MALE	72	BA-LH-T51F-T45M
* M-M	T51 MALE	T51 MALE	51	BA-LH-T51M-T51M

\* For use with T51 guide tube

## GUIDE TUBES

Type	Thread	Length	Diameter	QM Part Number
M/F	T51	1830	76	GT-T51-1800-MF
M/F	T51	3660	76	GT-T51-3700-MF

## T51 DRILL BITS

Diameter	Body Style	Face Design	Button Style	Buttons x Diameter		Flushing Holes x Diameter		QM Part Number
				Face	Gauge	Face	Side	
76	STD	Flat Face	Hemispherical	4 x 11	8 x 12	2 x 12	-	BB-T51-76-H-FF
76	STD	Flat Face	Ballistic	4 x 11	8 x 12	2 x 12	-	BB-T51-76-B-FF
76	Retrac	Drop Centre	Hemispherical	5 x 11	8 x 12	4 x 9	-	RTB-T51-76-H-DC
89	STD	Cross Bit				1 x 10	2 x 10	XB-T51-89
89	STD	Flat Face	Hemispherical	5 x 13	8 x 14	4 x 10	-	BB-T51-89-H-FF-HD
89	STD	Drop Centre	Hemispherical	6 x 12	8 x 13	4 x 9	-	BB-T51-89-H-DC
89	Retrac	Flat Face	Hemispherical	5 x 12	8 x 13	4 x 10	-	RTB-T51-89-H-FF
89	Retrac	Flat Face	Hemispherical	6 x 13	8 x 14	2 x 12	2 x 8	RTB-T51-89-H-FF-HD
89	Retrac	Flat Face	Hemispherical	4 x 14	8 x 14	2 x 13	-	RTB-T51-89-H-FF-XHD
89	Retrac	Drop Centre	Hemispherical	6 x 12	8 x 13	4 x 10	-	RTB-T51-89-H-DC
89	Retrac	Drop Centre	Ballistic	6 x 12	8 x 13	4 x 10	-	RTB-T51-89-B-DC
102	STD	Flat Face	Hemispherical	6 x 14	8 x 14	2 x 14	-	BB-T51-102-H-FF
102	STD	Flat Face	Ballistic	6 x 14	8 x 14	2 x 14	2 x 10	BB-T51-102-B-FF-2SF
102	STD	Flat Face	Hemispherical	6 x 14	8 x 16	2 x 14	-	BB-T51-102-H-FF-HD
102	STD	Drop Centre	Hemispherical	6 x 13	8 x 14	4 x 11	-	BB-T51-102-H-DC
102	Retrac	Flat Face	Hemispherical	6 x 14	9 x 14	3 x 12	-	RTB-T51-102-H-FF-HD
102	Retrac	Flat Face	Hemispherical	6 x 14	8 x 16	2 x 14	-	RTB-T51-102-H-XHD
102	Retrac	Drop Centre	Hemispherical	6 x 13	8 x 14	4 x 11	-	RTB-T51-102-H-DC
102	Retrac	Drop Centre	Ballistic	6 x 13	8 x 14	4 x 11	-	RTB-T51-102-B-DC
115	STD	Flat Face	Hemispherical	6 x 14	9 x 16	3 x 13	-	BB-T51-115-H-FF
115	STD	Drop Centre	Hemispherical	8 x 14	8 x 14	4 x 11	-	BB-T51-115-H-DC
115	Retrac	Drop Centre	Hemispherical	9 x 13	9 x 14	3 x 13	-	RTB-T51-115-H-DC
127	STD	Flat Face	Hemispherical	8 x 12	8 x 14	2 x 15	-	BB-T51-127-H-FF
127	Retrac	Drop Centre	Hemispherical	9 x 14	9 x 14	3 x 14	-	RTB-T51-127-H-DC
127	Retrac	Flat Face	Hemispherical	9 x 14	10 x 14	3 x 14	-	RTB-T51-127-H-FF
140	STD	Drop Centre	Hemispherical	4 x 14, 4 x 12	8 x 14	4 x 13	-	BB-T51-140-H-DC
140	Retrac	Drop Centre	Hemispherical	4 x 16	8 x 16	4 x 14	-	RTB-T51-140-H-DC
152	STD	Flat Face	Hemispherical	9 x 13	9 x 16	3 x 16	-	BB-T51-152-H-FF
165	STD	Drop Centre	Hemispherical	10 x 14	9 x 16	3 x 16	-	BB-T51-165-H-DC
165	Retrac	Drop Centre	Ballistic	4 x 16, 4 x 13	8 x 16	4 x 14	-	RTB-T51-165-B-DC





# DRIFTER RODS

## DRIFTER RODS

Type	Thread	Thread	Length	QM Part Number
<b>R32-R25</b>				
M-M	R32	R25	2400	DF-R32M-R25M-25H2400
M-M	R32	R25	2600	DF-R32M-R25M-25H2600
M-M	R32	R25	3100	DF-R32M-R25M-25H3100
M-M	R32	R25	3700	DF-R32M-R25M-25H3700
M-M	R32	R25	4300	DF-R32M-R25M-25H4300
<b>T38-R32</b>				
M-M	T38	R32	2400	DF-T38M-R32M-32H2400
M-M	T38	R32	2700	DF-T38M-R32M-32H2700
M-M	T38	R32	3100	DF-T38M-R32M-35H3100
M-M	T38	R32	3700	DF-T38M-R32M-35H3700
M-M	T38	R32	4300	DF-T38M-R32M-35H4300
M-M	T38	R32	4600	DF-T38M-R32M-35H4600
M-M	T38	R32	4900	DF-T38M-R32M-35H4900
M-M	T38	R32	5200	DF-T38M-R32M-35H5200
M-M	T38	R32	5500	DF-T38M-R32M-35H5500
M-M	T38	R32	5800	DF-T38M-R32M-35H5800
M-M	T38	R32	6100	DF-T38M-R32M-35H6100
M-M	T38	R32	6400	DF-T38M-R32M-35H6400

\*other lengths and configurations available on request



## SHANK ADAPTORS

Rockdrill / Drifter Type	Thread	Length	Diam.	QM Part Number
HC40/50 R32 370mm dia 38	R32	370	38	SN-HC40 -R32-370-38
HC40/50 T38 370mm dia 38	T38	370	38	SN-HC40 -T38-370-38
HC108/109 R32 440mm dia 38	R32	440	37	SN-HC108 -R32-440-38
HC108/109 T38 500mm dia 38	T38	500	38	SN-HC108 -T38-500-38
HC110 T38 500mm dia 45	T45	500	45	SN-HC110 -T38-500-45
HC110 T45 500mm dia 45	T45	500	45	SN-HC110 -T45-500-45
HL500 R32 450mm dia 38	R32	450	38	SN-HL500 -R32-450-38
Cop 1838 R32 525mm dia 38	R32	525	38	SN-CP1838-R32-525-38
Cop 1838 T38 525mm dia 38	T38	525	38	SN-CP1838-T38-525-38

Shank Adaptors also available to suit:

- Atlas Copco
- Boart Longyear
- Furukawa
- Gardner Denver
- Ingersoll Rand
- Joy
- Krupp, Montabert
- Secoma, Sig
- Sandvik, Tamrock



## JUMBO DOLLIES

Thread	Socket	Length	QM Part Number
R32F	36AF	600	JD-R32F-0600-36AF
T38F	36AF	600	JD-T38F-0600-36AF
T38F	36AF	800	JD-T38F-0800-36AF

\*other lengths and configurations available on request



## RECOVERY TOOLS


Type	Thread	Working Size	QM Part Number
SLEEVE	T38F	25 - 51mm	REC-T38F-SLEEVE-60
SLEEVE	T45F	36 - 68mm	REC-T45F-SLEEVE-65
PIKE	T45F	16 - 25mm	REC-T45M-PIKE-17
SLEEVE	T51F	41 - 78mm	REC-T51F-SLEEVE-76
PIKE	T51F	16 - 28mm	REC-T51M-PIKE-17

# CUSTOM MANUFACTURE REAMER PLATES

## FLAT PLATE REAMER BITS

Diameter and threads as specified.

Heat treated – high quality German made tungsten carbide buttons.



## PILOT REAMER BITS / HOLE OPENERS

R32, T38 and T45

Diameters 89, 102, 115, 127, 165, 230, 250 and 320mm

# QUARRY MINING

& CONSTRUCTION EQUIPMENT PTY LTD

## New South Wales

9/14 Yangan Drive,  
Beresfield NSW 2322

ph: +61 (0)2 4966 5028

fax: +61 (0)2 4910 9022

e: [orders@quarrymining.com](mailto:orders@quarrymining.com)

## Queensland

5/35 Iridium Drive,  
Mackay QLD 4740

ph: +61 (0)7 4998 5295

fax: +61 (0)7 4805 6126

e: [ordersqld@quarrymining.com](mailto:ordersqld@quarrymining.com)

## Distribution Warehouse - Sydney

Unit 1, No.1 Bearing Road,  
Seven Hills NSW 2147

ph: 0499 707 553

e: [orders@quarrymining.com](mailto:orders@quarrymining.com)



QMS Certification Services



QMS Certification Services



QMS Certification Services

CAT-THDC 02 2023\_v5



**EXPERTISE YOU CAN DEPEND ON**

**WWW.QUARRYMINING.COM**