Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493 Date of previous issue: -Country / Language: CA / EN

SECTION 1. IDENTIFICATION

Product name

Biosolve™ Plus

Material number

62012436

Recommended use

Cleaning agent

Manufacturer or supplier's details

Supplier

: LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive PittsburghPA 15275-1112

USA

Telephone

+1800LANXESS

+14128091000 (international)

Emergency telephone

Chemtrec 1-800-424-9300

International 1-703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations (WHMIS 2015).

Skin corrosion

Category 1

Serious eye damage

Category 1

Skin sensitization

: Sub-category 1B

ic toxicity - single exposure

(Inhalation)

Specific target organ system- : Category 1 (Respiratory Tract)

GHS label elements

Hazard pictograms





Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Causes damage to organs (Respiratory Tract) if inhaled.

Precautionary Statements

Prevention:

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Solution of sodium hydroxide in water., and, Sodium salts

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Sodium hydroxide	1310-73-2	>= 5 - < 10
Tetrasodium ethylene diamine tetraacetate	64-02-8	>= 3 - < 5
Ethoxylated branched C9-11, C10-rich al-	78330-20-8	>= 1 - < 3
cohols		
Coconut oil amidopropyl betaine	61789-40-0	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : Get medical attention immediately.

Call a physician or poison control center immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

apparatus.

If not breathing, if breathing is irregulor or respiratory arrest occurs, provide artifical respiration, or oxygen by a trained

professional, using a pocket type respirator.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire,

symptoms may be delayed.

The exposed person may need to be kept under medical sur-

veillance for 48 hours.

In case of skin contact

: Get medical attention immediately.

Call a physician immediately.

Immediately flush skin with large amounts of water.

Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes.

Chemical burns must be treated promptly by a physician.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In the event of any complaints or symptoms, avoid further

exposure.

In case of eye contact

Get medical attention immediately.

Call a physician.

Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids. Remove contact lenses.

Continue to rinse for at least 10 minutes.

Chemical burns must be treated promptly by a physician.

If swallowed

Get medical attention immediately.

Call a physician immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If conscious, drink plenty of water.

Stop if the exposed person feels sick as vomiting may be

dangerous.

Do not induce vomiting unless directed to do by medical per-

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Rinse mouth with water.

Most important symptoms and effects, both acute and delayed

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Symptoms

Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Skin: Reddening, burning, and possible permanent damage. Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels. Inhalation: Causes respiratory tract burns.

Burns to the respiratory tract can cause swelling that could require a tracheotomy. Pulmonary edema may be delayed for several hours up to several days. Many hydrofluoric acid fatalities have been due to severe pulmonary edema. Toxic effects can also include depletion of calcium in the body,

which can result in death if not treated.

Effects

May cause an allergic skin reaction.

Causes serious eye damage.

Causes damage to organs if inhaled.

Causes severe burns.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media :

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

In case of fire, use water spray (fog), foam, dry chemical or

 CO_2 .

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

: In a fire or if heated, a pressure increase will occur and the

container may burst.

Hazardous combustion prod- :

ucts

Metal oxides

Carbon dioxide (CO2)
Carbon monoxide
Nitrogen oxides (NOx)
Halogenated compounds

Further information

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment:

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : No action shall be taken involving any personal risk or without

Biosolve™ Plus



Version Revision Date: SDS Number: Date of previous issue: 1.0 09/13/2018 103000008493 Country / Language: CA / EN

tive equipment and emer-

suitable training.

gency procedures

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilled material.

Do not breathe vapors or spray mist.

Provide adequate ventilation.

Put on appropriate personal protection equipment.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

follows.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

Keep people away from and upwind of spill/leak.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking

and smoking.

Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Do not get on skin or clothing.

Do not broothe vapors or spray m

Do not breathe vapors or spray mist.

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in

use.

Empty containers retain product residue; observe all precau-

tions for product.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Store locked up.

Keep containers sealed until ready for use.

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		TWA	2 mg/m3	OSHA Z-1

Engineering measures

Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Personal protective equipment

Respiratory protection

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize

exposure.

Hand protection

Material

Permeation resistant gloves.

Eye protection

Chemical resistant goggles must be worn.

If inhalation hazards exist, a full-face respirator may be re-

quired instead.

Skin and body protection

: Permeation resistant clothing and foot protection.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

liquid

Appearance

Liquid, viscous

Color

blue

Odor

strong, aliphatic

Odor Threshold

No data available

pН

: 13 - 14

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Melting point/range

: 0 °C

Boiling point/boiling range

100 °C

(1,013 hPa)

Flash point

: > 93 °C (> 199 °F)

Method: Pensky-Martens., closed cup

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit

No data available

Vapor pressure

21.33 hPa (25 °C)

Relative vapor density

No data available

Relative density

: 1.13

Density

1.12 - 1.14 g/cm³ (20 °C)

Solubility(ies)

: No data available

Partition coefficient: n-

octanol/water

No data available

Ignition temperature

No data available

Decomposition temperature

No data available

Viscosity

: No data available

Explosive properties

No data available

Oxidizing properties

No data available

Molecular weight

No data available

Metal corrosion rate

Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability

The product is chemically stable.

Possibility of hazardous reac-

No dangerous reaction known under conditions of normal use.

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

tions

Conditions to avoid

: No specific data.

Incompatible materials

: Incompatible with acids and bases.

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation Eye contact

Skin contact Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity

: Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity

: Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Tetrasodium ethylene diamine tetraacetate:

Acute oral toxicity : LD50 (Rat): 1,658 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation

Ethoxylated branched C9-11, C10-rich alcohols:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Coconut oil amidopropyl betaine:

Acute oral toxicity : LD50 (Rat): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Skin corrosion/irritation

Causes severe burns.

Product:

Result: Corrosive after 4 hours or less of exposure

Components:

Sodium hydroxide:

Species: Rabbit

Result: Causes severe burns.

Tetrasodium ethylene diamine tetraacetate:

Species: Rabbit

Result: No skin irritation

Coconut oil amidopropyl betaine:

Remarks: Irritant

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result: Corrosive

Components:

Sodium hydroxide:

Species: Rabbit

Result: Risk of serious damage to eyes.

Tetrasodium ethylene diamine tetraacetate:

Species: Rabbit

Result: Risk of serious damage to eyes. Method: OECD Test Guideline 405

Ethoxylated branched C9-11, C10-rich alcohols:

Result: Risk of serious damage to eyes.

Coconut oil amidopropyl betaine:

Remarks: Irritant

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Respiratory sensitization

Not classified based on available information.

Components:

Tetrasodium ethylene diamine tetraacetate:

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitization on laboratory animals.

Coconut oil amidopropyl betaine:

Routes of exposure: Skin contact

Result: The product is a skin sensitiser, sub-category 1B.

Remarks: Sensitizing

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium hydroxide:

Genotoxicity in vitro

: Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo

Test Type: Micronucleus test Species: Mammalian-Animal Application Route: Intraperitoneal

Result: negative

Tetrasodium ethylene diamine tetraacetate:

Genotoxicity in vitro

Test Type: Ames test

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Causes damage to organs (Respiratory Tract) if inhaled.

Product:

Routes of exposure: Inhalation Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, single ex-

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493 Date of previous issue: -Country / Language: CA / EN

posure, category 1.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium hydroxide:

Toxicity to fish

: LC50 (Trout): 45.4 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity

This product has no known ecotoxicological effects.

Chronic aquatic toxicity

This product has no known ecotoxicological effects.

Tetrasodium ethylene diamine tetraacetate:

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill sunfish)): 121 mg/l

Exposure time: 96 h Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 610 mg/l

Exposure time: 24 h Method: ISO 6341 Remarks: Fresh water

Toxicity to algae

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

ic toxicity)

NOEC (Danio rerio (zebra fish)): > 25.7 mg/l

Exposure time: 35 Days

Method: OECD Test Guideline 210

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 Days

Method: OECD Test Guideline 211

Biosolve™ Plus



Version 1.0 Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

Remarks: Fresh water

Persistence and degradability

Components:

Sodium hydroxide:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Tetrasodium ethylene diamine tetraacetate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 10 % Exposure time: 28 d

Method: OECD Test Guideline 302B

Ethoxylated branched C9-11, C10-rich alcohols:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Tetrasodium ethylene diamine tetraacetate:

Bioaccumulation : Bioconcentration factor (BCF): 1.8

Mobility in soilNo data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

TDG

Biosolve™ Plus



Version 1.0

Revision Date: 09/13/2018

SDS Number: 103000008493 Date of previous issue: -Country / Language: CA / EN

UN number

UN 1824

Proper shipping name

SODIUM HYDROXIDE SOLUTION 8

Class Packing group

Labels

II 8

Environmentally hazardous

no

Product classified per Transportation of Dangerous Goods Regulations sections 2.40-2.42 (Class 8).

International Regulations

IATA-DGR

UN/ID No.

UN 1824

Proper shipping name

Sodium hydroxide solution

Class Packing group

8 \parallel

8

Labels



Packing instruction (cargo

aircraft)

855: 30.00 L

Packing instruction (passen- :

ger aircraft)

851: 1.00 L

Environmentally hazardous no

IMDG-Code

UN number

UN 1824

Proper shipping name

SODIUM HYDROXIDE SOLUTION

Class

8

Packing group

11

Labels

8

Marine pollutant

no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

TSCA

: On TSCA Inventory

Biosolve™ Plus



Version 1.0 Revision Date: 09/13/2018

SDS Number: 103000008493

Date of previous issue: -Country / Language: CA / EN

DSL


All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

Further information

NFPA:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

SECTION 16. OTHER INFORMATION

Revision Date

09/13/2018

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.