

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage



0.013%
47.6 mg/container
4.8 mg/serving
Total THC

<LOQ
<LOQ
<LOQ
Total CBD

0.014%
50.4 mg/container
5.0 mg/serving
Total Cannabinoids

Cannabinoids

Date Tested: 03/13/2024

| Analytes | % | mg/g | mg/ml | mg/serving | LOQ |
|----------|-------|-------|-------|------------|-------|
| CBC | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| CBD | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| CBDa | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| CBG | 0.000 | 0.002 | 0.002 | 0.088 | 0.000 |
| CBGa | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| CBL | 0.000 | 0.002 | 0.002 | 0.088 | 0.000 |
| CBN | 0.000 | 0.003 | 0.003 | 0.102 | 0.000 |
| Δ8-THC | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| Δ9-THC | 0.013 | 0.134 | 0.134 | 4.763 | 0.000 |
| THCa | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |
| THCVa | <LOQ | <LOQ | <LOQ | <LOQ | 0.000 |

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

Pass
Residual Solvents

Pass
Pesticides

Pass
Mycotoxins

Pass
Heavy Metals

Pass
Microbials

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage



Microbials

Pass

Date Tested: 03/15/2024

| Analyte | Limit | Units | Status |
|--------------------------------------|-------|--------------|-------------|
| Aerobic Bacteria | 1 | CFU/g | NT |
| Bile-Tolerant Gram-Negative Bacteria | 1 | NR | NT |
| Coliforms | 1 | NR | NT |
| E. Coli | 1 | Not Detected | Not Present |
| Salmonella | 1 | Not Detected | Not Present |
| Yeast & Mold | 1000 | <LOQ | Not Present |

Method: qPCR

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



John Schmidt

Analytical Chemist

Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage



Mycotoxins

Pass

Date Tested: 03/15/2024

| Analyte | LOQ | Limit | Units | Status |
|--------------|------|-------|-------|--------|
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin B2 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G2 | 1.00 | 20.00 | <LOQ | Pass |
| Ochratoxin A | 1.00 | 20.00 | <LOQ | Pass |



Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage




Heavy Metals

Pass

Date Tested: 03/15/2024

| Analyte | LOQ | Limit | Mass | Status |
|---------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.10 | 1.50 | <LOQ | Pass |
| Cadmium | 0.10 | 0.50 | <LOQ | Pass |
| Lead | 0.10 | 0.50 | <LOQ | Pass |
| Mercury | 0.10 | 3.00 | <LOQ | Pass |



Method: ICPMS



John Schmidt

Analytical Chemist

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage



Pesticides

Pass

Date Tested: 03/15/2024

| Analyte | LOQ | Limit | Mass | Status |
|---------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.01 | 0.50 | <LOQ | Pass |
| Acephate | 0.01 | 0.40 | <LOQ | Pass |
| Acequinocyl | 0.01 | 2.00 | <LOQ | Pass |
| Acetamiprid | 0.01 | 0.20 | <LOQ | Pass |
| Aldicarb | 0.01 | 0.40 | <LOQ | Pass |
| Azoxystrobin | 0.01 | 0.20 | <LOQ | Pass |
| Bifenazate | 0.01 | 0.20 | <LOQ | Pass |
| Bifenthrin | 0.01 | 0.20 | <LOQ | Pass |
| Boscalid | 0.01 | 0.40 | <LOQ | Pass |
| Carbaryl | 0.01 | 0.20 | <LOQ | Pass |
| Carbofuran | 0.01 | 0.20 | <LOQ | Pass |
| Chlorantraniliprole | 0.01 | 0.20 | <LOQ | Pass |
| Chlorfenapyr | 0.01 | 1.00 | <LOQ | Pass |
| Chlorpyrifos | 0.01 | 0.20 | <LOQ | Pass |
| Clofentezine | 0.01 | 0.20 | <LOQ | Pass |
| Cyfluthrin | 0.01 | 1.00 | <LOQ | Pass |
| Cypermethrin | 0.01 | 1.00 | <LOQ | Pass |
| Daminozide | 0.01 | 1.00 | <LOQ | Pass |
| DDVP | 0.01 | 1.00 | <LOQ | Pass |
| Diazinon | 0.01 | 0.20 | <LOQ | Pass |
| Dimethoate | 0.01 | 0.20 | <LOQ | Pass |
| Ethoprophos | 0.01 | 0.20 | <LOQ | Pass |
| Etofenprox | 0.01 | 0.40 | <LOQ | Pass |
| Etoxazole | 0.01 | 0.20 | <LOQ | Pass |
| Fenoxycarb | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage



Pesticides

Pass

Date Tested: 03/15/2024

| Analyte | LOQ | Limit | Mass | Status |
|--------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Fenpyroximate | 0.01 | 0.40 | <LOQ | Pass |
| Fipronil | 0.01 | 0.40 | <LOQ | Pass |
| Fonicamid | 0.01 | 1.00 | <LOQ | Pass |
| Fludioxonil | 0.01 | 0.40 | <LOQ | Pass |
| Hexythiazox | 0.01 | 1.00 | <LOQ | Pass |
| Imazalil | 0.01 | 0.20 | <LOQ | Pass |
| Imidacloprid | 0.01 | 0.40 | <LOQ | Pass |
| Kresoxim Methyl | 0.01 | 0.40 | <LOQ | Pass |
| Malathion | 0.01 | 0.20 | <LOQ | Pass |
| Metalaxyl | 0.01 | 0.20 | <LOQ | Pass |
| Methiocarb | 0.01 | 0.20 | <LOQ | Pass |
| Methomyl | 0.01 | 0.40 | <LOQ | Pass |
| Methyl Parathion | 0.01 | 0.20 | <LOQ | Pass |
| MGK-264 | 0.01 | 0.20 | <LOQ | Pass |
| Myclobutanil | 0.01 | 0.20 | <LOQ | Pass |
| Naled | 0.01 | 0.50 | <LOQ | Pass |
| Oxamyl | 0.01 | 1.00 | <LOQ | Pass |
| Paclobutrazol | 0.01 | 0.40 | <LOQ | Pass |
| Permethrins | 0.01 | 0.20 | <LOQ | Pass |
| Phosmet | 0.01 | 0.20 | <LOQ | Pass |
| Piperonyl Butoxide | 0.01 | 2.00 | <LOQ | Pass |
| Prallethrin | 0.01 | 0.20 | <LOQ | Pass |
| Propiconazole | 0.01 | 0.40 | <LOQ | Pass |
| Propoxur | 0.01 | 0.20 | <LOQ | Pass |
| Pyrethrins | 0.01 | 1.00 | <LOQ | Pass |

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Cantrip, Inc.
4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50
Ingestible, Beverage



Pesticides

Pass

Date Tested: 03/15/2024

| Analyte | LOQ | Limit | Mass | Status |
|-----------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Pyridaben | 0.01 | 0.20 | <LOQ | Pass |
| Spinosad | 0.01 | 0.20 | <LOQ | Pass |
| Spiromesifen | 0.01 | 0.20 | <LOQ | Pass |
| Spirotetramat | 0.01 | 0.20 | <LOQ | Pass |
| Spiroxamine | 0.01 | 0.40 | <LOQ | Pass |
| Tebuconazole | 0.01 | 0.40 | <LOQ | Pass |
| Thiacloprid | 0.01 | 0.20 | <LOQ | Pass |
| Thiamethoxam | 0.01 | 0.20 | <LOQ | Pass |
| Trifloxystrobin | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Cantrip, Inc.

4150 98th Ave S
Fargo, ND 58104
adam@cantripseltzer.com
(908) 868-7866

Sample: 2403AIT0261.0583

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 03/13/2024; Report Created: 03/20/2024

MN.RB.2404-50

Ingestible, Beverage



Residual Solvents

Pass

Date Tested: 03/15/2024

| Analyte | LOQ | Limit | Mass | Status |
|-------------------|----------|----------|---------|--------|
| | PPM | PPM | PPM | |
| 1,4-Dioxane | 71.250 | 380.000 | <LOQ | Pass |
| 2-Butanol | 437.500 | 5000.000 | <LOQ | Pass |
| 2-Ethoxy-Ethanol | 30.000 | 160.000 | <LOQ | Pass |
| 2-Propanol IPA | 437.500 | 5000.000 | <LOQ | Pass |
| Acetone | 437.500 | 5000.000 | <LOQ | Pass |
| Acetonitrile | 76.880 | 410.000 | <LOQ | Pass |
| Benzene | 0.375 | 2.000 | <LOQ | Pass |
| Butanes | 156.300 | 5000.000 | <LOQ | Pass |
| Cumene | 13.130 | 70.000 | <LOQ | Pass |
| Cyclohexane | 727.500 | 3880.000 | <LOQ | Pass |
| Dichloromethane | 112.500 | 600.000 | <LOQ | Pass |
| Ethanol | 437.500 | 5000.000 | 556.084 | Pass |
| Ethyl-Acetate | 437.500 | 5000.000 | <LOQ | Pass |
| Ethyl-Ether | 437.500 | 5000.000 | <LOQ | Pass |
| Ethylene Glycol | 116.300 | 620.000 | <LOQ | Pass |
| Ethylene Oxide | 9.375 | 50.000 | <LOQ | Pass |
| Heptane | 437.500 | 5000.000 | <LOQ | Pass |
| Hexanes | 217.500 | 290.000 | <LOQ | Pass |
| Isopropyl-Acetate | 437.500 | 5000.000 | <LOQ | Pass |
| Methanol | 312.500 | 3000.000 | <LOQ | Pass |
| Pentanes | 953.100 | 5000.000 | <LOQ | Pass |
| Propane | 31.250 | 5000.000 | <LOQ | Pass |
| Tetrahydrofuran | 135.000 | 720.000 | <LOQ | Pass |
| Toluene | 166.900 | 890.000 | <LOQ | Pass |
| Xylenes | 1221.000 | 2170.000 | <LOQ | Pass |

Method: GCMS (Headspace)

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



John Schmidt

Analytical Chemist

Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.