



LOCINOX

Let's make better fences together

LOCINOX LOCKS
Built to last!



LOCKS - SWING GATES

bolt-on

Locinox locks are the guarantee for a good operating gate. Every lock is tested extensively in order to be sure that our locks will work in all weather conditions.




All the locks have a stainless steel mechanism, fit on left or right handed gates and withstand a 1000h salt spray test - equivalent to 20 years in an external environment.



LA – Standard lock



LM – Mechanical Code lock

LF – Mechanical Code lock Free Exit



LA – Ornamental lock

LE – Electric lock



Build the order reference for your preferred Locinox bolt-on lock using our **CODE BUILDER**, included in this brochure.



KEEPS - SWING GATES


bolt-on

No lock without a keep. The keep is a combination of a Gate Stop and Receiver in one innovative package. The Keep works seamlessly with our locks to provide aesthetic beauty and long service life.




KEEP – Standard

KEEP – Security



- ✓ Stainless Steel keep
- ✓ Adjustable aluminum stop plate with rubber bumper
- ✓ Quickfix



- ✓ Aluminum keep
- ✓ Higher security
- ✓ Adjustable stopplate with shock rubber
- ✓ Quickfix

Order codes


- SAKLQF - Keep for square profiles
- SARLQF - Keep for round profiles

Order codes


- SHKLQF - Keep for square profiles
- SHRLQF - Keep for round profiles

KEEP – Ornamental

KEEP – Electric strike



- ✓ Stainless Steel strike plate
- ✓ Eashtetical look
- ✓ No integrated stop



- ✓ Stainless steel reinforced deadbolt
- ✓ Double blocking system
- ✓ Resists up to 1000lbs force

Order codes

- SPKZQF40 - Keep for square profiles
- SPKZTK40 - Keep and counterbox for square profile

Order codes

- SE-E - Electric Strike, Fail Safe (CLOSED)
- SE-R - Electric Strike, Fail Safe (OPEN)




LOCKS AND KEEPS – SLIDE GATES

bolt-on




Locinox has a unique range of locks for Slide Gates. The Twistfinger catch bolt and auto-correcting keep ensure a secure and easy latch of your slide gate.

LL – Mechanical code lock 2 sided




- ✓ No electricity
- ✓ Code panel on both sides
- ✓ Easy Access control

LS – Standard Lock for slide gate



- ✓ Reversible Twistfinger
- ✓ Innovative closing system
- ✓ Square apr. 3/8" shaft

KEEP - Sliding gates



- ✓ Left/right auto-adjustable
- ✓ Min profile size: 3" wide
- ✓ Quick Fix

Order codes

- SSKZQFL - For square profiles min. 3"
- O-SET - Adapter for flat profiles

Build the order reference for your preferred Locinox bolt-on lock using our **CODE BUILDER**, included in this brochure.



INSERT LOCKS AND KEEPS



Inserts locks with 100% stainless steel mechanism. The models can be installed on steel, aluminium or wood gates. The adjustable latch bolt in combination with the stainless steel hook (deadbolt) provides extra security.

FORTYLOCK & KEEP



Order codes

FORTYLOCK - For profiles of 1-1/2"

KEEPS

SFKIQF40 - For square profiles of 1-1/2" x 1-1/23

HANDLES & COVER PLATES

Order separately

H-WOOD & KEEP



Order codes

H-WOOD - For profiles with a min. depth of 4"

KEEPS

SHKW - For 1-1/2" to 2-1/2" sections

SEHH - Electric strike, Fail Secure (CLOSE)

SEHR - Electric strike, Fail Safe (OPEN)

HANDLES & COVER PLATES

Order separately

H-METAL & KEEP



Order codes

H-METAL - For profiles min. depth of 2-1/2"

H-METAL-WB - For Hybrid welding lockbox only

KEEPS

SHKM - For square posts 1-1/2" to 2-1/2"

SHWKB - To weld into post 2-1/2" to 1-1/2"

SEHE - Electric strike, Fail Secure (CLOSE)

SEHR - Electric strike, Fail Safe (OPEN)

HANDLES & COVER PLATES

Order separately

PANIC HARDWARE

PANIC RELEASE PUSH BAR




- ✓ Anodised black aluminum
- ✓ Order with Chain link lock or mechanical codelock for free exit
- ✓ Easy to install

Order codes

PUSHBAR-L	- Pushbar length - standard 45-1/4" (can be shortened)
PUSHBAR-H	- compatible with hybrid insert locks

PUSH HANDLE SET



- ✓ Fits standard and free exit codelocks
- ✓ The 3006PUSH replaces the handles
- ✓ Facilitates the opening of the gate

Order codes

3006-PUSH	- Push handle set in aluminum Follower length 3-15/16"
-----------	---




CHILD SAFETY – FOR PARKS AND POOLS



The Twist40 opens with a "press and twist" action which prevents the access to the pool for small children.

The unique rollerbolt reduces latch resistance allowing the gate to close easier.

SWIMMING POOL LOCK – TWIST 40



- ✓ Stainless Steel roller bolt
- ✓ Only for gate profiles of 1-1/2" (16Ga)

Order codes

TWIST 40	- Adjustable for profiles 1 - 1/2"
----------	------------------------------------

Compatible with Standard Keep



TOOL CASE WITH DRILLFIX JIG FOR LOCKS AND KEEPS

NEW

This jig is designed to self-center on square or round posts, and guarantees perfect alignment. This will allow you to easily drill the 4-hole pattern for the lock or the two holes necessary for the keeper.

The DrillFix comes in a sleek and sturdy case that includes all the necessary accessories to install Locinox locks and keeps.

DRILLFIX



- ✓ Tool case with self-centering drilling tool
- ✓ Drill jig can be used for round and rectangular profiles from 30 up to 76 mm (1-1/4" up to 3")
- ✓ Useful for installation of Locinox bolt-on locks and keeps in 4 easy steps
- ✓ Includes Locitool – 3015LA
- ✓ Includes Allen Key and positioning pin
- ✓ Designed for installing all bolt-on locks and keeps

Order codes

DRILLFIX



1 MOUNT DRILLFIX



2 DRILL HOLES



3 MOUNT THE LOCK



4 JOB WELL DONE

100% Quality

- ▶ Solid stainless steel bolts
- ▶ Adjustment of the bolts up to 3/4" without removing the lockbox
- ▶ Throw of 7/8" in 1 turn of the key
- ▶ Key-operated self-latching bolt
- ▶ Easy left or right hand changing of the self-latching bolt
- ▶ Tested on a minimum of 500,000 cycles
- ▶ Mounted on the inside of the post
- ▶ Minimum Gap: - Regular Lockbox 3-3/4" - Small Lock box 3-3/8"
- ▶ Flush Mount "I-kit" available
- ▶ Resists 3000 lbs holding force



- ▶ Aluminum diecast lockbox
- ▶ KTL powdercoating : 1000h salt spray resistant
- ▶ Handle in anodized aluminum or zamac
- ▶ Corrosion resistant: 1000h salt spray resistant
- ▶ Mechanism: 100% stainless steel
- ▶ Europrofile cylinder 27/27 (60% brass)
- ▶ Cylinder size independent of profile size
- ▶ Available cylinders: re-keyable KwikSet 5 pin, or Schlage 5 or 6 pin keyway

Modularity

One drilling template for all locks LA, LE, LD, LF, LM and keeps SA, SH and SM. With this interchangeability, the Locinox lock and keep give you the opportunity to offer a solution for every situation.



100% modular



1 gate profile,
lots of possibilities



Left/right reversible

1 prepared profile = a multitude of possibilities



STANDARD



22MM
CYLINDER



ORNAMENTAL



ELECTRIC



TRIANGULAR HANDLE



DOUBLE CYLINDER



CHILD SAFETY



TRIANGULAR
CYLINDER



ECONOMICAL



PUSH HANDLE



FREE EXIT



MECHANICAL
CODE LOCK



MECHANICAL WITH
PUSH HANDLE



MECHANICAL WITH
PUSH BAR



INDUSTRIAL




SECURITY




POLYAMIDE

1 method of installation for all our locks and keeps:




CODEBUILDER FOR BOLT-ON LOCKS


1. What type of LOCK do you want?



2. What type of gate FRAME do you have?




3. ADJUSTABILITY of the latch and dead bolt



4. Choose a lock that fits your GATE FRAME SIZE




5. Choose the type of LOCKBOX



6. What COLOR do you want?



7. Standard CYLINDER. Keyed alike cylinders or Schlage / Kwikset available as separate items.



8. Standard HANDLE Special handles (Storage room, Panic exit, Push paddle, ...) available upon request.



EXAMPLE CODE for standard black lock with FA handle: **LA K Q 4040 U2L 9005 VSZ FA**



LOCINOX
Let's make better fences together

- Locks
- Gate Closers
- Chainlink
- Pool & Park
- Access Control
- Ornamental



MODULARITY

All our products are designed for maximum interchangeability, for easy configuration or replacement.



EASE OF INSTALLATION

All our products are fast and easy to install. Even when installing on site, thanks to the Quick-Fix.



TRUSTED QUALITY

Every product is tested a minimum of 500k movements.



WEATHERPROOF RUSTPROOF

All Locinox products are tested in the most extreme circumstances and work in all seasons



**3 YEAR
WARRANTY**

3 YEAR WARRANTY

For all mechanical products. 2 year warranty for all electric and electronic products.



LEFT AND RIGHT

Every Locinox product is designed to use for both left and right handed gates.

**=24h
SHIPPING**

24H SHIPPING

Every order will be shipped within 24 hours.



FULL SUPPORT

Our team of fence experts are at your service for any information you might need or any question you might have.



Power Door Products

(914) 698-5083

www.PowerDoorProducts.com