

CARPENTER'S WHEEL

Written by Donna Jordan Finished Size: 33 x 33" or 26" x 26"



Fabric Requirements:

Print H (Red): ¼ yard Print G (Green): 3/8 yard Print F (Background & 1st Border): 5/8 YD. Outside Border: 5/8 yard Binding: 3/8 yard Backing: 1 yard

Cutting Instructions:

From print H, cut 2 strip @ 3 5/8" WOF & sub-cut into 16 – 3 5/8" Squares

From print G, cut 2 strip @ 3 5/8" WOF & sub-cut into 16 - 3 5/8" Squares Also from Print G, cut 1 @ 3 $\frac{1}{4}$ " WOF & sub-cut into $4 - 3 \frac{1}{4}$ " Squares

From print F, cut 2 strip @ 3 5/8" WOF & sub-cut into 16 - 3 5/8" Squares Also from Print F, cut 1 @ 3 1/4" WOF & sub-cut into 12 - 3 1/4" Squares For your inner border, from print F cut 4 @ 1 1/2" WOF

For your Outer Border, cut 4 strips @ 5" WOF NOTE: Blue and green sample pictured above only has 1 border cut 4 @ 2 ¹/₂" WOF

```
Pair up your 3 5/8" squares that you have the following pairs:
8 pairs – G/F
8 pairs – F/H
8 pairs – G/H
```

To make the G/F half square triangles – draw a diagonal line from corner to corner on the back of a G square. Place the G square on top of one of the F squares with right sides together. Sew 1/4" away from the drawn line. Repeat on the other side of the line. Cut along the drawn line to yield two G/F half square triangles. Open the half square triangle units and press seam allowance toward the darker fabric. Trim "dog ears" if desired. The finished square should now measure 3 1/4" square.

Repeat the process with the remaining G/F pieces to make a total of 16 G/F squares. Repeat the above steps to make 16 F/H and 16 G/H squares.



Sewing Instructions:

Layout your pieces for one quarter of the quilt top as shown below and stitch together:



Repeat to make a total of 4 units. Layout the units as shown below and stitch together:



Sew inner border all around your patchwork, then sew outer border all around your quilt. Quilt, bind, and enjoy!

