


JORDAN FABRICS



CURVED LOG CABIN TABLE RUNNER

QUICK & EASY METHOD BY DONNA JORDAN





Finished Size: 16 x 66 inches

Fabric requirements

Lighter prints

- 1/8 yard center square
- 3/8 yard pieces 3 and 4
- 1/2 yard pieces 7 and 8
- 1/2 yard pieces 11 and 12

Darker prints

- 1/4 yard pieces 1 and 2
- 3/8 yard pieces 5 and 6
- 1/2 yard pieces 9 and 10
- 2 yards backing
- 3/8 yard binding

Cutting instructions

Dark Prints

- Piece #1 – cut one strip 2" wide WOF. Sub cut into 16 – 2" squares
- Piece #2 – cut one strip 3 1/2" wide WOF. Sub cut into 16 – 2" logs

Piece #5 – cut one strip 4 ¼” wide WOF. Sub cut into 16 – 2” logs

Piece #6 – cut one strip 5 ¾” wide WOF. Sub cut into 16 – 2” logs

Piece #9 – cut one strip 6 ½” wide WOF. Sub cut into 16 – 2” logs

Piece #10 – cut one strip 8” wide WOF. Sub cut into 16 – 2” logs

Lighter prints

Center square – cut one strip 2” wide WOF. Sub cut into 16 – 2” squares

Piece #3 – cut one strip 3 ½” wide WOF. Sub cut into 16 – 1 ¼” logs

Piece #4 – cut one strip 4 ¼” wide WOF. Sub cut into 16 – 1 ¼” logs

Piece #7 – cut one strip 5 ¾” wide WOF. Sub cut into 16 – 1 ¼” logs

Piece #8 – cut one strip 6 ½” wide WOF. Sub cut into 16 – 1 ¼” logs

Piece #11 – cut one strip 8” wide WOF. Sub cut into 16 – 1 ¼” logs

Piece #12 – cut one strip 8 ¾” wide WOF. Sub cut into 16 – 1 ¼” logs

Sewing directions

Always use a ¼” seam allowance. This is *usually* the width of your presser foot, but since all your pieces are cut the exact lengths needed only when using an exact ¼” seam allowance it is a good idea to double check this measurement.

Stitch piece #1 to the center square. Finger press the seam allowances toward piece #1. Using the diagram above, continue to stitch all the “logs” around the block – finger pressing all seam allowances away from the center.

Repeat until you have all 16 Log Cabin blocks sewn. Iron the blocks very flat.

Lay out 4 blocks as shown below.



Stitch the 4 blocks together – alternate the direction the seam allowances lay.
Iron the blocks flat.

Lay out all four 4 block units as shown below and stitch together. Iron the runner
very flat.

Quilt and bind as desired.



JORDAN FABRICS



jordanfabrics.com

info@jordanfabrics.com