

Maple Leaf Table Runner

Featuring a Kite-Tail Border! Written by Donna Jordan for Jordan Fabrics

Finished Size: 18 x 60"




Required Material:

5 Fat Quarters of assorted fall prints

Background: 1 yard Border: 1/3 yard Binding: 1/3 yard Backing: 1 3/4 yard

Each fat quarter is cut the same way as shown below:

Width - 18"



Cut 2 strips @ 3 1/8" WOF - subcut into 12 - 3 1/8" squares
Cut 1 strip @ 3 7/8" WOF - subcut into 2 - 3 7/8" squares
Cut 1 strip @ 3 1/2" WOF - subcut into 3 - 3 1/2" squares
Cut 1 strip @ 1" WOF - subcut into 1 @ 1 x 6"

Background fabric cutting instructions

Cut 1 @ 3 ½" WOF and sub-cut to 10 @ 3 ½" square (for the leaf blocks)

Cut 2 @ 3 7/8" WOF and sub-cut to 10 @ 3 7/8" square (half-square triangles for the leaf blocks)

Cut 5 @ 3 1/8" WOF and sub-cut to 54 @ 3 1/8" square (kite-tail border half-square triangles)


Cut 1 @ 2 ¾" WOF and sub-cut to 4 @ 2 ¾" square (4 corners of kite-tail border)

Sewing instructions for the leaf bock

Gather the following all from the same print for one leaf block: $3-3 \frac{1}{2}$ " squares, $2-3 \frac{7}{8}$ " squares, $1-1 \times 6$ " stem


From the background: $2-3 \frac{1}{2}$ " squares, $2-3 \frac{7}{8}$ " squares

To make the stem, cut a 3 $\frac{1}{2}$ " background square in half along the diagonal. Mark the center of each cut side. Take a 1 x 6" dark print and mark the center of each long side. Stitch the 1 x 6" to one of the background triangles, making sure to match the centers. Stitch the other triangle to the opposite side of the 1 x 6" piece, again matching the centers. Press seams towards the center. Trim off the excess stem so that the block is once again 3 $\frac{1}{2}$ " square.



Take a 3 7/8" dark square and a 3 7/8" background square and make 2 half-square triangles by drawing a line along the diagonal of the reverse side of the background square. Place fabrics right sides together and stitch ¼" away from the line one each side. Cut along the drawn line to create 2 half-square triangles. Refer to the diagram below. Iron the seam allowances toward the dark print and trim off the dog ears.

Repeat, so you have a total of 4.



Lay out your pieces as shown below and stitch into rows, then stitch your rows together. Steam press very flat with seams all to one side. The block should measure 9 ½"



Repeat to make the other 4 leaf blocks. Stitch the 5 blocks together as shown below. The patchwork unit should measure 45 $\frac{1}{2}$ x 9 $\frac{1}{2}$ "



Kite-tail border instructions

Using $54 - 3 \frac{1}{8}$ " background squares and $54 - \text{print } 3 \frac{1}{8}$ " squares, make 108 half square triangles. For each long side border, stitch 40 HSTs as shown below. Each border should measure $45 \frac{1}{2}$ ".



For each short side border, stitch 14 HSTs and 2 of the 2 ¾" background squares together as shown below. Each short border should measure 18 ½".



Steam press all seams to one side. Stitch the longer borders onto the longer sides of the runner. Using the picture below as a guide, stitch the shorter borders on to the shorter sides of the runner.



Border Instructions

Cut 4 @ 2" WOF and stitch around all sides of your runner. Quilt, bind, and enjoy!

Watch our video tutorials on YouTube!

JORDANFABRICS.COM info@jordanfabrics.com 541-476-0214

