



LED
READING
LIGHTS

FOR
BEDROOM



2021
NEW
SERIES
OF LED
READING
LIGHTS









soft night light
by acrylic diffuser


switch to control
both lights

1 pieces of
5V/1A USB
charger


350 degree
turning spot
for reading light




code **LWA426-WT**
 casing aluminum / white painting
 lamping COB 5W+2W spot
 / Ra>80 /400LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with a 5V/1A USB charger
 and bottom switch on the base




code **LWA426-BK**
 casing aluminum / black painting
 lamping COB 5W+2W spot
 / Ra>80 /400LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with a 5V/1A USB charger
 and bottom switch on the base




code **LWA425-BK**
 casing aluminum / black painting
 lamping COB 5W+2W spot
 / Ra>80 /400LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with a 5V/1A USB charger
 and bottom switch on the base



code **LWA425-WT**
 casing aluminum / white painting
 lamping COB 5W+2W spot
 / Ra>80 /400LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with a 5V/1A USB charger
 and bottom switch on the base








code **LWA424-BK**
 casing aluminum / black painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base




code **LWA424-WT**
 casing aluminum / white painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base






code **LWA423-WT**
 casing aluminum / white painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base








code **LWA423-BK**
 casing aluminum / black painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base







code **LWA428-BK**
 casing aluminum / black painting
 lamping LED 3W
 / Ra>80 / 300LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation     IP20
 supplied with a 5V/1A USB charger
 and press bottom switch




code **LWA428-WT**
 casing aluminum / white painting
 lamping LED 3W
 / Ra>80 / 300LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation     IP20
 supplied with a 5V/1A USB charger
 and press bottom switch




horizontal installation
spot on the right



horizontal installation
spot on the left



vertical
installation



code **LWA449-WT**


casing aluminum+acrylic / white painting

lampping cob 3W for acrylic+3W for spot
/ Ra>80 /270lm+120LM


Beam 30 degree for the spot

2700K/3000K/4000K/6000K


installation     IP20




horizontal installation
spot on the right



horizontal installation
spot on the left



vertical
installation




code **LWA449-BK**
 casing aluminum+acrylic / black painting
 lamping cob 3W for acrylic+3W for spot
 / Ra>80 / 270lm+120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20








NEW
LED
READING
LIGHT
WITH
GLASS
SAHDE







code **LWA448-WT**
 casing steel / white painting
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/3000K/4000K/6000K
 installation     IP20
 with 2 pieces of 5V/1A USB charger



code **LWA448-BK**
 casing steel / black painting
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/3000K/4000K/6000K
 installation     IP20
 with 2 pieces of 5V/1A USB charger




code **LWA448-GD**
 casing stainless steel gold
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20
 with 2 pieces of 5V/1A USB charger




code **LWA448-CR**
 casing stainless steel
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20
 with 2 pieces of 5V/1A USB charger








code **LWA447-BK**
casing steel / black painting
lamping LED 4W
/ Ra>80 /400lm
Beam white glass shade
2700K/**3000K**/4000K/6000K
installation IP20




code **LWA447-WT**
casing steel / white painting
lamping LED 4W
/ Ra>80 /400lm
Beam white glass shade
2700K/**3000K**/4000K/6000K
installation IP20







code **LWA447-GD**
 casing stainless steel gold
 lamping LED 4W
 / Ra>80 /400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20





code **LWA447-CR**
 casing stainless steel
 lamping LED 4W
 / Ra>80 /400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA473-WT**
 casing aluminum / white painting
 lamping SMD 6W+3W spot
 / Ra>80 /600LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20

Supplied with 2 switches on the base
 to control both lights




code **LWA473-BK**
 casing aluminum / black painting
 lamping SMD 6W+3W spot
 / Ra>80 /600LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20


Supplied with 2 switches on the base
 to control both lights





code **LWA474-BK**
 casing aluminum / black painting
 lamping SMD 5W+3W spot
 / Ra>80 /500LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation
 Supplied with 2 switches on the base
 to control both lights



code **LWA474-WT**
 casing aluminum / white painting
 lamping SMD 5W+3W spot
 / Ra>80 /500LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation
 Supplied with 2 switches on the base
 to control both lights




code **LWA416-WT**
 casing aluminum / white painting
 lamping led 1W spot
 / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with a 5V/2A USB charger
 and bottom switch on the base



code **LWA416-BK**
 casing aluminum / black painting
 lamping led 1W spot
 / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with a 5V/2A USB charger
 and bottom switch on the base






code **LWA460**
 casing aluminum / white painting
 lamping led 3W spot
 / Ra>80 /120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation

Supplied with a 5V/2A USB charger
 and bottom switch on the panel
 installed on a standard 86x86mm
 switch box(supplied with lamp)

surface
 customizable

black paint
 equal to RAL9011

chrome plated




code **LWA461**
 casing aluminum / white painting
 lamping led 3W spot
 / Ra>80 /120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation





Supplied with a 5V/2A USB charger
 and bottom switch on the panel
 installed on a standard 86x86mm
 switch box(supplied with lamp)

surface
 customizable

black paint
 equal to RAL9011

chrome plated




code **LWA462**
 casing aluminum / white painting
 lamping led 3W spot
 / Ra>80 /120LM
 Beam 30 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP20





Supplied with a 5V/2A USB charger
 and bottom switch on the panel
 installed on a standard 86x86mm
 switch box(supplied with lamp)

surface
 customizable

 black paint
 equal to RAL9011

 chrome plated




code **LWA463**
 casing aluminum / white painting
 lamping COB 3W spot
 / Ra>90 /240LM
 Beam 23 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP20





Supplied with a 5V/2A USB charger
 and bottom switch on the panel
 installed on a standard 86x86mm
 switch box(supplied with lamp)

surface
 customizable

 black paint
 equal to RAL9011

 chrome plated




code **LWA464**
 casing aluminum / white painting
 lamping led 3W spot
 / Ra>80 /120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation     IP20




Supplied with a 5V/2A USB charger
 and bottom switch on the panel
 installed on a standard 86x86mm
 switch box(supplied with lamp)

surface
 customizable

 black paint
 equal to RAL9011

 chrome plated



code **LWA465**
 casing aluminum / white painting
 lamping led 3W spot
 / Ra>80 /120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation     IP20

Supplied with a 5V/2A USB charger
 and bottom switch on the panel
 installed on a standard 86x86mm
 switch box(supplied with lamp)

surface
 customizable

 black paint
 equal to RAL9011

 chrome plated



LWA219-BK



LWA219-WT



LWA219-SL



LWA219-CR



LWA219-RG



LWA220-BK




LWA220-WT



LWA220-SL



LWA220-CR



code **LWA219-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation **IP20**

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down




code **LWA219-BK**
 casing aluminum / black paint

code **LWA219-CR**
 casing aluminum / chrome plated

code **LWA219-SL**
 casing aluminum / anodized silver

code **LWA219-RG**
 casing aluminum / anodized rose gold



code **LWA220-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation **IP20**

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down




code **LWA220-BK**
 casing aluminum / black paint

code **LWA220-CR**
 casing aluminum / chrome plated


code **LWA220-SL**
 casing aluminum / anodized silver

code **LWA220-RD**
 casing aluminum / anodized rose gold


HOW IT WORKS




STEP 1
 Cut hole
 pattern
 on the wall




STEP 2
 Put the
 driver
 and
 connect
 the main




STEP 3
 Connect
 the lamp
 to the
 driver




STEP 6
 Turn on
 the main
 and press
 to light
 it on



STEP 5
 Fix the
 cover to
 the
 installed
 lamp



STEP 4
 Fix the
 lamp
 with
 screws





LWA319-WT



LWA320-WT



LWA319-BK



LWA320-BK



LWA319-SL




LWA320-SL



LWA319-CR



LWA320-CR



SMALLER VERSION FOR LWA219 SERIES



code **LWA319-WT**
 casing aluminum / white paint
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K



installation IP20
 cut-off dia55mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver



with built-in switch, when head pressed
 in ,the light switched off




the head can be rotated 350 degree
 left and right, 90 degree up and down

code **LWA319-BK**
 casing aluminum / black paint

code **LWA319-CR**
 casing aluminum / chrome plated

code **LWA319-SL**
 casing aluminum / anodized silver

code **LWA319-RG**
 casing aluminum / anodized rose gold



SMALLER VERSION FOR LWA220 SERIES



code **LWA320-WT**
 casing aluminum / white paint
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K



installation IP20
 cut-off dia55mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver



with built-in switch, when head pressed
 in ,the light switched off



the head can be rotated 350 degree
 left and right, 90 degree up and down


code **LWA320-BK**
 casing aluminum / black paint

code **LWA320-CR**
 casing aluminum / chrome plated


code **LWA320-SL**
 casing aluminum / anodized silver

code **LWA320-RG**
 casing aluminum / anodized rose gold


HOW IT WORKS




STEP1
 Cut hole
 pattern
 on the wall




STEP2
 Put the
 driver
 and
 connect
 the main




STEP3
 Connect
 the lamp
 to the
 driver



STEP6
 Turn on
 the main
 and press
 to light
 it on



STEP5
 Fix the
 cover
 to the
 installed
 lamp



STEP4
 Fix the
 lamp
 with
 screws




code **LWA260-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver
 with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.




code **LWA260-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver
 with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



code **LWA260-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver
 with touching sensor switch


the head can be rotated 350 degree
 left and right, 90 degree up and down


surface customizable anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



 cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.


code **LWA259-BK**
casing aluminum / black paint
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/~~3000K~~/4000K/6000K
installation     IP20


supplied with installation box and driver

with touching sensor switch





the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable  anodized silver
brushed circular
 anodized gold
brushed circular
 concrete grey paint
similar to RAL7037



 cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.


code **LWA259-WT**
casing aluminum / white paint
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/~~3000K~~/4000K/6000K
installation     IP20


supplied with installation box and driver

with touching sensor switch





the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable  anodized silver
brushed circular
 anodized gold
brushed circular
 concrete grey paint
similar to RAL7037



 cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.

code **LWA259-CR**
casing aluminum / Chrome plated
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/~~3000K~~/4000K/6000K
installation     IP20

supplied with installation box and driver

with touching sensor switch

the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable  anodized silver
brushed circular
 anodized gold
brushed circular
 concrete grey paint
similar to RAL7037



THE BEST READING LAMP EVER DESIGNED
 360 DEGREE FREE TURNING
 DEEP RECESSED LIGHT
 FOR ANTI-GLARE PURPOSE
 TURNING BACK AND SWITCHED OFF
 SMART AND EASY INSTALLATION
 BY SCREWING IN ONE NUT
 CHROME /GOLD PLATED
 BLACK / WHITE PAINTING
 FOUR FINISHINGS AVAILABLE
 SMALL/BIG TWO SIZES OPTIONAL



code **LWA322-CR**


casing aluminum / chrome plated

lampping LED 3W / Ra>80 / 120LM

Beam 30 degree /

2700K/3000K/4000K/6000K

installation    IP20

 cut-off 150x45mm
 by 105mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **LWA322-BK**

casing aluminum / black paint

code **LWA322-WT**


casing aluminum / white paint

code **LWA322-GD**

casing aluminum / gold plated

surface customizable  anodized silver
 brushed linear

 concrete grey paint
 similar to RAL7037





LWA322-BK




LWA322-WT




LWA322-GD


HOW IT WORKS




STEP 1
Cut hole
pattern
on the
wall




STEP 2
Put the
driver
and
connect
to the
main




STEP 3
Fix the
metal
parts
to the
lamp
with the
long nut




STEP 3
Connect
the lamp
with the
driver



STEP 4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction
to fasten
the metal
part



STEP 5
Pull out
the lamp
head
and light
it on



THE BEST READING LAMP EVER DESIGNED

360 DEGREE FREE TURNING

DEEP RECESSED LIGHT

FOR ANTI-GLARE PURPOSE

TURNING BACK AND SWITCHED OFF

SMART AND EASY INSTALLATION

BY SCREWING IN ONE NUT

CHROME /GOLD PLATED

BLACK / WHITE PAINTING

FOUR FINISHINGS AVAILABLE

SMALL/BIG TWO SIZES OPTIONAL

code **LWA321-CR**

casing aluminum / chrome plated

lamplight LED 3W / Ra>80 / 120LM

Beam 30 degree /

2700K/~~3000K~~/4000K/6000K

installation     IP20



cut-off 125x35mm

by 105mm depth hole for
installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
in, the light switched off

the head can be rotated 350 degree
left and right, 90 degree up and down

code **LWA321-BK**

casing aluminum / black paint

code **LWA321-WT**

casing aluminum / white paint

code **LWA321-GD**

casing aluminum / gold plated

surface customizable  anodized silver
brushed linear

 concrete grey paint
similar to RAL7037



LWA321-WT




LWA321-BK




LWA321-GD


HOW IT WORKS




STEP 1
Cut hole
pattern
on the
wall




STEP 2
Put the
driver
and
connect
to the
main




STEP 3
Fix the
metal
parts
to the
lamp
with the
long nut






STEP 3
Connect
the lamp
with the
driver



STEP 4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction
to fasten
the metal
part



STEP 5
Pull out
the lamp
head
and light
it on



code **LWA315-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K

code **LWA315-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K

code **LWA315-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch


with touching sensor switch

with touching sensor switch


lens available



lens available



lens available



surface customizable


-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037

surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037

surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037




code **LWA314-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA314-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available




surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA314-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA317-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037




code **LWA317-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037




code **LWA317-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

-  anodized silver brushed circular
-  anodized gold sandblasted
-  concrete grey paint similar to RAL7037




code **LWA316-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA316-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available




surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA316-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K



with touching sensor switch

lens available




surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037







code **LWA205**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation 



surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA206**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation 



surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **LWA203**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation 



surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA204**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation 




surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **LWA067**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **LWA070B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **LWA070**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003




code **LWA061**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20


surface customizable white paint similar to RAL9003




code **HL9003/1**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **LWA067B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **LWA224**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003



code **LWA225**
 casing aluminum / chrome plated
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 surface customizable white paint similar to RAL9003




code **HL8019A**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



code **HL8019B**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20




surface customizable white paint similar to RAL9003
 anodized black sandblasted
 concrete grey paint similar to RAL7037




code **LWA186**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam No lense / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003






code **LWA230A-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation   **CE**  **IP20**
 supplied with installation box and driver
 with touching sensor switch

surface customizable  white paint similar to RAL9003
 black paint equal to RAL9011




 cut-off dia8.2mm by 60mm depth hole for installation box and driver
 if there is no enough space for the box, we can supply an aluminum ring for installation.




code **LWA230-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation   **CE**  **IP20**
 supplied with installation box and driver
 with touching sensor switch

surface customizable  white paint similar to RAL9003
 black paint equal to RAL9011



 cut-off dia8.2mm by 60mm depth hole for installation box and driver
 if there is no enough space for the box, we can supply an aluminum ring for installation.




code **LWA230A-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver

with touching sensor switch

cut-off dia8.2mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.




code **LWA230A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation

supplied with installation box and driver

with touching sensor switch

cut-off dia8.2mm
 by 60mm depth hole for
 installation box and driver


if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



code **LWA232A-BK**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 anodized silver brushed linear
 chrome plated


with touching sensor switch



code **LWA231A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable anodized black sandblasted
 anodized silver brushed linear
 chrome plated

with touching sensor switch



code **LWA187-BK**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037
 anodized silver brushed circular
 anodized gold brushed circular



code **LWA188**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003







code **LWA200-BK**

casing aluminum / anodized silver

lampping LED 3W / Ra>80 / 120LM


Beam 30 degree /


2700K/**3000K**/4000K/6000K

installation      IP20

code **LWA200-WT**

casing aluminum / White paint





code **LWA297-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable chrome plated
 concrete grey paint similar to RAL7037

code **LWA297-BK**
 casing aluminum / black paint


code **LWA297-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable chrome plated
 concrete grey paint similar to RAL7037

code **LWA297-SL**
 casing aluminum / anodized silver








code **LWA298**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable
 black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037


With switch on the base



code **LWA299**
 casing aluminum / chrome plated
 lamping LED 12W / Ra>80 / 1200LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable
 black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037


With two switches on the base



code **LWA298A**
 casing aluminum / chrome plated
 lamping Shade LED 6W / Ra>80 / 600LM
 Goose LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable
 black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037


With two switches on the base



code **LWA299A**
 casing aluminum / chrome plated
 lamping Shade LED 12W / Ra>80 / 1200LM
 Goose LED 2x3W / Ra>80 / 240LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable
 black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

With four switches on the base




code **LWA289-BK**
 casing aluminum / anodized black
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003



code **LWA289-SL**
 casing aluminum / anodized silver
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003



code **LWA289-GD**
 casing aluminum / anodized gold
 lamping LED 12W / Ra>80 / 1200LM
 Beam up and down light / acrylic cover
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003



code **LWA207B**

casing aluminum / anodized silver

lampping Shade cob 5W / Ra>90 / 430LM
Goose LED 3W / Ra>80 / 120LM


Beam acrylic diffuser /
2700K/**3000K**/4000K/6000K

installation     IP20

With two switches on the base

surface customizable

-  anodized gold brushed circular
-  black paint equal to RAL9011
-  white paint similar to RAL9003



code **LWA208B**

casing aluminum / anodized silver




lampping Shade cob 5W / Ra>90 / 430LM
Goose LED 3W / Ra>80 / 120LM


Beam acrylic diffuser /
2700K/**3000K**/4000K/6000K

installation     IP20

With two switches on the base

surface customizable

-  anodized gold brushed circular
-  black paint equal to RAL9011
-  white paint similar to RAL9003



code **LWA209B**

casing aluminum / anodized silver




lampping Shade cob 5W / Ra>90 / 430LM
Goose LED 3W / Ra>80 / 120LM


Beam acrylic diffuser /
2700K/**3000K**/4000K/6000K

installation     IP20


With two switches on the base

surface customizable

-  anodized gold brushed circular
-  black paint equal to RAL9011
-  white paint similar to RAL9003








code **LWA207A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation

With switch on the base


- surface customizable
- anodized gold brushed circular
 - black paint equal to RAL9011
 - white paint similar to RAL9003



code **LWA208A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation

With switch on the base




- surface customizable
- anodized gold brushed circular
 - black paint equal to RAL9011
 - white paint similar to RAL9003



code **LWA209A**
 casing aluminum / anodized silver
 lamping cob 5W / Ra>90 / 430LM
 Beam acrylic diffuser /
 2700K/~~3000K~~/4000K/6000K
 installation

With switch on the base

- surface customizable
- anodized gold brushed circular
 - black paint equal to RAL9011
 - white paint similar to RAL9003



NEW RANGE OF LED READING LIGHTS






code **LWA330-GD**
 casing aluminum
 finishing Anodized brushed gold
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation surface mount




▲ Net Weight 0.41kg



code **LWA330-CR**
 casing aluminum
 finishing Chrome plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation surface mount



▲ Net Weight 0.41kg






code **LWA330-BK**
 casing aluminum
 finishing black painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation surface mount




▲ Net Weight 0.41kg




code **LWA330-WT**
 casing aluminum
 finishing white painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation surface mount



▲ Net Weight 0.41kg





code **LWA331-WT**

white paint
similar to RAL9003

code **LWA331-GD**

anodized gold
brushed circular

code **LWA331-SL**

anodized silver
brushed circular

code **LWA331-BK**

black paint
equal to RAL9011


casing aluminum
finishing black/white painting
anodized gold/silver
lamping CREE COB 1304 3W
Lumens 240LM
CRI Ra>90
Beam 23 degree/with frosted cover
lamp color 2700K/3000K/4000K/6000K
Input AC100-240V
installation surface mount





▲ Net Weight 0.5kg



FANTASY READDDDDDING LIGHT









code **LWA323-CR**
 casing aluminum
 finishing Chrome plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below



code **LWA323-GD**
 casing aluminum
 finishing gold plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC 100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below



▲ Net Weight 1.07kg

▲ Net Weight 1.07kg







code **LWA323-WT**
 casing aluminum
 finishing white painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below

code **LWA323-BK**
 casing aluminum
 finishing black painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below




▲ Net Weight 1.07kg


▲ Net Weight 1.07kg



2019 NEW
RANGE
OF LED
READING
LIGHTS












code **LWA335-WT**
 casing steel+fabric / white painting
 lamping LED 3W+E27 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


code **LWA335-CR**
 casing steel+fabric / chrome plated
 lamping LED 3W+E27 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


code **LWA335-BK**
 casing steel+fabric / black painting
 lamping LED 3W+E27 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable concrete grey paint similar to RAL7037



code **LWA334A-WT**
casing steel / white painting
lamping LED 3W spot+4W background light
/ Ra>80 / 120LM+400lm
Beam 30 degree for the spot
2700K/**3000K**/4000K/6000K
installation     IP20




code **LWA334A-BK**
casing steel / black painting
lamping LED 3W spot+4W background light
/ Ra>80 / 120LM+400lm
Beam 30 degree for the spot
2700K/**3000K**/4000K/6000K
installation     IP20



code **LWA334B-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation IP20

code **LWA334B-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation IP20





code **LWA333-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation

code **LWA333-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation




code **LWA333-CR**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation

code **LWA333-GD**
 casing aluminum / golden plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation

2020 NEW
SERIES
OF LED
READING
LIGHTS








code **LWA375-BK**
 casing steel+fabric / black painting
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20


code **LWA375-WT**
 casing steel+fabric / white painting
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20

code **LWA375-CR**
 casing steel+fabric / chrome plated
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20


Supplied with a 4W E14 LED bulb




Spot on the right side




Spot on the right side




Spot on the bottom side




swing the arm and the spot
to change the installation







horizontal installation



vertical installation

code [LWA334S-BK](#)

casing steel / black painting

lampping LED 3W spot+3W background light
/ Ra>80 / 120LM+400lm

Beam 30 degree for the spot
2700K/**3000K**/4000K/6000K

installation IP20

code [LWA334S-WT](#)


casing steel / white painting





lampping LED 3W spot+3W background light
/ Ra>80 / 120LM+400lm

Beam 30 degree for the spot
2700K/**3000K**/4000K/6000K


installation IP20





code **LWA379-WT**
casing steel / white painting
lamping LED 1W spot+3W background light
/ Ra>80 /70LM+240lm
Beam 30 degree for the spot
2700K/**3000K**/4000K/6000K
installation     IP20

code **LWA379-BK**
casing steel / black painting
lamping LED 1W spot+3W background light
/ Ra>80 /70LM+240lm
Beam 30 degree for the spot
2700K/**3000K**/4000K/6000K
installation     IP20




code **LWA374-BK**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **LWA374-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **LWA374-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **LWA374-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 recessed cut-off dia35mm










code [LWA373-BK](#)
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 recessed cut-off 110X35mm

code [LWA373-WT](#)
 casing aluminum / white painting


code [LWA373-SL](#)
 casing aluminum / anodized silver



2021 NEW SERIES OF LED READING LIGHTS







wireless charging board
on the left side

code **LWA420-BK**

casing steel+fabric / black painting

lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **LWA420-WT**

casing steel+fabric / white painting

lamping E14 / supplied with a 4W bulb


Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20





wireless charging board
on the right side

code **LWA422-BK**

casing steel+fabric / black painting

lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / **3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **LWA422-WT**

casing steel+fabric / white painting


lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / **3000K**





Wireless charging 5V / 0.1-1A





USB charging 5V / 2A

installation     IP20




wireless charging board
on the bottom

code **LWA421-BK**
casing steel+fabric / black painting
lamping E14 / supplied with a 4W bulb
Ra>80 / 320LM / 3000K
Wireless charging 5V / 0.1-1A
USB charging 5V / 2A
installation     IP20

code **LWA421-WT**
casing steel+fabric / white painting
lamping E14 / supplied with a 4W bulb
Ra>80 / 320LM / 3000K
Wireless charging 5V / 0.1-1A
USB charging 5V / 2A
installation     IP20







wireless charging board
on the left side

code **LWA417-BK**

casing steel / black painting

lamping LED 3W spot+4W background light
/ Ra>80 / 120LM+400lm

Beam 30 degree for the spot
2700K/3000K/4000K/6000K

installation     IP20

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

code **LWA417-WT**

casing steel / white painting


lamping LED 3W spot+4W background light
/ Ra>80 / 120LM+400lm

Beam 30 degree for the spot
2700K/3000K/4000K/6000K

installation     IP20

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A




wireless charging board
on the right side

code **LWA419-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20

Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A

code **LWA419-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20

Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A



wireless charging board on the top side

code **LWA418-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A

code **LWA418-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A