

**Certificate of Analysis for**

Botanical Brewing Co  
839 Miramar St  
Cape Coral, FL 33904  
Phone: (239) 265-3979

Received: 2/21/2023 @ 10.8 °C  
Report ID: 2302725

**Sample ID:** 2302725-002 **Description:** Blueberry Lemonade - Exp 8-16-23 Batch #666

**ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 02/21/23**

Aerobic Plate Count	10	CFU/g
---------------------	----	-------

**CC.1a: CC by mass via AOAC 991.14, 998.03 (Petrifilm™) Analyzed 02/21/23**

Total Coliform Bacteria	< 10	CFU/g
-------------------------	------	-------

**EC.1a: EC by mass via AOAC 991.14, 998.08 (Petrifilm™) Analyzed 02/21/23**

Escherichia coli	< 10	CFU/g
------------------	------	-------

**ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 02/24/23**

Arsenic (As)	< 0.020	mg/kg (ppm)	Cadmium (Cd)	< 0.010	mg/kg (ppm)
Lead (Pb)	< 0.005	mg/kg (ppm)	Mercury (Hg)	< 0.005	mg/kg (ppm)

**MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 02/22/23**

7-Hydroxymitragynine	< 1.00	mg/355mL	Isorhynchophylline	< 1.00	mg/355mL
Mitragynine	19.4	mg/355mL	Mitraphylline	< 1.00	mg/355mL
Paynantheine	2.86	mg/355mL	Speciociliatine	4.71	mg/355mL
Speciogynine	2.51	mg/355mL	Total Alkaloids	29.4	mg/355mL

**Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 02/21/23**

Salmonella spp.	Negative	/25 g
-----------------	----------	-------

**STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 02/21/23**

Staphylococcus aureus	< 10	CFU/g
-----------------------	------	-------

**STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 02/21/23**

Shiga toxin-producing E. coli	Negative	/25 g
-------------------------------	----------	-------

Reported By: \_\_\_\_\_

Ryan Connelly, Chemistry Laboratory Manager, 2/24/2023