

Gainesville, FL, 32609, US

Certificate of Analysis

Jan 25, 2021 | Pure Science Lab

6574 N. State Road 7 Coconut Creek, FL, 33073, US

PURE SCIENCE LAB

Kaycha Labs

pure isolate 99 Matrix: Derivative



Sample: GA10111001-001 Harvest/Lot ID: 2012025001

Batch#: 100

Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 1 gram Total Weight/Volume: N/A

> Retail Product Size: 1 gram ordered: 01/05/21

> > sampled: 01/05/21 **Completed:** 01/25/21

Sampling Method: SOP Client Method

PASSED

Page 1 of 1

PRODUCT IMAGE

SAFETY RESULTS





















MISC.

Terpenes

Pesticides

Heavy Metals Microbials TESTED

Mycotoxins NOT

Solvents

Filth NOT TESTED

Water Activity

Moisture

PASSED



Cannabinoid





Total CBD O



Total Cannabinoids



Cannabinoid Profile Test

Analyzed by	Weight	Extraction date :	Extracted By :
2338	0.1037g	01/22/21 12:01:28	2206
Analysis Method -SOP.T.40.020, SOP.T.30.050		Reviewed On - 01/25/21 13:48:22	Batch Date: 01/22/21 07:20:54
Annalysis - I Branch CARRAGAT AFT DOT	In atmospherical Col	UDI C 001 2020C Div. (CI) DI O 01/25/21 00:1C-57	

Dilution: 40
Reagent: 0.1062.1.26; 0.11921.R45; 0.12221.R09
Consumables: 2802066106; VAV-09-1020 Lot# 947.077; 6970145500298; 190624060; 16466-042
Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. RSD=Relative Standard Deviation. Action Levels are State determined thresholds based on F.S. Rule 64-4.310 and hemp. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



01/25/21

Signature Signed On