

Certificate of Analysis

COMPLIANCE FOR RETAIL

PURE DARK SOFT GEL

N/A

Kaycha Labs

Matrix: Derivative

Sample:GA30206008-008 Harvest/Lot ID: 00615G

> Batch#: 012023 **Cultivation Facility:**

Processing Facility: Distributor Facility:

> Source Facility: Seed to Sale# N/A

Batch Date: 01/20/23 Sample Size Received: 30 units

Total Amount: 30 units Retail Product Size: 30 units

> Ordered: 01/29/23 Sampled: 01/29/23

Completed: 02/09/23 Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 1

PURE SCIENCE LAB

PRODUCT IMAGE

3400 nw 27th avenue C-4

Pompano beach, FL, 33069, US

SAFETY RESULTS

Feb 09, 2023 | Pure Science Lab







Heavy Metals



Microbials



Mycotoxins





Filth

NOT TESTED







NOT TESTED



MISC.

Cannabinoid

PASSED



Total THC 0.075% Total THC/Container: 20.7 mg



Total CBD

Total CBD/Container: 944.196 mg



Total Cannabinoids

Total Cannabinoids/Container: 1056.252



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: GA055744POT Instrument Used: GA-HPLC-002 2040C (Infused) Running on: 02/08/23 08:45:19

Reviewed On: 02/09/23 14:00:57

Dilution 1:400
Reagent: 120522.10; 081822.R45; 010421.44; 071522.04; 020223.R47; 020223.R52
Consumables: 12532-225CD-225C; GA-196; GA-209; 947.109; 21/05/14; 9291.271; LLS-00-0005; R0NB32898; 000000146137; 944C4 944J; 213605; 206639
Pipette: GA-002; GA-003; GA-004; GA-013

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Miranda **MacDonald** Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



02/09/23

Signed On